

Package ‘SampleSizeSingleArmSurvival’

July 21, 2025

Type Package

Title Calculate Sample Size for Single-Arm Survival Studies

Version 0.1.0

Description Provides methods to calculate sample size for single-arm survival studies using the arcsine transformation, incorporating uniform accrual and exponential survival assumptions. Includes functionality for detailed numerical integration and simulation. This method is based on Nagashima et al. (2021) <[doi:10.1002/pst.2090](https://doi.org/10.1002/pst.2090)>.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Imports stats

Suggests testthat (>= 3.0.0), knitr, rmarkdown, devtools

VignetteBuilder knitr

NeedsCompilation no

Author Mohamed Kamal [aut, cre]

Maintainer Mohamed Kamal <mohamedkamalhospital@gmail.com>

Repository CRAN

Date/Publication 2025-01-15 10:20:02 UTC

Contents

calcSampleSizeArcsine	2
Index	4

calcSampleSizeArcsine *Calculate Sample Size Using Arcsine Transformation*

Description

This function calculates the required sample size for single-arm survival studies based on the arcsine transformation method. It accounts for uniform accrual and exponential survival assumptions, including numeric integration for time points that exceed the follow-up period.

Usage

```
calcSampleSizeArcsine(  
  S0,  
  S1,  
  alpha = 0.05,  
  power = 0.8,  
  accrual = 24,  
  followup = 24,  
  timePoint = 18,  
  steps = 10000  
)
```

Arguments

S0	Numeric. Survival probability under the null hypothesis (must be strictly between 0 and 1).
S1	Numeric. Survival probability under the alternative hypothesis (must be strictly between 0 and 1).
alpha	Numeric. The one-sided Type I error rate. Default is 0.05.
power	Numeric. Desired statistical power of the test (1 - beta). Default is 0.80.
accrual	Numeric. Duration of the accrual period in months. Default is 24.
followup	Numeric. Additional follow-up duration in months after accrual. Default is 24.
timePoint	Numeric. Time of interest in months for evaluating survival probabilities. Default is 18.
steps	Integer. Number of steps for numeric integration if timePoint exceeds follow-up duration. Default is 10,000.

Value

Integer. The required sample size, rounded up to the nearest whole number.

Examples

```
# Calculate sample size for typical survival probabilities
calcSampleSizeArcsine(S0 = 0.90, S1 = 0.96)

# Adjusting for lower survival probabilities and extended accrual
calcSampleSizeArcsine(
  S0 = 0.80,
  S1 = 0.85,
  accrual = 36,
  followup = 12,
  timePoint = 24
)
```

Index

`calcSampleSizeArcsine`, [2](#)