

Package ‘nat’

July 22, 2025

Type Package

Title NeuroAnatomy Toolbox for Analysis of 3D Image Data

Version 1.8.24

URL <https://github.com/natverse/nat>, <https://natverse.org/>

BugReports <https://github.com/natverse/nat/issues>

Description NeuroAnatomy Toolbox (nat) enables analysis and visualisation of 3D biological image data, especially traced neurons. Reads and writes 3D images in NRRD and 'Amira' AmiraMesh formats and reads surfaces in 'Amira' hxsurf format. Traced neurons can be imported from and written to SWC and 'Amira' LineSet and SkeletonGraph formats. These data can then be visualised in 3D via 'rgl', manipulated including applying calculated registrations, e.g. using the 'CMTK' registration suite, and analysed. There is also a simple representation for neurons that have been subjected to 3D skeletonisation but not formally traced; this allows morphological comparison between neurons including searches and clustering (via the 'nat.nblast' extension package).

Depends R (>= 2.15.1), rgl (>= 0.98.1)

Imports nabor, igrph (>= 1.3.0), methods, filehash (>= 2.3), digest, nat.utils (>= 0.4.2), plyr, yaml

Suggests Rvcg (>= 0.17), testthat, httr, XML, knitr, rmarkdown, markdown, MASS, alphashape3d, webshot2

License GPL-3

LazyData yes

Collate 'alphashape3d.R' 'amiralandmarks-io.R' 'amiramesh-io.R' 'cmtk-reformat.R' 'cmtk.R' 'cmtk_geometry.R' 'cmtk_io.R' 'cmtkreg.R' 'coordinates.R' 'dist3D_Segment_to_Segment.R' 'neuron.R' 'dotprops.R' 'graph-nodes.R' 'hxsurf.R' 'im3d.R' 'nat-data.R' 'nat-package.R' 'ndigest.R' 'neuron-io-amira.R' 'neuron-io-fiji.R' 'neuron-io-neuoml.R' 'neuron-io.R' 'neuron-plot.R' 'neuronlist.R' 'neuronlist_interactive_3d.R' 'neuronlist_sets.R' 'neuronlistfh.R' 'ngraph.R' 'nrrd-io.R' 'pop3d.R' 'potential_synapses.R' 'reglist.R' 'seglist.R'

'summary.R' 'utils.R' 'vaa3draw-io.R' 'vtk-io.R' 'xform.R'
 'xformimage.R' 'xformpoints.R' 'zzz.R'

RoxygenNote 7.2.3

Encoding UTF-8

VignetteBuilder knitr

NeedsCompilation no

Author Gregory Jefferis [aut, cre] (ORCID:

<<https://orcid.org/0000-0002-0587-9355>>),

James Manton [aut] (ORCID: <<https://orcid.org/0000-0001-9260-3156>>),

Dominik Krzeminski [ctb] (ORCID:

<<https://orcid.org/0000-0003-4568-0583>>)

Maintainer Gregory Jefferis <jefferis@gmail.com>

Repository CRAN

Date/Publication 2024-02-05 18:30:02 UTC

Contents

nat-package	5
*.dotprops	7
*.neuron	8
*.neuronlist	9
affmat2cmtkparams	10
all.equal.dotprops	11
all.equal.im3d	12
all.equal.neuron	13
amiratype	14
as.data.frame.neuronlist	15
as.hxsurf	16
as.im3d	17
as.mesh3d	18
as.neuronlist	20
as.neuronlist.neuronlistfh	21
boundingbox	21
c.neuronlist	23
Cell07PNs	24
clampmax	24
cmtk.bindir	25
cmtk.call	27
cmtk.dof2mat	28
cmtk.extract_affine	29
cmtk.mat2dof	30
cmtk.reformatx	31
cmtk.statistics	32
cmtk.targetvolume	34
cmtk.version	35

cmtkparams2affmat	36
cmtkreg	37
cmtkreglist	38
coord2ind	39
dotprops	40
fileformats	41
find.neuron	44
find.soma	45
flip	46
graph.nodes	47
im3d	47
im3d-coords	49
im3d-io	50
image.im3d	51
imexpand.grid	53
imscalebar	53
imslice	54
ind2coord	55
intersect	56
is.amiramesh	56
is.fjitracess	57
is.im3d	58
is.neuroml	58
is.neuronlist	59
is.nrrd	59
is.swc	60
is.vaa3draw	61
kcs20	61
mask	62
materials	63
MBL.surf	64
mirror	64
ndigest	67
neuron	68
neuronlist	71
neuronlist-dataframe-methods	72
neuronlistfh	75
ngraph	78
nlapply	80
nlscan	83
nopen3d	85
normalise_swc	85
npop3d	86
nrrd.voxdims	87
nvertices	88
nview3d	88
origin	89
pan3d	90

plot.neuron	91
plot.neuronlist	93
plot3d	94
plot3d.boundingBox	95
plot3d.cmtkreg	96
plot3d.dotprops	97
plot3d.hxsurf	98
plot3d.neuron	99
plot3d.neuronlist	101
pointsinside	103
potential_synapses	105
projection	106
prune	108
prune_strahler	109
prune_vertices	110
read.amiramesh	112
read.cmtk	113
read.cmtkreg	114
read.hxsurf	114
read.landmarks	116
read.morphml	117
read.neuron	118
read.neuron.fiji	120
read.neuron.neuroml	120
read.neuron.swc	121
read.neuronlistfh	122
read.neurons	123
read.nrrd	125
read.vaa3draw	126
reglist	126
remotesync	128
resample	129
rootpoints	130
scale.neuron	131
seglengths	132
seglist	133
seglist2swc	134
segmentgraph	135
setdiff	136
simplify_reglist	137
smooth_neuron	137
spine	138
strahler_order	140
sub2ind	141
subset	141
subset.dotprops	141
subset.hxsurf	143
subset.neuron	144

subset.neuronlist	146
summary.neuronlist	148
threshold	149
union	150
unmask	151
voxdims	152
write.amiramesh	153
write.cmtk	154
write.cmtkreg	155
write.hxsurf	155
write.neuron	156
write.neuronlistfh	157
write.neurons	158
write.nrrd	160
write.vtk	162
xform	163
xformimage	166
xformpoints	167
xyzmatrix	169
[.neuronlistfh	171

Index**173**

nat-package

*Analyse 3D biological image data especially neurons***Description**

nat provides tools to read, analyse, plot, transform and convert neuroanatomical data, especially representations of neurons.

Neuron Objects

At present there are 2 main representations of neuronal data:

[neuron](#) objects contain one or more connected trees that make up a neuron

[dotprops](#) objects can contain one (or more) neurons represented as points and tangent vectors in which the connectivity information has been discarded

The subset function has both [subset.neuron](#) and [subset.dotprops](#) methods, which can be used to keep (or reject) specified vertices within a neuron e.g. by spatial constraints. [subset.neuron](#) will look after the tree structure of neurons in these circumstances.

neuron objects containing connected trees can be converted to [ngraph](#) objects, a lightweight wrapper around the [igraph](#) library's [graph](#) class that preserves 3D coordinate information. This allows neurons to be manipulated based on their graph structure, e.g. by finding all nodes upstream (closer to the root) or downstream of a given node. The [as.neuron](#) function can convert ngraph objects back to neurons or selected vertex indices can be used to subset a neuron with [subset.neuron](#).

Collections of Neurons

Neurons can be collected as `neuronlist` objects, which contain multiple `neuron` or `dotprops` objects along with an attached dataframe of metadata. The metadata can be accessed and manipulated using the `myneuronlist[i, j]` notation (see `neuronlist-dataframe-methods`).

Neurons can be read in to a neuronlist using `read.neurons` or written out using `write.neurons` with support for many of the most common formats including `swc`.

Metadata can be used to colour or subset the neurons during plotting (see `plot3d.neuronlist` and `subset.neuronlist`). Interactive 3D selection of neurons in a neuronlist is also possible using `find.neuron` (which makes use of `rgl`'s `select3d` function).

`neuronlist` objects also provide additional functionality to streamline arithmetic (e.g. scaling all the points in all neurons see `*.neuronlist`) and transformations (see **Transformations** section below and `xform`). Arbitrary functions can be applied to each individual neuron can be applied using the `nlapply` function, which also provides options for progress bars and simple parallelisation.

Transformations

`neuron` or `dotprops` objects can be transformed from e.g. sample to template brain space using affine or non-rigid registrations, typically calculated with the open source CMTK package available at <https://www.nitrc.org/projects/cmtk/>, see `?cmtk` for installation details. The function `xform` has methods to deal with a variety of types of interest.

3D Image Data

In addition to data types defined by unstructured collections of 3D vertices such as `neuron`, `dotprops` and `hxsurf` objects `nat` provides the `im3d` class to handle image/density data on a regular grid. I/O is handled by `read.im3d` and `write.im3d`, which are currently implemented for the `amiramesh` and `nrrd` file formats; there is also read only access to the `vaa3d` raw format.

Spatial information can be queried with `voxdims`, `boundingbox` and `ijkpos`, `xyzpos` methods. You can convert between voxel data and coordinate (vertex) -based representations using the following functions:

- `as.im3d` The `as.im3d.matrix` method converts XYZ coordinates to an `im3d` image volume
- `ind2coord` Find XYZ coordinates of specified voxels of an `im3d` image volume
- `dotprops` The `dotprops.im3d` method converts an `im3d` object to a `dotprops` format neuron, i.e. a cloud of unconnected segments.

Surface Data

`nat` can read, write, transform and subset surface (mesh) objects defined by Amira's `HxSurface` class. See `read.hxsurf` and links therein. In addition `hxsurf` objects can be converted to the `mesh3d` format, which provides a link to the `rgl` package and also to packages for morphometrics and sophisticated mesh manipulation such as `Morpho` and `Rvcg`.

rgl Package

`nat` uses the `rgl` package extensively for 3D visualisation. `rgl`'s core function is to provide interactive visualisation (usually in an X11 window depending on OpenGL - and therefore on a graphics

card or OpenGL software emulator) but recently significant functionality for static snapshots and embedding results in reports such as web pages has been added. With this in mind, Duncan Murdoch has added the `rgl.useNULL` option. As of nat 1.8.0, `options(rgl.useNULL=TRUE)` will be set before nat is loaded in non-interactive R sessions. If you want to use nat in interactive environments where X11 is not available, you may want to set `options(rgl.useNULL=TRUE)` manually before loading nat.

File Formats

nat supports multiple input and output data formats for the object classes. There is a registry-based mechanism which allows support for reading or writing specific file formats (see [fileformats](#)) to be plugged in to reasonably generic functions such as [read.neurons](#). It is perfectly possible for other R packages or end users to extend the supported list of file types by registering new read/write or identification functions.

Package Options

The following options can be set to specify default behaviour.

`nat.cmtk.bindir` Location of CMTK binaries. See [cmtk.bindir](#)

`nat.default.neuronlist` A character string naming a neuronlist to use with the [plot3d.character](#) method

`nat.progress` The default progress reporter to use with [nlapply](#). See [create_progress_bar](#) for possible values. When unset is equivalent to special value 'auto'. To suppress altogether, use `nat.progress="none"`.

In addition there is one read-only option:

- `nat.cmtk.version` which is used to store the current cmtk version when there are repeated calls to [cmtk.version](#).

See Also

[neuron](#), [dotprops](#), [neuronlist](#), [nlapply](#), [plot3d](#), [xform](#), [im3d](#), [read.hxsurf](#), [rgl](#) which is used for visualisation, [fileformats](#), [read.neurons](#), [cmtk](#).

*.dotprops

Arithmetic for dotprops objects

Description

Arithmetic for dotprops objects

Usage

```

## S3 method for class 'dotprops'
x * y

## S3 method for class 'dotprops'
x + y

## S3 method for class 'dotprops'
x - y

## S3 method for class 'dotprops'
x / y

```

Arguments

x A dotprops object
y A scalar or 3-vector that will be applied to the dotprops object

Value

A new dotprops object

*.neuron *Arithmetic for neuron coordinates*

Description

If x is a 1-vector or a 3-vector, multiply xyz only If x is a 4-vector, multiply xyz and diameter by that TODO Figure out how to document arithmetic functions in one go

Usage

```

## S3 method for class 'neuron'
n * x

## S3 method for class 'neuron'
n + x

## S3 method for class 'neuron'
n - x

## S3 method for class 'neuron'
n / x

```

Arguments

n a neuron
x (a numeric vector to multiply neuron coords in neuron)

Value

modified neuron

See Also

neuron

Examples

```
n1<-Cell107PNs[[1]]*2
n2<-Cell107PNs[[1]]*c(2,2,2,1)
stopifnot(all.equal(n1,n2))
n3<-Cell107PNs[[1]]*c(2,2,4)
```

*.neuronlist

Arithmetic for neuron coordinates applied to neuronlists

Description

If x is one number or 3-vector, multiply coordinates by that If x is a 4-vector, multiply xyz and diameter TODO Figure out how to document arithmetic functions in one go

Usage

```
## S3 method for class 'neuronlist'
x * y

## S3 method for class 'neuronlist'
x + y

## S3 method for class 'neuronlist'
x - y

## S3 method for class 'neuronlist'
x / y
```

Arguments

x a neuronlist
y (a numeric vector to multiply coords in neuronlist members)

Value

modified neuronlist

See Also

Other neuronlist: [is.neuronlist\(\)](#), [neuronlist-dataframe-methods](#), [neuronlistfh\(\)](#), [neuronlist\(\)](#), [nlapply\(\)](#), [read.neurons\(\)](#), [write.neurons\(\)](#)

Examples

```
mn2<-Cell107PNs[1:10]*2
```

affmat2cmtkparams	<i>Decompose homogeneous affine matrix to CMTK registration parameters</i>
-------------------	--

Description

Decompose homogeneous affine matrix to CMTK registration parameters

Usage

```
affmat2cmtkparams(matrix, centre = c(0, 0, 0))
```

Arguments

matrix	4x4 homogeneous affine matrix
centre	Rotation centre

Details

The version attribute of the resultant matrix marks this as compliant with CMTK>v2.4 (~ Dec 2013) when a bug in affine matrix (de)composition was fixed.

Value

5x3 matrix of CMTK registration parameters with a version attribute

See Also

Other cmtk-geometry: [cmtk.dof2mat\(\)](#), [cmtk.mat2dof\(\)](#), [cmtkparams2affmat\(\)](#)

all.equal.dotprops *all.equal method tailored to dotprops objects*

Description

all.equal method tailored to dotprops objects

Usage

```
## S3 method for class 'dotprops'
all.equal(
  target,
  current,
  check.attributes = FALSE,
  absoluteVectors = TRUE,
  ...
)
```

Arguments

target, current dotprops objects to compare
 check.attributes Whether to check attributes (false by default)
 absoluteVectors Whether to check only the absolute value of eigenvectors for equality (default TRUE, see details)
 ... Additional arguments passed to base all.equal.

Details

This method is required because the direction vectors are computed using an eigenvector decomposition where the sign of the eigenvector is essentially random and subject to small numerical instabilities. Therefore it does not usually make sense to check the value of vect exactly.

Examples

```
# equal using default
kc1=kcs20[[1]]
kc1.recalc=dotprops(kc1)
# not equal due to differences in attributes and vectors
all.equal.default(kc1.recalc, kc1)
# still not equal because of tangent vector flipping
all.equal.default(kc1.recalc, kc1, check.attributes=FALSE)
# equal using appropriate method
stopifnot(isTRUE(all.equal(kc1.recalc, kc1)))
# NB identical when recalculated on same setup from same data
stopifnot(isTRUE(all.equal.default(kc1.recalc, dotprops(kc1))))
```

all.equal.im3d	<i>Check equality on data and key attributes of im3d objects</i>
----------------	--

Description

Check equality on data and key attributes of im3d objects

Usage

```
## S3 method for class 'im3d'  
all.equal(  
  target,  
  current,  
  tolerance = 1e-06,  
  attrsToCheck = c("BoundingBox"),  
  attrsToCheckIfPresent = c("dim", "names", "dimnames", "x", "y", "z"),  
  CheckSharedAttrsOnly = FALSE,  
  ...  
)
```

Arguments

target	R object.
current	other R object, to be compared with target.
tolerance	numeric ≥ 0 . Differences smaller than tolerance are not reported. The default value is close to $1.5e-8$.
attrsToCheck	Which attributes in im3d should always be checked
attrsToCheckIfPresent	Which attributes in im3d should be checked if present
CheckSharedAttrsOnly	Logical whether to check shared attributes only (default: FALSE)
...	additional arguments passed to all.equal

See Also

[all.equal](#)

all.equal.neuron *Check equality on key fields of neuron object*

Description

Check equality on key fields of neuron object

Usage

```
## S3 method for class 'neuron'
all.equal(
  target,
  current,
  tolerance = 1e-06,
  check.attributes = FALSE,
  fieldsToCheck = c("NumPoints", "StartPoint", "BranchPoints", "EndPoints", "NumSegs",
    "SegList", "d"),
  fieldsToCheckIfPresent = c("NeuronName", "nTrees", "SubTrees"),
  fieldsToExclude = character(),
  CheckSharedFieldsOnly = FALSE,
  ...
)
```

Arguments

target	R object.
current	other R object, to be compared with target.
tolerance	numeric ≥ 0 . Differences smaller than tolerance are not reported. The default value is close to $1.5e-8$.
check.attributes	logical indicating if the attributes of target and current (other than the names) should be compared.
fieldsToCheck	Which fields in the neuron are always checked. The special value of NA indicates that all fields in the neurons will be compared.
fieldsToCheckIfPresent	These fields are only checked if they are present
fieldsToExclude	Character vector of fields to exclude from check
CheckSharedFieldsOnly	Logical whether to check shared fields only (default: FALSE)
...	additional arguments passed to all.equal

See Also

[all.equal](#)

Examples

```
x=Cell07PNs[[1]]
y=x
y$NeuronName='rhubarb'
# NOT TRUE
all.equal(x, y)
# TRUE
all.equal(x, y, fieldsToExclude='NeuronName')
```

amiratype

Return the type of an amiramesh file on disk or a parsed header

Description

Return the type of an amiramesh file on disk or a parsed header

Usage

```
amiratype(x, bytes = NULL)
```

Arguments

x Path to files on disk or a single pre-parsed parameter list

bytes A raw vector containing at least 11 bytes from the start of the file.

Details

Note that when checking a file we first test if it is an amiramesh file (fast, especially when `bytes != NULL`) before reading the header and determining content type (slow).

Value

character vector (NA_character_ when file invalid)

See Also

Other amira: [is.amiramesh\(\)](#), [read.amiramesh\(\)](#), [read.hxsurf\(\)](#), [write.hxsurf\(\)](#)

`as.data.frame.neuronlist`*Get or set the attached data.frame of a neuronlist*

Description

For `as.data.frame`, when there is no attached `data.frame` the result will be a `data.frame` with 0 columns but an appropriate number of rows, named by the objects in the `neuronlist`.

`data.frame<-` methods set the data frame attached to an object. At present this is only used for `neuronlist` objects.

Usage

```
## S3 method for class 'neuronlist'  
as.data.frame(x, row.names = names(x), optional = FALSE, ...)
```

```
data.frame(x) <- value
```

```
## S3 replacement method for class 'neuronlist'  
data.frame(x) <- value
```

Arguments

<code>x</code>	neuronlist to convert
<code>row.names</code>	row names (defaults to names of objects in <code>neuronlist</code> , which is nearly always what you want.)
<code>optional</code>	ignored in this method
<code>...</code>	additional arguments passed to <code>data.frame</code> (see examples)
<code>value</code>	The new <code>data.frame</code> to be attached to <code>x</code>

Value

for `as.data.frame.neuronlist`, a `data.frame` with `length(x)` rows, named according to `names(x)` and containing the columns from the attached `data.frame`, when present.

for `data.frame<-.neuronlist`, a `neuronlist` with the attached `data.frame`.

See Also

[data.frame](#), [neuronlist](#)

Examples

```

head(as.data.frame(kcs20))

# add additional variables
str(as.data.frame(kcs20, i=seq(kcs20), abc=LETTERS[seq(kcs20)]))
# stop character columns being turned into factors
newdf <- as.data.frame(kcs20, i=seq(kcs20), abc=LETTERS[seq(kcs20)],
  stringsAsFactors=FALSE)
str(newdf)
data.frame(kcs20)=newdf

```

as.hxsurf

Convert an object to a nat hxsurf object

Description

Convert an object to a nat hxsurf object

Usage

```
as.hxsurf(x, ...)
```

```
## S3 method for class 'mesh3d'
as.hxsurf(x, region = "Interior", col = NULL, ...)
```

Arguments

x	A surface object
...	Additional arguments passed to methods
region	The default name for the surface region
col	The surface colour (default value of NULL implies the colour specified in mesh3d object or grey when the mesh3d object has no colour.)

Details

hxsurf objects are based on the format of Amira's surface objects (see [read.hxsurf](#)). They have the ability to include multiple distinct regions. However, at the moment the only method that we provide converts mesh3d objects, which can only include one region.

Value

A new surface object of class hxsurf (see [read.hxsurf](#)) for details.

See Also

[as.mesh3d](#)

Other hxsurf: [as.mesh3d\(\)](#), [materials\(\)](#), [plot3d.hxsurf\(\)](#), [read.hxsurf\(\)](#), [subset.hxsurf\(\)](#), [write.hxsurf\(\)](#)

Examples

```
tet=tetrahedron3d(col='red')
teth=as.hxsurf(tet)

plot3d(teth)
```

as.im3d

Convert a suitable object to an im3d object.

Description

Convert a suitable object to an im3d object.

Usage

```
as.im3d(x, ...)

## S3 method for class 'im3d'
as.im3d(x, ...)

## S3 method for class 'matrix'
as.im3d(x, voxdims, origin = NULL, BoundingBox = NULL, ...)
```

Arguments

x	Object to turn into an im3d
...	Additional arguments to pass to methods.
voxdims	Numeric vector of length 3 <i>or</i> an im3d compatible object (see details) completely specifying the required space.
origin	the location (or centre) of the first voxel
BoundingBox	Physical extent of the image. See the details section of boundingbox 's help for the distinction between BoundingBox and bounds.

Details

At present the only interesting method in nat is `as.im3d.matrix` which can be used to convert a matrix of 3D points into a 3D volume representation. `ind2coord` can be used to do the reverse: convert a set of 3D coords to an im3d volume.

Other than that, this is a largely a placeholder function with the expectation that other packages may wish to provide suitable methods.

`as.im3d.matrix` can accept any object that can be converted to an im3d object in the `voxdims` argument This will completely specify the dims, voxdims, origin etc. Any value passed to those parameters will be ignored. This can be useful for producing a new im3d to match a target image on disk or a `nat.templatebrains::templatebrain` object. See examples.

See Also

[im3d](#), [ind2coord](#)

[im3d](#), [as.im3d](#)

Other im3d: [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Examples

```
## convert a list of neurons into an image volume
im=as.im3d(xyzmatrix(kcs20), voxdims=c(1, 1, 1),
  BoundingBox=c(250, 410, 0, 130, 0, 120))
## Not run:
write.im3d(im, 'kc20volume.nrrd')

## use image dimensions of an image on disk
# nb note use of ReadData = FALSE so that we just fetch the dimensions of
# the target image
diskim=read.im3d("/path/to/my/image.nrrd", ReadData = FALSE)
im=as.im3d(xyzmatrix(kcs20), diskim)

## use image dimensions of JFRC2 template brain to define the image space
library(nat.flybrains)
im=as.im3d(xyzmatrix(kcs20), JFRC2)

## End(Not run)
```

as.mesh3d

Convert an object to an rgl mesh3d

Description

as.mesh3d.ashape3d converts an `alphashape3d::ashape3d` object into a `nat/rgl` compatible mesh3d surface

Note that this provides a link to the `Rvcg` package

Usage

```
## S3 method for class 'ashape3d'
as.mesh3d(x, tri_to_keep = 2L, ...)
```

```
## S3 method for class 'hxsurf'
as.mesh3d(x, Regions = NULL, material = NULL, drop = TRUE, ...)
```

Arguments

x	Object to convert to mesh3d
tri_to_keep	Which alphashape triangles to keep (expert use only - see <code>triang</code> entry in Value section of <code>ashape3d</code> docs for details.)
...	Additional arguments for methods
Regions	Character vector or regions to select from <code>hxsurf</code> object
material	<code>rgl</code> materials such as <code>color</code>
drop	Whether to drop unused vertices (default TRUE)

Details

An **alpha shape** is a generalisation of a convex hull enclosing a set of points. Unlike a convex hull, the resultant surface can be partly concave allowing the surface to more closely follow the set of points.

In this implementation, the parameter `alpha` is a scale factor with units of length that defines a spatial domain. When `alpha` is larger the alpha shape approaches the convex hull; when `alpha` is smaller the alpha shape has a greater number of faces / vertices i.e. it follows the points more closely.

Value

a `mesh3d` object which can be plotted and manipulated using `rgl` and `nat` packages.

See Also

`ashape3d`, `mesh3d`

`as.mesh3d`, `tmesh3d`, `as.hxsurf`, `read.hxsurf`

Other `hxsurf`: `as.hxsurf()`, `materials()`, `plot3d.hxsurf()`, `read.hxsurf()`, `subset.hxsurf()`, `write.hxsurf()`

Examples

```
library(alphashape3d)
kcs20.a=ashape3d(xyzmatrix(kcs20), alpha = 10)
plot(kcs20.a)

# convert to mesh3d
kcs20.mesh=as.mesh3d(kcs20.a)

# check that all points are inside mesh
all(pointsinside(kcs20, kcs20.mesh))
# and show that we can also use the alphashape directly
all(pointsinside(kcs20, kcs20.a))

clear3d()
wire3d(kcs20.mesh)
plot3d(kcs20, col=type, lwd=2)
```

as.neuronlist	<i>Make a list of neurons that can be used for coordinate plotting/analysis</i>
---------------	---

Description

Make a list of neurons that can be used for coordinate plotting/analysis

Usage

```
as.neuronlist(l, ...)  
  
## Default S3 method:  
as.neuronlist(l, df = NULL, AddClassToNeurons = TRUE, ...)
```

Arguments

<code>l</code>	An existing list or a single neuron to start a list
<code>...</code>	Additional arguments passed to methods
<code>df</code>	the data.frame to attach with additional metadata.
<code>AddClassToNeurons</code>	Whether to ensure neurons have class neuron (see details).

Details

Note that `as.neuronlist` can cope with both neurons and dotprops objects but `AddClassToNeurons` will only apply to things that look like neurons but don't have a class of neuron.

See [neuronlist](#) details for more information.

Value

neuronlist with attr('df')

See Also

[is.neuronlist](#), [is.neuron](#), [is.dotprops](#)

```
as.neuronlist.neuronlistfh
    convert neuronlistfh to a regular (in memory) neuronlist
```

Description

convert neuronlistfh to a regular (in memory) neuronlist

Usage

```
## S3 method for class 'neuronlistfh'
as.neuronlist(1, ...)
```

Arguments

1	An existing list or a single neuron to start a list
...	Additional arguments passed to methods

boundingbox	<i>Get the bounding box of an im3d volume or other compatible object</i>
-------------	--

Description

boundingbox.list is designed to be used on objects that contain 3D point information and for which xyzmatrix is defined.

boundingbox.shape3d is designed to be used on objects that contain 3D point information and inherit from rgl's shape3d class and for which xyzmatrix is defined. Presently this applies to [mesh3d](#) objects.

Set the bounding box of an im3d object

Usage

```
boundingbox(x, ...)

## S3 method for class 'im3d'
boundingbox(x, dims = dim(x), ...)

## S3 method for class 'character'
boundingbox(x, ...)

## S3 method for class 'list'
boundingbox(x, na.rm = FALSE, ...)

## S3 method for class 'neuron'
```

```

boundingbox(x, na.rm = FALSE, ...)

## S3 method for class 'shape3d'
boundingbox(x, na.rm = FALSE, ...)

## Default S3 method:
boundingbox(x, dims, input = c("boundingbox", "bounds"), ...)

boundingbox(x) <- value

```

Arguments

<code>x</code>	A vector or matrix specifying a bounding box, an <code>im3d</code> object, any object with base class list for which <code>xyzmatrix</code> can extract 3D points (e.g. neurons, surfaces etc), or, for <code>boundingbox.character</code> , a character vector specifying a file.
<code>...</code>	Additional arguments for methods
<code>dims</code>	The number of voxels in each dimension when <code>x</code> is a <code>BoundingBox</code> matrix.
<code>na.rm</code>	Whether to ignore NA points (default FALSE)
<code>input</code>	Whether <code>x</code> defines the boundingbox or bounds of the image (see details).
<code>value</code>	The object which will provide the new boundingbox information. This can be either an <code>im3d</code> object with a boundingbox or a vector or matrix defined according to <code>boundingbox.default</code> .

Details

The bounding box is defined as the position of the voxels at the two opposite corners of the cuboid encompassing an image, *when each voxel is assumed to have a single position (sometimes thought of as its centre) and no physical extent*. When written as a vector it should look like: `c(x0, x1, y0, y1, z0, z1)`. When written as a matrix it should look like: `rbind(c(x0, y0, z0), c(x1, y1, z1))` where `x0,y0,z0` is the position of the origin.

Note that there are two competing definitions for the physical extent of an image that are discussed e.g. <https://teem.sourceforge.net/nrrd/format.html>. The definition that makes most sense depends largely on whether you think of a pixel as a little square with some defined area (and therefore a voxel as a cube with some defined volume) *or* you take the view that you can only define with certainty the grid points at which image data was acquired. The first view implies a physical extent which we call the `bounds=dim(x) * c(dx, dy, dz)`; the second is defined as `BoundingBox=dim(x)-1 * c(dx, dy, dz)` and assumes that the extent of the image is defined by a cuboid including the sample points at the extreme corner of the grid. Amira takes this second view and this is the one we favour given our background in microscopy. If you wish to convert a bounds type definition into an `im3d BoundingBox`, you should pass the argument `input='bounds'`.

Value

a matrix with 2 rows and 3 columns with `class='boundingbox'` or `NULL` when missing.

See Also

[plot3d.boundingBox](#)

Other im3d: [as.im3d\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Examples

```
boundingbox(c(x0=0,x1=10,y0=0,y1=20,z0=0,z1=30))
# bounding box for a neuron
boundingbox(Cell07PNs[[1]])
```

c.neuronlist

Combine multiple neuronlists into a single list

Description

Combine multiple neuronlists into a single list

Usage

```
## S3 method for class 'neuronlist'
c(..., recursive = FALSE)
```

Arguments

...	neuronlists to combine
recursive	Presently ignored

Details

Uses [rbind.fill](#) to join any attached dataframes, so missing values are replaced with NAs.

See Also

[c](#)

Examples

```
stopifnot(all.equal(kcs20[1:2],c(kcs20[1],kcs20[2])))
```

Cell107PNs	<i>Cell107PNs: 40 Sample Projection Neurons from Jefferis, Potter et al 2007</i>
------------	--

Description

These R lists (which have additional class neuronlist) contain 40 traced olfactory projection neurons from Jefferis, Potter et al 2007 that have been transformed onto the IS2 template brain (Cachero, Ostrovsky et al 2010).

References

Jefferis G.S.X.E., Potter C.J., Chan A.M., Marin E.C., Rohlfsing T., Maurer C.R.J., and Luo L. (2007). Comprehensive maps of *Drosophila* higher olfactory centers: spatially segregated fruit and pheromone representation. *Cell* 128 (6), 1187–1203. doi:10.1016/j.cell.2007.01.040

Cachero S., Ostrovsky A.D., Yu J.Y., Dickson B.J., and Jefferis G.S.X.E. (2010). Sexual dimorphism in the fly brain. *Curr Biol* 20 (18), 1589–601. doi:10.1016/j.cub.2010.07.045

See Also

[head.neuronlist, with.neuronlist](#)

Other nat-data: [MBL.surf](#), [kcs20](#)

Examples

```
head(Cell107PNs)
table(with(Cell107PNs, Glomerulus))
```

clampmax	<i>Return function that finds maximum of its inputs within a clamping range</i>
----------	---

Description

Return function that finds maximum of its inputs within a clamping range

Usage

```
clampmax(xmin, xmax, replace.infinite = NA_real_)
```

Arguments

`xmin, xmax` clamping range. If `xmax` is missing `xmin` should be a vector of length 2.

`replace.infinite`

The value with which to replace non-finite values *in the input vector*. When `replace.infinite=FALSE` no action is taken. The default value of `NA` will result in e.g. `Inf` being mapped to `NA`.

Details

Note that by default infinite values in the input vector are converted to NAs before the being compared with the clampmax range.

Value

A function with signature `f(x, ..., na.rm)`

Examples

```
## Not run:
LHMask=read.im3d(system.file('tests/testthat/testdata/nrrd/LHMask.nrrd',package='nat'))
d=unmask(rnorm(sum(LHMask),mean=5,sd=5),LHMask)
op=par(mfrow=c(1,2))
rval=image(projection(d,projfun=max))
image(projection(d,projfun=clampmax(0,10)),zlim=rval$zlim)
par(op)

## End(Not run)
```

cmtk.bindir

Return path to directory containing CMTK binaries

Description

The **Computational Morphometry Toolkit** (CMTK) is the default image registration toolkit supported by nat. An external CMTK installation is required in order to apply CMTK registrations. This function attempts to locate the full path to the CMTK executable files and can query and set an option.

Usage

```
cmtk.bindir(
  firstdir = getOption("nat.cmtk.bindir"),
  extradirs = c("~/bin", "/usr/local/lib/cmtk/bin", "/usr/local/bin", "/opt/local/bin",
    "/opt/local/lib/cmtk/bin/", "/Applications/IGSRegistrationTools/bin",
    "C:\\cygwin64\\usr\\local\\lib\\cmtk\\bin",
    "C:\\Program Files\\CMTK-3.3\\CMTK\\lib\\cmtk\\bin"),
  set = FALSE,
  check = FALSE,
  cmtktool = "gregxform"
)
```

Arguments

<code>firstdir</code>	Character vector specifying path containing CMTK binaries or NA (see details). This defaults to <code>options('nat.cmtk.bindir')</code> .
<code>extradirs</code>	Where to look if CMTK is not in <code>firstdir</code> or the PATH
<code>set</code>	Whether to set <code>options('nat.cmtk.bindir')</code> with the found directory. Also check/sets cygwin path on Windows (see Installation section).
<code>check</code>	Whether to (re)check that a path that has been set appropriately in <code>options(nat.cmtk.bindir='/some/path')</code> or now found in the PATH or alternative directories. Will throw an error on failure.
<code>cmtktool</code>	Name of a specific cmtk tool which will be used to identify the location of all cmtk binaries.

Details

Queries `options('nat.cmtk.bindir')` if `firstdir` is not specified. If that does not contain the appropriate binaries, it will look in the system PATH for the cmtk wrapper script installed by most recent cmtk installations.

Failing that, it will look for the cmtk tool specified by `cmtktool`, first in the path and then a succession of plausible places until it finds something. Setting `options(nat.cmtk.bindir=NA)` or passing `firstdir=NA` will stop the function from trying to locate CMTK, always returning NULL unless `check=TRUE`, in which case it will error out.

Value

Character vector giving path to CMTK binary directory or NULL when this cannot be found.

Installation

It is recommended to install released CMTK versions available from the [NITRC website](#). A bug in composition of affine transformations from CMTK parameters in the CMTK versions <2.4 series means that CMTK ≥ 3.0 is strongly recommended. CMTK v3 registrations are not backwards compatible with CMTK v2, but CMTKv3 can correctly interpret and convert registrations from earlier versions.

On Windows, when `set=TRUE`, `cmk.bindir` will also check that the cygwin bin directory is in the PATH. If it is not, then it is added for the current R session. This should solve issues with missing cygwin dlls.

See Also

[options](#)

Examples

```
message(iffelse(is.null(d<-cmk.bindir()), "CMTK not found!",
               paste("CMTK is at:",d)))
## Not run:
# set options('nat.cmtk.bindir') according to where cmtk was found
op=options(nat.cmtk.bindir=NULL)
```

```
cmtk.bindir(set=TRUE)
options(op)
## End(Not run)
```

cmtk.call

Utility function to create and run calls to CMTK commandline tools

Description

cmtk.call processes arguments into a form compatible with CMTK command line tools.

cmtk.system2 actually calls a cmtk tool using a call list produced by cmtk.call

Usage

```
cmtk.call(
  tool,
  PROCESSED.ARGS = NULL,
  ...,
  FINAL.ARGS = NULL,
  RETURN.TYPE = c("string", "list")
)

cmtk.system2(cmtkcall, moreargs = NULL, ...)
```

Arguments

tool	Name of the CMTK tool
PROCESSED.ARGS	Character vector of arguments that have already been processed by the callee. Placed immediately after cmtk tool.
...	Additional named arguments to be processed by (cmtk.call, see details) or passed to system2 (cmtk.system2).
FINAL.ARGS	Character vector of arguments that have already been processed by the callee. Placed at the end of the call after optional arguments.
RETURN.TYPE	Sets return type to a character string or list (the latter is suitable for use with system2)
cmtkcall	A list containing processed arguments prepared by cmtk.call (RETURN.TYPE="list")
moreargs	Additional arguments to add to the processed call

Details

cmtk.call processes arguments in ... as follows:

argument names will be converted from arg.name to --arg-name

logical vectors (which must be of length 1) will be passed on as --arg-name

character vectors (which must be of length 1) will be passed on as --arg-name arg i.e. quoting is left up to callee.

numeric vectors will be collapsed with commas if of length greater than 1 and then passed on unquoted e.g. target.offset=c(1,2,3) will result in --target-offset 1,2,3

Value

Either a string of the form "`<tool> <PROCESSED.ARGS> <...> <FINAL.ARGS>`" *or* a list containing elements

- `command` A character vector of length 1 indicating the full path to the CMTK tool, shell quoted for protection.
- `args` A character vector of arguments of length 0 or greater.

See the help of [system2](#) for details.

See Also

[cmtk.bindir](#)

Examples

```
## Not run:
cmtk.call("reformatx", "--outfile=out.nrrd", floating='floating.nrrd',
  mask=TRUE, target.offset=c(1,2,3), FINAL.ARGS=c('target.nrrd', 'reg.list'))
# get help for a cmtk tool
system(cmtk.call('reformatx', help=TRUE))

## End(Not run)
## Not run:
cmtk.system2(cmtk.call('mat2dof', help=TRUE, RETURN.TYPE="list"))
# capture response into an R variable
helptext=cmtk.system2(cmtk.call('mat2dof', help=TRUE, RETURN.TYPE="list"),
  stdout=TRUE)

## End(Not run)
```

cmtk.dof2mat

Convert CMTK registration to homogeneous affine matrix with dof2mat

Description

Convert CMTK registration to homogeneous affine matrix with dof2mat

Usage

```
cmtk.dof2mat(reg, Transpose = TRUE, version = FALSE)
```

Arguments

<code>reg</code>	Path to input registration file or 5x3 matrix of CMTK parameters.
<code>Transpose</code>	output matrix so that form on disk matches R's convention.
<code>version</code>	Whether to return CMTK version string

Details

Transpose is true by default since this results in the orientation of cmtk output files matching the orientation in R. Do not change this unless you're sure you know what you're doing!

Value

4x4 transformation matrix

See Also

Other cmtk-commandline: [cmtk.mat2dof\(\)](#)

Other cmtk-geometry: [affmat2cmtkparams\(\)](#), [cmtk.mat2dof\(\)](#), [cmtkparams2affmat\(\)](#)

cmtk.extract_affine	<i>Extract affine registration from CMTK registration file or in-memory list</i>
---------------------	--

Description

Extract affine registration from CMTK registration file or in-memory list

Usage

```
cmtk.extract_affine(r, outdir)
```

Arguments

r	A registration list or path to file on disk
outdir	Optional path to output file

Value

When outdir is missing a list containing the registration paramers. Otherwise NULL invisibly.

See Also

[cmtkreglist](#)

Other cmtk-io: [read.cmtkreg\(\)](#), [read.cmtk\(\)](#), [write.cmtkreg\(\)](#), [write.cmtk\(\)](#)

cmtk.mat2dof	<i>Use CMTK mat2dof to convert homogeneous affine matrix into CMTK registration</i>
--------------	---

Description

Use CMTK mat2dof to convert homogeneous affine matrix into CMTK registration

Usage

```
cmtk.mat2dof(m, f = NULL, centre = NULL, Transpose = TRUE, version = FALSE)
```

Arguments

m	Homogenous affine matrix (4x4) last row 0 0 0 1 etc
f	Output file (optional)
centre	Centre for rotation (optional 3-vector)
Transpose	the input matrix so that it is read in as it appears on disk
version	When TRUE, function returns CMTK version number of mat2dof tool

Details

If no output file is supplied, 5x3 params matrix will be returned directly. Otherwise a logical will be returned indicating success or failure at writing to disk.

Transpose is true by default since this results in an R matrix with the transpose in the fourth column being correctly interpreted by cmtk.

Value

5x3 matrix of CMTK registration parameters or logical

See Also

Other cmtk-commandline: [cmtk.dof2mat\(\)](#)

Other cmtk-geometry: [affmat2cmtkparams\(\)](#), [cmtk.dof2mat\(\)](#), [cmtkparams2affmat\(\)](#)

cmtk.reformatx *Reformat an image with a CMTK registration using the reformatx tool*

Description

Reformat an image with a CMTK registration using the reformatx tool

Usage

```
cmtk.reformatx(
    floating,
    registrations,
    output,
    target,
    mask = FALSE,
    direction = NULL,
    interpolation = c("linear", "nn", "cubic", "pv", "sinc-cosine", "sinc-hamming"),
    dryrun = FALSE,
    Verbose = TRUE,
    MakeLock = TRUE,
    OverWrite = c("no", "update", "yes"),
    filesToIgnoreModTimes = NULL,
    ...
)
```

Arguments

floating	The floating image to be reformatted
registrations	One or more CMTK format registrations on disk
output	The path to the output image (defaults to "<targetstem>_<floatingstem>.nrrd")
target	A character vector specifying an image file on disk, an im3d object (or an object that can be coerced to im3d) or a 6-or 9-vector defining a grid in the form Nx,Ny,Nz,dX,dY,dZ,[Ox,Oy,Oz].
mask	Whether to treat target as a binary mask (only reformatting positive voxels)
direction	Whether to transform image from sample space to reference space (called forward by CMTK) or from reference to sample space (called inverse by CMTK). Default (when NULL is forward).
interpolation	What interpolation scheme to use for output image (defaults to linear - see details)
dryrun	Just print command
Verbose	Whether to show cmtk status messages and be verbose about file update checks. Sets command line --verbose option.
MakeLock	Whether to use a lock file to allow simple parallelisation (see makeLock)

OverWrite	Whether to OverWrite an existing output file. One of c("no","update","yes"). When OverWrite='update' RunCmdForNewerInput is used to determine if the output is older than any of the input files.
filesToIgnoreModTimes	Input files whose modification time should not be checked when determining if new output is required.
...	additional arguments passed to CMTK reformatx after processing by cmtk.call .

Details

Note that if you are reformatting a mask then you will need to change the interpolation to "nn", since interpolating between e.g. mask levels 72 and 74 with 73 may have unintended consequences. Presently we have no way of knowing whether an image should be treated as a mask, so the interpolation must be handled manually.

Value

the path to the output image (whether or not it was re-created afresh) or NA_character_ if no output was possible.

See Also

[cmtk.bindir](#), [cmtk.call](#), [makelock](#), [RunCmdForNewerInput](#)

Examples

```
## Not run:
cmtk.reformatx('myimage.nrrd', target='template.nrrd',
  registrations='template_myimage.list')

# get full listing of command line options
system(cmtk.call('reformatx', help=TRUE))

## End(Not run)
```

cmtk.statistics

Calculate image statistics for a nrrd or other CMTK compatible file

Description

Calculate image statistics for a nrrd or other CMTK compatible file

Usage

```
cmtk.statistics(
  f,
  mask,
  imagetype = c("greyscale", "label"),
  masktype = c("label", "binary"),
  ...,
  Verbose = FALSE
)
```

Arguments

f	Path to image file (any CMTK compatible format)
mask	Optional path to a mask file
imagetype	Whether image should be treated as greyscale (default) or label field.
masktype	Whether mask should be treated as label field or binary mask (default label)
...	Additional arguments for cmtk's statistics tool processed by <code>cmtk.call</code> .
Verbose	Whether to show cmtk status messages and be verbose about file update checks. Sets command line <code>--verbose</code> option.

Details

When given a label mask, returns a dataframe with a row for each level of the label field.

Note that the Entropy column (sometimes H, sometimes Entropy) will always be named Entropy in the returned dataframe.

Value

data.frame describing results with the following columns when image f is of `imagetype='greyscale'` (optionally with a mask):

- MaskLevel (only present when using a mask) the integer value of the label field for this region
- min The minimum voxel value within the current region
- max The maximum voxel value within the current region
- mean The mean voxel value within the current region
- sdev The standard deviation of voxel values within the current region
- n The count of **all** voxel within the region (irrespective of their value)
- Entropy Information theoretic entropy of voxel value distribution within region
- sum Sum of voxel values within the region

When image f is of `imagetype='label'`, the following results are returned:

- level The integer value of the label field for this region
- count The number of voxels in this region
- surface The surface area of this region
- volume The volume of this region
- X,Y,Z 3D coordinates of the centroid of this region

Examples

```
## Not run:
cmtk.statistics('someneuron.nrrd', mask='neuropilregionmask.nrrd')
cmtk.statistics('somelabelfield.nrrd', imagetype='label')

## End(Not run)
```

cmtk.targetvolume *Defines a target volume for a CMTK reformatx operation*

Description

cmtk.targetvolume.list is designed to cope with any user-defined class for which an as.im3d method exists. Presently the only example in the nat.* ecosystem is nat.templatebrains::as.im3d.templatebrain.

Usage

```
cmtk.targetvolume(target, ...)

## S3 method for class 'im3d'
cmtk.targetvolume(target, ...)

## S3 method for class 'list'
cmtk.targetvolume(target, ...)

## Default S3 method:
cmtk.targetvolume(target, ...)
```

Arguments

target	A character vector specifying an image file on disk, an im3d object (or an object that can be coerced to im3d) or a 6-or 9-vector defining a grid in the form Nx,Ny,Nz,dX,dY,dZ,[Ox,Oy,Oz].
...	additional arguments passed to methods

Details

if the character vector specifies an amiramesh file, it will be converted to a bare im3d object and then to an appropriate '-target-grid' specification.

Value

a character vector specifying the full cmtk reformatx '-target' or '-target-grid' argument

Examples

```
## Not run:  
# see https://github.com/jefferislab/nat.flybrains  
library(nat.flybrains)  
cmtk.targetvolume(FCWB)  
  
## End(Not run)
```

cmtk.version	<i>Return cmtk version or test for presence of at least a specific version</i>
--------------	--

Description

Return cmtk version or test for presence of at least a specific version

Usage

```
cmtk.version(minimum = NULL)
```

Arguments

minimum If specified checks that the cmtk version

Details

NB this function has the side effect of setting an option `nat.cmtk.version` the first time that it is run in the current R session.

Value

returns `numeric_version` representation of CMTK version or if `minimum` is not `NULL`, returns a logical indicating whether the installed version exceeds the current version. If CMTK is not installed returns `NA`.

See Also

[cmtk.bindir](#), [cmtk.dof2mat](#)

Examples

```
## Not run:  
cmtk.version()  
cmtk.version('3.2.2')  
  
## End(Not run)
```

cmtkparams2affmat	<i>Compose homogeneous affine matrix from CMTK registration parameters</i>
-------------------	--

Description

Compose homogeneous affine matrix from CMTK registration parameters

Usage

```
cmtkparams2affmat(
  params = NULL,
  tx = 0,
  ty = 0,
  tz = 0,
  rx = 0,
  ry = 0,
  rz = 0,
  sx = 1,
  sy = 1,
  sz = 1,
  shx = 0,
  shy = 0,
  shz = 0,
  cx = 0,
  cy = 0,
  cz = 0,
  legacy = NA
)
```

Arguments

params	5x3 matrix of CMTK registration parameters or list of length 5.
tx, ty, tz	Translation along x, y and z axes (default 0)
rx, ry, rz	Rotation about x, y and z axes (in degrees, default 0)
sx, sy, sz	Scale for x, y and z axes (default 1)
shx, shy, shz	Shear for x,y,z axes (default 0)
cx, cy, cz	Centre for rotation
legacy	Whether to assume that parameters are in the format used by CMTK <=2.4.0 (default value NA implies FALSE, see details).

Details

If the legacy parameter is not set explicitly, then it will be set to TRUE if params has a version attribute <2.4 or FALSE otherwise.

translation and centre components are assumed to be in physical coordinates.

Value

4x4 homogeneous affine transformation matrix

See Also

Other cmtk-geometry: `affmat2cmtkparams()`, `cmtk.dof2mat()`, `cmtk.mat2dof()`

cmtkreg	<i>Create and test cmtkreg objects that specify path to a CMTK registration</i>
---------	---

Description

cmtkreg creates an object of class cmtkreg that describes one (or more) **CMTK** registrations. This is simply a character vector that also has class cmtkreg.

as.cmtkreg converts objects to class cmtkreg, minimally just by adding an appropriate class attribute.

is.cmtkreg checks if an object is a cmtk registration either by checking class (default), or inspecting file.

Usage

```
cmtkreg(x, returnDir = TRUE)

as.cmtkreg(x, ...)

## S3 method for class 'matrix'
as.cmtkreg(x, ...)

## S3 method for class 'reglist'
as.cmtkreg(x, ...)

## Default S3 method:
as.cmtkreg(x, ...)

is.cmtkreg(x, filecheck = c("none", "exists", "magic"))
```

Arguments

x	Path to a cmtk registration (either plain character vector or cmtkreg object)
returnDir	Whether to return the registration directory (default) or the actual file containing the registration
...	Additional arguments passed to methods. Currently ignored.
filecheck	Whether to check object class only (default: 'none') or find and check if registration file exists or check magic value in first line of file.

cmtkreglist	<i>Make in-memory CMTK registration list from affine matrix or CMTK parameters</i>
-------------	--

Description

Make in-memory CMTK registration list from affine matrix or CMTK parameters

Usage

```
cmtkreglist(x, centre = c(0, 0, 0), reference = "dummy", floating = "dummy")
```

Arguments

x	5x3 matrix of CMTK registration parameters OR 4x4 homogeneous affine matrix
centre	Optional centre of rotation passed to <code>affmat2cmtkparams</code> when decomposing 4x4 affine matrix
reference, floating	Path to reference and floating images.

Details

Note that this uses the modern CMTK notation of `floating_study` rather than `model_study` as used by `IGSPParamsToIGSRRegistration` (which results in an implicit inversion by CMTK tools).

Note that the reference and floating fields have no impact on the transformation encoded in the resultant `.list` folder and can be overridden on the command line of CMTK tools.

Value

list of class `cmtkreg` containing registration parameters suitable for `write.cmtkreg`

See Also

`write.cmtkreg`, `affmat2cmtkparams`, `cmtkreg`

 coord2ind

Find 1D indices into a 3D image given spatial coordinates

Description

Find 1D indices into a 3D image given spatial coordinates

Usage

```
coord2ind(coords, ...)

## Default S3 method:
coord2ind(
  coords,
  imdims,
  voxdims = NULL,
  origin = NULL,
  aperm,
  Clamp = FALSE,
  CheckRanges = !Clamp,
  ...
)
```

Arguments

coords	spatial coordinates of image voxels.
...	extra arguments passed to methods.
imdims	array dimensions of 3D image <i>OR</i> an object for which a as.im3d object has been defined (see Details).
voxdims	vector of 3 voxels dimensions (width, height, depth).
origin	the origin of the 3D image.
aperm	permutation order for axes.
Clamp	???
CheckRanges	whether to check if coordinates are out of range.

Details

coord2ind is designed to cope with any user-defined class for which an `as.im3d` method exists. Presently the only example in the `nat.*` ecosystem is `nat.templatebrains::as.im3d.templatebrain`. The existence of an `as.im3d` method implies that `voxdims`, `origin`, and `dim` functions can be called. This is the necessary information required to convert `i,j,k` logical indices into `x,y,z` spatial indices.

See Also

[ind2coord](#), [sub2ind](#), [ijkpos](#)

Examples

```

coord2ind(cbind(1,2,3), imdims = c(1024,512,218),
  voxdims = c(0.622088, 0.622088, 0.622088), origin = c(0,0,0))
## Not run:
## repeat but using a templatebrain object to specify the coordinate system
library(nat.flybrains)
coord2ind(cbind(1,2,3), JFRC2)

## End(Not run)

```

dotprops	<i>dotprops: Neurons as point clouds with tangent vectors (but no connectivity)</i>
----------	---

Description

dotprops makes dotprops representation from raw 3D points (extracting vertices from S3 objects that have them)

dotprops.dotprops will default to the original value of k and copy over all attributes that are not set by dotprops.default.

dotprops.neuronlist will run for every object in the neuronlist using `nlapply`. ... arguments will be passed to `nlapply` in addition to the named argument `OmitFailures`.

Usage

```

is.dotprops(x)

as.dotprops(x, ...)

dotprops(x, ...)

## S3 method for class 'character'
dotprops(x, ...)

## S3 method for class 'dotprops'
dotprops(x, k = attr(x, "k"), ...)

## S3 method for class 'im3d'
dotprops(x, ...)

## S3 method for class 'neuronlist'
dotprops(x, ..., OmitFailures = NA)

## S3 method for class 'neuron'
dotprops(x, Labels = NULL, resample = NA, ...)

## Default S3 method:
dotprops(x, k = NULL, Labels = NULL, na.rm = FALSE, ...)

```


Arguments

x	Object to be tested/converted
...	Additional arguments passed to methods
k	Number of nearest neighbours to use for tangent vector calculation (set to k=20 when passed NULL)
OmitFailures	Whether to omit neurons for which FUN gives an error. The default value (NA) will result in nlapply stopping with an error message the moment there is an error. For other values, see details.
Labels	Vector of labels for each point e.g. identifying axon vs dendrite. The default value NULL will produce class-specific default behaviour for different classes of input object, TRUE always uses labels when an incoming object has them and FALSE never uses labels.
resample	When finite, a new length to which all segmented edges will be resampled. See resample.neuron .
na.rm	Whether to remove NA points (default FALSE)

Details

k will default to 20 nearest neighbours when unset (i.e. when it has default value of NA) unless x is a dotprops object (when the original value of k is reused).

References

The dotprops format is essentially identical to that developed in:

Masse N.Y., Cachero S., Ostrovsky A., and Jefferis G.S.X.E. (2012). A mutual information approach to automate identification of neuronal clusters in *Drosophila* brain images. *Frontiers in Neuroinformatics* 6 (00021). [doi:10.3389/fninf.2012.00021](https://doi.org/10.3389/fninf.2012.00021)

See Also

[nlapply](#)

fileformats

Set or return list of registered file formats that we can read

Description

fileformats returns format names, a format definition list or a table of information about the formats that match the given filter conditions.

registerformat registers a format in the io registry

getformatreader gets the function to read a file

getformatwriter gets the function to write a file

Usage

```

fileformats(
  format = NULL,
  ext = NULL,
  read = NULL,
  write = NULL,
  class = NULL,
  rval = c("names", "info", "all")
)

registerformat(
  format = NULL,
  ext = format,
  read = NULL,
  write = NULL,
  magic = NULL,
  magiclen = NA_integer_,
  class = NULL
)

getformatreader(file, class = NULL)

getformatwriter(format = NULL, file = NULL, ext = NULL, class = NULL)

```

Arguments

format	Character vector naming the format
ext	Character vector of file extensions (including periods)
read, write	Functions to read and write this format
class	The S3 class for the format (character vector e.g. 'neuron')
rval	Character vector choosing what kind of return value fileformats will give.
magic	Function to test whether a file is of this format
magiclen	Optional integer specifying maximum number of bytes required from file header to determine file's type.
file	Path to a file

Details

if a format argument is passed to fileformats it will be matched with partial string matching and if a unique match exists that will be returned.

getformatreader starts by reading a set number of bytes from the start off the current file and then checks using file extension and magic functions to see if it can identify the file. Presently formats are in a queue in alphabetical order, dispatching on the first match.

Value

- fileformats returns a character vector, matrix or list according to the value of rval.
- getformatreader returns a list. The reader can be accessed with \$read and the format can be accessed by \$format.
- getformatwriter returns a list. The writer can be accessed with \$write.

getformatwriter output file

If getformatwriter is passed a file argument, it will be processed based on the registered fileformats information and the ext argument to give a final output path in the \$file element of the returned list.

If ext='.someext' getformatwriter will use the specified extension to overwrite the default value returned by fileformats.

If ext=NULL, the default, and file='somefilename.someext' then file will be untouched and ext will be set to 'someext' (overriding the value returned by fileformats).

If file='somefile_without_extension' then the supplied or calculated extension will be appended to file.

If ext=NA then the input file name will not be touched (even if it has no extension at all).

Note that if ext=NULL or ext=NA, then only the specified format or, failing that, the file extension will be used to query the fileformats database for a match.

See [write.neuron](#) for code to make this discussion more concrete.

See Also

[write.neuron](#)

Examples

```
# information about the currently registered file formats
fileformats(rval='info')
## Not run:
registerformat("swc",read=read.swc,write=write.swc,magic=is.swc,magiclen=10,
  class='neuron')

## End(Not run)
swc=tempfile(fileext = '.swc')
write.neuron(Cell07PNs[[1]], swc)
stopifnot(isTRUE(getformatreader(swc)$format=='swc'))
unlink(swc)
```

find.neuron	<i>Find neurons within a 3D selection box (usually drawn in rgl window)</i>
-------------	---

Description

Find neurons within a 3D selection box (usually drawn in rgl window)

Usage

```
find.neuron(
  sel3dfun = select3d(),
  indices = names(db),
  db = getOption("nat.default.neuronlist"),
  threshold = 0,
  invert = FALSE,
  rval = c("names", "data.frame", "neuronlist")
)
```

Arguments

sel3dfun	A select3d style function to indicate if points are within region
indices	Names of neurons to search (defaults to all neurons in list)
db	neuronlist to search. Can also be a character vector naming the neuronlist. Defaults to options('nat.default.neuronlist').
threshold	More than this many points must be present in region
invert	Whether to return neurons outside the selection box (default FALSE)
rval	What to return (character vector, default='names')

Details

Uses [subset.neuronlist](#), so can work on dotprops or neuron lists.

Value

Character vector of names of selected neurons, neuronlist, or data.frame of attached metadata according to the value of rval.

See Also

[select3d](#), [find.soma](#), [subset.neuronlist](#)

Examples

```

## Not run:
plot3d(kcs20)
# draw a 3D selection e.g. around tip of vertical lobe when ready
find.neuron(db=kcs20)
# would return 9 neurons
# make a standalone selection function
vertical_lobe=select3d()
find.neuron(vertical_lobe, db=kcs20)
# use base::Negate function to invert the selection function
# i.e. choose neurons that do not overlap the selection region
find.neuron(Negate(vertical_lobe), db=kcs20)

## End(Not run)

```

find.soma	<i>Find neurons with soma inside 3D selection box (usually drawn in rgl window)</i>
-----------	---

Description

Find neurons with soma inside 3D selection box (usually drawn in rgl window)

Usage

```

find.soma(
  sel3dfun = select3d(),
  indices = names(db),
  db = getOption("nat.default.neuronlist"),
  invert = FALSE,
  rval = c("names", "neuronlist", "data.frame")
)

```

Arguments

sel3dfun	A select3d style function to indicate if points are within region
indices	Names of neurons to search (defaults to all neurons in list)
db	neuronlist to search. Can also be a character vector naming the neuronlist. Defaults to options('nat.default.neuronlist').
invert	Whether to return neurons outside the selection box (default FALSE)
rval	What to return (character vector, default='names')

Details

Can work on neuronlists containing neuron objects *or* neuronlists whose attached data.frame contains soma positions specified in columns called X,Y,Z .

Value

Character vector of names of selected neurons

See Also

[select3d](#), [subset.neuronlist](#), [find.neuron](#)

flip

Flip an array, matrix or vector about an axis

Description

Flip an array, matrix or vector about an axis

Usage

```
flip(x, ...)
```

```
## S3 method for class 'array'  
flip(x, flipdim = "X", ...)
```

Arguments

x	Object to flip
...	Additional arguments for methods
flipdim	Character vector or 1-indexed integer indicating array dimension along which flip will occur. Characters X, Y, Z map onto dimensions 1, 2, 3.

Details

Note that dimensions 1 and 2 for R matrices will be rows and columns, respectively, which does not map easily onto the intuition of a 2D image matrix where the X axis would typically be thought of as running from left to right on the page and the Y axis would run from top to bottom.

graph.nodes	<i>Return root, end, or branchpoints of an igraph object</i>
-------------	--

Description

Return root, end, or branchpoints of an igraph object

Usage

```
graph.nodes(
  x,
  type = c("root", "end", "branch"),
  original.ids = "label",
  exclude.isolated = TRUE
)
```

Arguments

x	An igraph object
type	one of root, end (which includes root) or branch
original.ids	Use named attribute to return original vertex ids (when available). Set to FALSE when this is not desired.
exclude.isolated	Do not count isolated vertices as root points (default)

Details

Note that the graph must be directed in order to return a root point

im3d	<i>Construct an im3d object representing 3D image data, densities etc</i>
------	---

Description

im3d objects consist of a data array with attributes defining the spatial positions at which the voxels are located. There should always be a BoundingBox attribute which defines the physical extent of the volume in the same manner as the Amira 3D visualisation and analysis software. This corresponds to the **node** centers option in the **NRRD format**.

Usage

```

im3d(
  x = numeric(0),
  dims = NULL,
  voxdims = NULL,
  origin = NULL,
  BoundingBox = NULL,
  bounds = NULL,
  ...
)

```

Arguments

x	The object to turn into an im3d
dims	The dimensions of the image array either as an integer vector <i>or</i> as an im3d object, whose attributes will provide defaults for dims, origin, BoundingBox, bounds arguments. The default (dims=NULL) will result in dims being set to x if x is an im3d object or dim(x) otherwise.
voxdims	The voxel dimensions
origin	the location (or centre) of the first voxel
BoundingBox	Physical extent of the image. See the details section of boundingbox 's help for the distinction between BoundingBox and bounds.
bounds	Physical extent of image
...	Additional attributes such as units or materials

Details

We follow Amira's convention of setting the bounding box equal to voxel dimension (rather than 0) for any dimension with only 1 voxel.

Value

An array with additional class im3d

See Also

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Description

xyzpos converts pixel coordinates to physical coordinates

ijkpos converts physical coordinates to pixel coordinates

Usage

```
xyzpos(d, ijk)
```

```
ijkpos(d, xyz, roundToNearestPixel = TRUE)
```

Arguments

d	An im3d object defining a physical space
ijk	an Nx3 matrix of pixel coordinates (1-indexed)
xyz	Nx3 matrix of physical coordinates
roundToNearestPixel	Whether to round calculated pixel coordinates to nearest integer value (i.e. nearest pixel). default: TRUE

Value

Nx3 matrix of physical or pixel coordinates

See Also

[ind2coord](#)

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Examples

```
# make an empty im3d
d=im3d(dim=c(20,30,40),origin=c(10,20,30),voxdims=c(1,2,3))
# check round trip for origin
stopifnot(all.equal(ijkpos(d,xyzpos(d,c(1,1,1))), c(1,1,1)))
```

im3d-io

Read/Write calibrated 3D blocks of image data

Description

Read/Write calibrated 3D blocks of image data

Usage

```
read.im3d(
  file,
  ReadData = TRUE,
  SimplifyAttributes = FALSE,
  ReadByteAsRaw = FALSE,
  ...
)

write.im3d(x, file, format = NULL, ...)
```

Arguments

<code>file</code>	Character vector describing a single file
<code>ReadData</code>	Whether to read the data itself or return metadata only. Default: TRUE
<code>SimplifyAttributes</code>	When TRUE leave only core im3d attributes.
<code>ReadByteAsRaw</code>	Whether to read byte values as R <code>raw</code> arrays. These occupy 1/4 memory but arithmetic is less convenient. (default: FALSE)
<code>...</code>	Arguments passed to methods
<code>x</code>	The image data to write (an im3d, or capable of being interpreted as such)
<code>format</code>	Character vector specifying an image format (e.g. "nrrd", "amiramesh"). Optional, since the format will normally be inferred from the file extension. See getformatwriter for details.

Details

Currently only nrrd and amira formats are implemented. Furthermore implementing a registry to allow extension to arbitrary formats remains a TODO item.

The core attributes of an im3d object are `BoundingBox`, `origin`, `x`, `y`, `z` where `x`, `y`, `z` are the locations of samples in the `x`, `y` and `z` image axes (which are assumed to be orthogonal).

Value

For `read.im3d` an objecting inheriting from base array and im3d classes.

See Also

[read.nrrd](#), [read.amiramesh](#)

[write.nrrd](#), [getformatwriter](#)

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Examples

```
## Not run:
# read attributes of vaa3d raw file
read.im3d("L1DS1_crop_straight.raw", ReadData = F, chan=2)

## End(Not run)
```

image.im3d

Method to plot spatially calibrated image arrays

Description

Method to plot spatially calibrated image arrays

Usage

```
## S3 method for class 'im3d'
image(
  x,
  xlim = NULL,
  ylim = NULL,
  zlim = NULL,
  plotdims = NULL,
  flipdims = "y",
  filled.contour = FALSE,
  asp = 1,
  axes = FALSE,
  xlab = NULL,
  ylab = NULL,
  nlevels = 20,
  levels = pretty(zlim, nlevels + 1),
  color.palette = colorRampPalette(c("navy", "cyan", "yellow", "red")),
  col = color.palette(length(levels) - 1),
  useRaster = NULL,
  ...
)
```

Arguments

<code>x</code>	The im3d object containing the data to be plotted (NAs are allowed).
<code>xlim, ylim</code>	ranges for the plotted x and y values, defaulting to the BoundingBox of x.
<code>zlim</code>	the minimum and maximum z values for which colors should be plotted, defaulting to the range of the finite values of z. Each of the given colors will be used to color an equispaced interval of this range. The <i>midpoints</i> of the intervals cover the range, so that values just outside the range will be plotted.
<code>plotdims</code>	Which dimensions of 3D im3d object to plot (character vector). Defaults to <code>c('x', 'y')</code>
<code>flipdims</code>	Which dimensions to flip (character vector). Defaults to flipping y.
<code>filled.contour</code>	Whether to use a <code>filled.contour</code> plot instead of a regular <code>image</code> plot.
<code>asp</code>	Whether to have a square aspect ratio (logical, default: FALSE)
<code>axes</code>	Whether to plot axes (default: FALSE)
<code>xlab, ylab</code>	each a character string giving the labels for the x and y axis. Default to the 'call names' of x or y, or to "" if these were unspecified.
<code>nlevels</code>	The number of colour levels in z
<code>levels</code>	The levels at which to break z values
<code>color.palette</code>	The colour palette from which <code>col</code> will be selected.
<code>col</code>	a list of colors such as that generated by <code>rainbow</code> , <code>heat.colors</code> , <code>topo.colors</code> , <code>terrain.colors</code> or similar functions.
<code>useRaster</code>	Whether to use <code>rasterImage</code> to plot images as a bitmap (much faster for large images). default <code>useRaster=NULL</code> checks <code>dev.capabilities</code> to see if raster images are supported.
<code>...</code>	graphical parameters for <code>plot</code> or <code>image</code> may also be passed as arguments to this function.

Value

A list with elements:

- zlim** The z (intensity limits)
- nlevels.actual** The actual number of plotted levels
- nlevels.orig** The requested number of plotted levels
- levels** The chosen levels
- colors** A character vector of colours

Examples

```
## Not run:
LHMask=read.im3d(system.file('tests/testthat/testdata/nrrd/LHMask.nrrd', package='nat'))
image(imslice(LHMask,10), asp=TRUE)
# useRaster is appreciably quicker in most cases
image(imslice(LHMask,10), asp=TRUE, useRaster=TRUE)

## End(Not run)
```

imexpand.grid	<i>Convert locations of im3d voxel grid into XYZ coordinates</i>
---------------	--

Description

Convert locations of im3d voxel grid into XYZ coordinates

Usage

```
imexpand.grid(d)
```

Arguments

d An im3d object

Value

Nx3 matrix of image coordinates

See Also

expand.grid

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Examples

```
d=im3d(dim=c(2,3,2),origin=c(10,20,30),voxdims=c(1,2,3))
imexpand.grid(d)
```

imscalebar	<i>Make a scalebar to accompany an image.im3d plot</i>
------------	--

Description

Make a scalebar to accompany an image.im3d plot

Usage

```
imscalebar(
  levels,
  col,
  nlevels = NULL,
  zlim = NULL,
  horizontal = TRUE,
  lab = "Density",
```

```

    mar = c(4, 2, 2, 2) + 0.1,
    border = NULL,
    ...
)

```

Arguments

levels	The levels at which z values were cut or a list returned by image.im3d
col	The plotted colours for each level
nlevels	The number of colour levels (inferred from levels when NULL)
zlim	The limits of the plotted z (intensity) values of the image
horizontal	Whether to make a horizontal or vertical scalebar (default: TRUE)
lab	The (single) axis label for the scale bar (default: Density)
mar	The margins for ths plot
border	Color for rectangle border (see rect 's border argument for details).
...	Additional arguments for plot

Examples

```

## Not run:
LHMask=read.im3d(system.file('tests/testthat/testdata/nrrd/LHMask.nrrd',package='nat'))
op=par(no.readonly = TRUE)
layout(matrix(c(1, 2), ncol = 2L), widths = c(1, 0.2))
rval=image(imslice(LHMask,10), asp=TRUE)
imscalebar(rval)
par(op)

## End(Not run)

```

imslice

Slice out a 3D subarray (or 2d matrix) from a 3D image array

Description

Slice out a 3D subarray (or 2d matrix) from a 3D image array

Usage

```
imslice(x, slice, slicedim = "z", drop = TRUE)
```

Arguments

x	An im3d objet
slice	Indices defining the slices to keep
slicedim	Character vector or integer defining axis from which slices will be removed.
drop	Whether singleton dimensions will be dropped (default: TRUE) conveting 3D array to 2d matrix.

Details

Note the sample locations stored in the x,y,z attributes will be updated appropriately. FIXME: Should we also update bounding box?

See Also

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

ind2coord

Find XYZ coords corresponding to 1D indices into a 3D image

Description

If you have an image-like object and you want to turn it into a matrix of 3D coords then you need `ind2coord`. For the reverse operation we offer [as.im3d.matrix](#) which allows you to turn a matrix of 3D coordinates into an im3d image object.

Usage

```
ind2coord(inds, ...)

## Default S3 method:
ind2coord(inds, dims, voxdims, origin, ...)

## S3 method for class 'array'
ind2coord(inds, voxdims = NULL, origin = NULL, ...)

## S3 method for class 'im3d'
ind2coord(inds, voxdims = NULL, origin = NULL, ...)
```

Arguments

<code>inds</code>	indices into an image array (either 1D, for which <code>dims</code> must be present, or a logical array).
<code>...</code>	extra arguments passed to methods.
<code>dims</code>	dimensions of 3D image array.
<code>voxdims</code>	vector of 3 voxel dimensions (width, height, depth).
<code>origin</code>	the origin.

See Also

[coord2ind](#), [sub2ind](#), [xyzpos](#), [as.im3d.matrix](#)

intersect	<i>Find the intersection of two collections of objects</i>
-----------	--

Description

Find the intersection of two collections of objects

Usage

```
intersect(x, y, ...)  
  
## Default S3 method:  
intersect(x, y, ...)  
  
## S3 method for class 'neuronlist'  
intersect(x, y, ...)
```

Arguments

x	the first collection to consider.
y	the second collection to consider.
...	additional arguments passed to methods

Details

Note that `intersect.default` calls `base::intersect` to ensure consistent behaviour for regular vectors.

Value

A collection of the same mode as `x` that contains all elements of `x` that are also present in `y`.

See Also

[intersect](#)

is.amiramesh	<i>Check if file is amiramesh format</i>
--------------	--

Description

Check if file is amiramesh format

Usage

```
is.amiramesh(f = NULL, bytes = NULL)
```


Arguments

`f` Path to one or more files to be tested **or** an array of raw bytes, for one file only.
`bytes` optional raw vector of at least 11 bytes from the start of a single file (used in preference to reading file `f`).

Details

Tries to be as fast as possible by reading only first 11 bytes and checking if they equal to "# AmiraMesh" or (deprecated) "# HyperMesh".

Value

logical

See Also

Other amira: [amiratype\(\)](#), [read.amiramesh\(\)](#), [read.hxsurf\(\)](#), [write.hxsurf\(\)](#)

is.fjitracess

Check whether a file is in Fiji's simple neurite tracer format

Description

This will check a file on disk to see if it is in Fiji's simple neurite tracer XML format.

Usage

```
is.fjitracess(f, bytes = NULL)
```

Arguments

`f` path to a file on disk
`bytes` optional raw vector of bytes used for prechecks

Details

Some prechecks (optionally taking place on a supplied raw vector of bytes) should weed out nearly all true negatives and identify many true positives without having to read/parse the file header.

is.im3d

Test if an object is of class im3d

Description

Test if an object is of class im3d

Usage

```
is.im3d(x)
```

Arguments

x Object to test

Value

logical

See Also

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

is.neuroml*Check whether a file is in NeuroML format*

Description

This will check a file on disk to see if it is in NeuroML format. Some prechecks (optionally taking place on a supplied raw vector of bytes) should weed out nearly all true negatives and identify many true positives without having to read/parse the file header.

Usage

```
is.neuroml(f, bytes = NULL)
```

Arguments

f path to a file on disk
bytes optional raw vector of bytes used for prechecks

is.neuronlist	<i>Test objects of neuronlist class to store multiple neurons</i>
---------------	---

Description

Tests if object is a neuronlist.

Usage

```
is.neuronlist(x)
```

Arguments

x the object to test

Details

is.neuronlist uses a relaxed definition to cope with older lists of neurons that do not have a class attribute of neuronlist.

Value

A logical indicating whether the object is a neuronlist.

See Also

Other neuronlist: [*.neuronlist\(\)](#), [neuronlist-dataframe-methods](#), [neuronlistfh\(\)](#), [neuronlist\(\)](#), [nlapply\(\)](#), [read.neurons\(\)](#), [write.neurons\(\)](#)

is.nrrd	<i>Check if a file is a NRRD file</i>
---------	---------------------------------------

Description

Check if a file is a NRRD file

Usage

```
is.nrrd(f = NULL, bytes = NULL, ReturnVersion = FALSE, TrustSuffix = FALSE)
```

Arguments

f	A character vector specifying the path or a raw vector with at least 8 bytes.
bytes	optional raw vector of at least 8 bytes from the start of a single file (used in preference to reading file f).
ReturnVersion	Whether to return the version of the nrrd format in which the file is encoded (1-5).
TrustSuffix	Whether to trust that a file ending in .nrrd or .nhdr is a NRRD

Details

Note that multiple files can be checked when a character vector of length > 1 is provided, but only one file can be checked when a raw byte array is provided.

is.swc	<i>Test if a file is an SWC format neuron</i>
--------	---

Description

Test if a file is an SWC format neuron

Usage

```
is.swc(f, TrustSuffix = TRUE)
```

Arguments

f	Path to one or more files
TrustSuffix	Whether to trust that a file ending in .nrrd or .nhdr is a NRRD

Details

Note that this test is somewhat expensive compared with the other file tests since SWC files do not have a consistent magic value. It therefore often has to read and parse the first few lines of the file in order to determine whether they are consistent with the SWC format.

Value

logical value

See Also

[read.neuron](#)

is.vaa3draw	<i>Check if a file is in the raw image format used by Hanchuan Peng's Vaa3D</i>
-------------	---

Description

See <http://www.vaa3d.org/> https://github.com/Vaa3D/v3d_external/blob/master/imagej_io/v3draw_io_imagej/raw_reader.java

Usage

```
is.vaa3draw(f, bytes = NULL)
```

Arguments

f	A character vector specifying the path or a raw vector (see bytes).
bytes	optional raw vector of at least 24 bytes from the start of a single file (used in preference to reading file f).

Details

Note that multiple files can be checked when a character vector of length > 1 is provided, but only one file can be checked when a raw byte array is provided.

kcs20	<i>List of 20 Kenyon Cells from Chiang et al 2011 converted to dotprops objects</i>
-------	---

Description

This R list (which has additional class `neuronlist`) contains 20 skeletonized *Drosophila* Kenyon cells as `dotprops` objects. Original data is due to Chiang et al. 2011, who have generously shared their raw data [doi:10.1016/j.cub.2010.11.056](https://doi.org/10.1016/j.cub.2010.11.056). Image registration and further processing was carried out by Greg Jefferis (see [doi:10.1016/j.neuron.2016.06.012](https://doi.org/10.1016/j.neuron.2016.06.012)).

References

[1] Chiang A.S., Lin C.Y., Chuang C.C., Chang H.M., Hsieh C.H., Yeh C.W., Shih C.T., Wu J.J., Wang G.T., Chen Y.C., Wu C.C., Chen G.Y., Ching Y.T., Lee P.C., Lin C.Y., Lin H.H., Wu C.C., Hsu H.W., Huang Y.A., Chen J.Y., et al. (2011). Three-dimensional reconstruction of brain-wide wiring networks in *Drosophila* at single-cell resolution. *Curr Biol* 21 (1), 1–11.

See Also

[head.neuronlist](#), [with.neuronlist](#), [plot3d.neuronlist](#), [plot3d.dotprops](#), [dotprops](#)

Other nat-data: [Cell07PNs](#), [MBL.surf](#)

Examples

```

head(kcs20)
table(with(kcs20, type))
nopen3d()
# see plot3d.neuronlist documentation for more details

plot3d(kcs20, col=type)

```

mask	<i>Mask an object, typically to produce a copy with some values zeroed out</i>
------	--

Description

Mask an object, typically to produce a copy with some values zeroed out

Usage

```

mask(x, ...)

## S3 method for class 'im3d'
mask(x, mask, levels = NULL, rval = c("im3d", "values"), invert = FALSE, ...)

```

Arguments

x	Object to be masked
...	Additional arguments passed to methods
mask	An im3d object, an array or a vector with dimensions compatible with x.
levels	Optional numeric vector of pixel values or character vector defining named materials .
rval	Whether to return an im3d object based on x or just the values from x matching the mask.
invert	Whether to invert the voxel selection (default FALSE)

Details

Note that `mask.im3d` passes ... arguments on to `im3d`

Value

an object with attributes matching x and elements with value `as.vector(TRUE, mode=mode)` i.e. `TRUE, 1, 0x01` and `as.vector(FALSE, mode=mode)` i.e. `FALSE, 0, 0x00` as appropriate.

A copy of x with

See Also

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Examples

```
x=im3d(array(rnorm(1000),dim=c(10,10,10)), BoundingBox=c(20,200,100,200,200,300))
m=array(1:5,dim=c(10,10,10))
image(x[, ,1])
image(mask(x, mask=m, levels=1)[, ,1])
image(mask(x, mask=m, levels=1:2)[, ,1])
```

materials

Extract or set the materials for an object

Description

`materials.character` will read the materials from an im3d compatible image file on disk.

`materials.hxsurf` will extract the materials from an hxsurf object

Usage

```
materials(x, ...)

## Default S3 method:
materials(x, ...)

## S3 method for class 'character'
materials(x, ...)

## S3 method for class 'hxsurf'
materials(x, ...)
```

Arguments

`x` An object in memory or, for `materials.character`, an image on disk.
`...` additional parameters passed to methods (presently ignored)

Details

Note that the id column will be the 1-indexed order that the material appears in the `surf$Region` list for hxsurf objects and the 0-indexed mask values for an image.

Presently only amiramesh images are supported since they have a standardised way of encoding labels, whereas nrrds would have to use key-value pairs according to some ad hoc convention.

Value

A data.frame with columns name, id, col

See Also

Other hxsurf: [as.hxsurf\(\)](#), [as.mesh3d\(\)](#), [plot3d.hxsurf\(\)](#), [read.hxsurf\(\)](#), [subset.hxsurf\(\)](#), [write.hxsurf\(\)](#)

MBL.surf	<i>Surface object (hxsurf) for the left mushroom body in FCWB template space</i>
----------	--

Description

This surface object is in the same space as the 20 Kenyon cells in [kcs20](#).

See Also

[hxsurf](#)

Other nat-data: [Cell107PNs](#), [kcs20](#)

Examples

```
plot3d(kcs20)
plot3d(MBL.surf, alpha=0.3)

## Not run:
## originally generated as follows
library(nat.flybrains)
MBL.surf=subset(FCWBNP.surf, "MB.*_L", drop = T)

## End(Not run)
```

mirror	<i>Mirror 3D object about a given axis, optionally using a warping registration</i>
--------	---

Description

mirroring with a warping registration can be used to account e.g. for the asymmetry between brain hemispheres.

mirror.character handles images on disk

Usage

```

mirror(x, ...)

## S3 method for class 'character'
mirror(x, output, mirrorAxisSize = NULL, target = x, ...)

## Default S3 method:
mirror(
  x,
  mirrorAxisSize,
  mirrorAxis = c("X", "Y", "Z"),
  warpfile = NULL,
  transform = c("warp", "affine", "flip"),
  ...
)

## S3 method for class 'neuronlist'
mirror(x, subset = NULL, OmitFailures = NA, ...)

```

Arguments

x	Object with 3D points (with named cols X,Y,Z) or path to image on disk.
...	additional arguments passed to methods or eventually to xform
output	Path to the output image
mirrorAxisSize	A single number specifying the size of the axis to mirror or a 2 vector (recommended) or 2x3 matrix specifying the boundingbox (see details).
target	Path to the image defining the target grid (defaults to the input image - hard to see when this would not be wanted).
mirrorAxis	Axis to mirror (default "X"). Can also be an integer in range 1:3.
warpfile	Optional registration or reglist to be applied <i>after</i> the simple mirroring.. It is called warpfile for historical reasons, since it is normally the path to a CMTK registration that specifies a non-rigid transformation to correct asymmetries in an image.
transform	whether to use warp (default) or affine component of registration, or simply flip about midplane of axis.
subset	For <code>mirror.neuronlist</code> indices (character/logical/integer) that specify a subset of the members of x to be transformed.
OmitFailures	Whether to omit neurons for which FUN gives an error. The default value (NA) will result in nlaply stopping with an error message the moment there is an error. For other values, see details.

Details

The `mirrorAxisSize` argument can be specified in 3 ways for the x axis with extreme values, `x0+x1`:

- a single number equal to x_0+x_1
- a 2-vector $c(x_0, x_1)$ (**recommended**)
- the [boundingbox](#) for the 3D data to be mirrored: the relevant axis specified by `mirrorAxis` will be extracted.

This function is agnostic re node vs cell data, but for node data `BoundingBox` should be supplied while for cell, it should be `bounds`. See [boundingbox](#) for details of `BoundingBox` vs `bounds`.

See [nlaply](#) for details of the `subset` and `OmitFailures` arguments.

Value

Object with transformed points

See Also

[xform](#), [boundingbox](#)

[nlaply](#)

Examples

```
nopen3d()
x=Cell107PNs[[1]]
mx=mirror(x,168)

plot3d(x,col='red')
plot3d(mx,col='green')

# also works with dotprops objects
clear3d()
y=kcs20[[1]]
my=mirror(y,mirrorAxisSize=564.2532,transform='flip')

plot3d(y, col='red')
plot3d(my, col='green')

## Not run:
## Example with an image
# note that we must specify an output image (obviously) but that as a
# convenience mirror calculates the mirrorAxisSize for us
mirror('myimage.nrrd', output='myimage-mirrored.nrrd',
      warpfile='myimage_mirror.list')

# Simple flip along a different axis
mirror('myimage.nrrd', output='myimage-flipped.nrrd', mirrorAxis="Y",
      transform='flip')

## End(Not run)
```

ndigest

Calculated normalised digest value for an object

Description

The *normalised* digest should exclude any fields or attributes irrelevant to the core contents of the object (e.g. timestamps, absolute location of the input files on disk etc). In theory then, this value should be constant for the same data regardless of the particular machine on which the digest is being computed.

Usage

```
ndigest(x, ...)

## S3 method for class 'neuronlistfh'
ndigest(x, ...)

## S3 method for class 'dotprops'
ndigest(x, absoluteVectors = TRUE, ...)

## S3 method for class 'neuron'
ndigest(
  x,
  fieldsToExclude = c("InputFileName", "CreatedAt", "NodeName", "InputFileStat",
    "InputFileMD5"),
  ...
)
```

Arguments

x	Object for which a normalised digest will be computed.
...	Additional arguments passed to methods and then on to digest
absoluteVectors	Whether to check only the absolute value of eigenvectors for equality (default TRUE, see details)
fieldsToExclude	Character vector naming the neuron fields to exclude

Details

ndigest.neuronlistfh only considers the keyfilemap and df (metadata data.frame) when computing the hash value. See [neuronlistfh](#) for the significance of these two fields.

ndigest.dotprops ignores any mtime or file attributes. It also converts tangent vectors to absolute values (when absoluteVectors=TRUE) because the direction vectors are computed using an eigenvector decomposition where the sign of the eigenvector is essentially random and subject to

small numerical instabilities. Therefore it does not usually make sense to rely on the value of `vect` exactly.

`ndigest.neuron` ignores the following fields:

- `InputFileName`
- `CreatedAt`
- `NodeName`
- `InputFileStat`
- `InputFileMD5`

Value

A character string containing the digest of the supplied object computed by `digest`.

See Also

[digest](#)

[all.equal.dotprops](#)

[all.equal.neuron](#)

Examples

```
stopifnot(all.equal(ndigest(kcs20[[1]]), "4c045b0343938259cd9986494fc1c2b0"))
```

neuron

neuron: class to represent traced neurons

Description

`neuron` makes a neuron object from appropriate variables.

`is.neuron` will check if an object looks like a neuron.

`as.neuron` will convert a suitable object to a neuron

`as.neuron.data.frame` expects a block of SWC format data

`as.neuron.ngraph` converts a graph (typically an `ngraph` object) to a neuron

`as.neuron.igraph` will convert an `ngraph` compatible `igraph` object into a neuron.

`as.neuron.default` will add class "neuron" to a neuron-like object.

Usage

```

neuron(
  d,
  NumPoints = nrow(d),
  StartPoint,
  BranchPoints = integer(),
  EndPoints,
  SegList,
  SubTrees = NULL,
  InputFileName = NULL,
  NeuronName = NULL,
  ...,
  MD5 = TRUE
)

is.neuron(x, Strict = FALSE)

as.neuron(x, ...)

## S3 method for class 'data.frame'
as.neuron(x, ...)

## S3 method for class 'ngraph'
as.neuron(x, vertexData = NULL, origin = NULL, Verbose = FALSE, ...)

## S3 method for class 'igraph'
as.neuron(x, ...)

## Default S3 method:
as.neuron(x, ...)

```

Arguments

<code>d</code>	matrix of vertices and associated data in SWC format
<code>NumPoints</code>	Number of points in master subtree
<code>StartPoint, BranchPoints, EndPoints</code>	Nodes of the neuron
<code>SegList</code>	List where each element contains the vertex indices for a single segments of the neuron, starting at root.
<code>SubTrees</code>	List of SegLists where a neuron has multiple unconnected trees (e.g. because the soma is not part of the graph, or because the neuronal arbour has been cut.)
<code>InputFileName</code>	Character vector with path to input file
<code>NeuronName</code>	Character vector containing name of neuron or a function with one argument (the full path) which returns the name. The default (NULL) sets NeuronName to the file name without the file extension.

...	Additional fields to be included in neuron. Note that if these include CreateAt, NodeName, InputFileStat or InputFileMD5, they will override fields of that name that are calculated automatically.
MD5	Logical indicating whether to calculate MD5 hash of input
x	A neuron or other object to test/convert
Strict	Whether to check class of neuron or use a more relaxed definition based on object being a list with a SegList component.
vertexData	A dataframe with SWC fields especially X,Y,Z,W,PointNo, Parent.
origin	Root vertex, matched against labels (aka PointNo) when available (see details)
Verbose	Whether to be verbose (default: FALSE)

Details

neuron objects consist of a list containing multiple fields describing the 3D location and connectivity of points in a traced neuron. The critical fields of a neuron, `n`, are `n$d` which contains a dataframe in SWC format and `n$SegList` which contains a representation of the neuron's topology used for most internal calculations. For historical reasons, `n$SegList` is limited to a *single fully-connected* tree. If the tree contains multiple unconnected subtrees, then these are stored in `n$SubTrees` and `nTrees` will be `>1`; the "master" subtree (typically the one with the most points) will then be stored in `n$SegList` and `n$NumPoints` will refer to the number of points in that subtree, not the whole neuron.

`StartPoint`, `BranchPoints`, `EndPoint`s are indices matching the rows of the vertices in `d` **not** arbitrary point numbers typically encoded in `d$PointNo`.

Columns will be ordered `c('PointNo','Label','X','Y','Z','W','Parent')`

Uses a depth first search on the tree to reorder using the given origin.

When the graph contains multiple subgraphs, only one will be chosen as the master tree and used to construct the `SegList` of the resultant neuron. However all subgraphs will be listed in the `SubTrees` element of the neuron and `nTrees` will be set appropriately.

When the graph vertices have a label attribute derived from `PointNo`, the origin is assumed to be specified with respect to the vertex labels rather than the raw vertex ids.

Value

A list with elements: (`NumPoints`,`StartPoint`,`BranchPoints`,`EndPoint`s,`nTrees`,`NumSegs`,`SegList`, [`SubTrees`]) NB `SubTrees` will only be present when `nTrees`>1.

See Also

[neuronlist](#)

[dfs](#), [as.seglist](#)

Other neuron: [ngraph\(\)](#), [plot.neuron\(\)](#), [potential_synapses\(\)](#), [prune\(\)](#), [resample\(\)](#), [rootpoints\(\)](#), [spine\(\)](#), [subset.neuron\(\)](#)

Examples

```

## See help for functions listed in See Also for more detailed examples
## Basic properties
# a sample neuron
n = Cell07PNs[[1]]
# inspect its internal structure
str(n)
# summary of 3D points
summary(xyzmatrix(n))
# identify 3d location of endpoints
xyzmatrix(n)[endpoints(n),]

## Other methods
# plot
plot(n)
# all methods for neuron objects
methods(class = 'neuron')

## Neurons as graphs
# convert to graph and find longest paths by number of nodes
ng=as.ngraph(n)
hist(igraph::distances(ng))
# ... or in distances microns
ngw=as.ngraph(n, weights=TRUE)
hist(igraph::distances(ngw))

# converting back and forth between neurons and graphs
g=as.ngraph(Cell07PNs[[1]])
gstem=igraph::induced_subgraph(g, 1:10)
# this is fine
plot(gstem)
plot(as.neuron(gstem))

# but if you had an undirected graph
ug=igraph::as.undirected(gstem)
# you get a warning because there is no explicit origin for the graph
as.neuron(ug)

# If you need finer control of the conversion process
gstem2=as.ngraph(ug, root = 10)
plot(gstem2)
plot(as.neuron(gstem2))

```

neuronlist

Create a neuronlist from zero or more neurons

Description

neuronlist objects consist of a list of neuron objects (usually of class [neuron](#) or [dotprops](#)) along with an optional attached dataframe containing information about the neurons. neuronlist objects

can be indexed using their name or the number of the neuron like a regular list. Both the list itself and the attached data.frame must have the same unique (row)names. If the [operator is used to index the list, the attached dataframe will also be subsetted.

It is perfectly acceptable not to pass any parameters, generating an empty neuronlist

Usage

```
neuronlist(..., DATAFRAME = NULL)
```

Arguments

...	objects to be turned into a list
DATAFRAME	an optional data.frame to attach to the neuronlist containing information about each neuron.

Value

A new neuronlist object.

See Also

[as.data.frame.neuronlist](#), [neuronlist-dataframe-methods](#), [neuron](#), [dotprops](#)

Other neuronlist: [*.neuronlist\(\)](#), [is.neuronlist\(\)](#), [neuronlist-dataframe-methods](#), [neuronlistfh\(\)](#), [nlapply\(\)](#), [read.neurons\(\)](#), [write.neurons\(\)](#)

Examples

```
# generate an empty neuronlist
nl=neuronlist()
# slice an existing neuronlist with regular indexing
kcs5=kcs20[1:5]

# extract a single neuron from a neuronlist
n1=Cell107PNs[[1]]

# list all methods for neuronlist objects
methods(class='neuronlist')
```


Description

[.neuronlist and [<-.neuronlist behave like the corresponding base methods ([.data.frame, [<-.data.frame) allowing extraction or replacement of parts of the data.frame attached to the neuronlist.

droplevels Remove redundant factor levels in dataframe attached to neuronlist

with Evaluate expression in the context of dataframe attached to a neuronlist

head Return the first part of data.frame attached to neuronlist

tail Return the last part of data.frame attached to neuronlist

Usage

```
## S3 method for class 'neuronlist'
x[i, j, drop]

## S3 replacement method for class 'neuronlist'
x[i, j] <- value

## S3 method for class 'neuronlist'
droplevels(x, except = NULL, ...)

## S3 method for class 'neuronlist'
with(data, expr, ...)

## S3 method for class 'neuronlist'
head(x, ...)

## S3 method for class 'neuronlist'
tail(x, ...)
```

Arguments

x	A neuronlist object
i, j	elements to extract or replace. Numeric or character or, for [only, empty. Numeric values are coerced to integer as if by as.integer. See [.data.frame for details.
drop	logical. If TRUE the result is coerced to the lowest possible dimension. The default is to drop if only one column is left, but not to drop if only one row is left.
value	A suitable replacement value: it will be repeated a whole number of times if necessary and it may be coerced: see the Coercion section. If NULL, deletes the column if a single column is selected.
except	indices of columns from which <i>not</i> to drop levels
...	Further arguments passed to default methods (and usually ignored)
data	A neuronlist object
expr	The expression to evaluate

Value

the attached dataframe with levels dropped (NB **not** the neuronlist)

See Also

[\[.data.frame, @seealso \[<- .data.frame](#)

[droplevels](#)

[with](#)

[head](#)

[tail](#)

Other neuronlist: [*.neuronlist\(\)](#), [is.neuronlist\(\)](#), [neuronlistfh\(\)](#), [neuronlist\(\)](#), [napply\(\)](#), [read.neurons\(\)](#), [write.neurons\(\)](#)

Examples

```
## treat kcs20 as data.frame
kcs20[1, ]
kcs20[1:3, ]
kcs20[, 1:4]
kcs20[, 'soma_side']
# alternative to as.data.frame(kcs20)
kcs20[, ]

## can also set columns
kcs13=kcs20[1:3]
kcs13[, 'side']=as.character(kcs13[, 'soma_side'])
head(kcs13)
# or parts of columns
kcs13[1, 'soma_side']='R'
kcs13['FruMARCM-M001205_seg002', 'soma_side']='L'
# remove a column
kcs13[, 'side']=NULL
all.equal(kcs13, kcs20[1:3])

# can even replace the whole data.frame like this
kcs13[,]=kcs13[, ]
all.equal(kcs13, kcs20[1:3])

## get row/column names of attached data.frame
# (unfortunately implementing ncol/nrow is challenging)
rownames(kcs20)
colnames(kcs20)
```

neuronlistfh	<i>neuronlistfh - List of neurons loaded on demand from disk or remote website</i>
--------------	--

Description

neuronlistfh objects consist of a list of neuron objects along with an optional attached dataframe containing information about the neurons. In contrast to neuronlist objects the neurons are not present in memory but are instead dynamically loaded from disk as required. neuronlistfh objects also inherit from neuronlist and therefore any appropriate methods e.g. plot3d.neuronlist can also be used on neuronlistfh objects.

neuronlistfh constructs a neuronlistfh object from a filehash, data.frame and keyfilemap. End users will **not** typically use this function to make a neuronlistfh. They will usually read them using read.neuronlistfh and sometimes create them by using as.neuronlistfh on a neuronlist object.

is.neuronlistfh test if an object is a neuronlistfh

as.neuronlistfh generic function to convert an object to neuronlistfh

as.neuronlistfh.neuronlist converts a regular neuronlist to one backed by a filehash object with an on disk representation

Usage

```
neuronlistfh(db, df, keyfilemap, hashmap = 1000L)
```

```
is.neuronlistfh(nl)
```

```
as.neuronlistfh(x, df, ...)
```

```
## S3 method for class 'neuronlist'
as.neuronlistfh(
  x,
  df = attr(x, "df"),
  dbdir = NULL,
  dbClass = c("RDS", "RDS2"),
  remote = NULL,
  WriteObjects = c("yes", "no", "missing"),
  ...
)
```

Arguments

db	a filehash object that manages an on disk database of neuron objects. See Implementation details.
df	Optional dataframe, where each row describes one neuron

keyfilemap	A named character vector in which the elements are filenames on disk (managed by the filehash object) and the names are the keys used in R to refer to the neuron objects. Note that the keyfilemap defines the order of objects in the neuronlist and will be used to reorder the dataframe if necessary.
hashmap	A logical indicating whether to add a hashed environment for rapid object lookup by name or an integer or an integer defining a threshold number of objects when this will happen (see Implementation details).
n1	Object to test
x	Object to convert
...	Additional arguments for methods, eventually passed to neuronlistfh() constructor.
dbdir	The path to the underlying filehash database on disk. By convention this should be a path whose final element is 'data'
dbClass	The filehash database class. Defaults to RDS.
remote	The url pointing to a remote repository containing files for each neuron.
writeObjects	Whether to write objects to disk. Missing implies that existing objects will not be overwritten. Default "yes".

Value

a neuronlistfh object which is a character vector with classes neuronlistfh, neuronlist and attributes db, df. See Implementation details.

Implementation details

neuronlistfh objects are a hybrid between regular neuronlist objects that organise data and metadata for collections of neurons and a backing filehash object. Instead of keeping objects in memory, they are *always* loaded from disk. Although this sounds like it might be slow, for nearly all practical purposes (e.g. plotting neurons) the time to read the neuron from disk is small compared with the time to plot the neuron; the OS will cache repeated reads of the same file. The benefits in memory and startup time (<1s vs 100s for our 16,000 neuron database) are vital for collections of 1000s of neurons e.g. for dynamic report generation using knitr or for users with <8Gb RAM or running 32 bit R.

neuronlistfh objects include:

attr("keyfilemap") A named character vector that determines the ordering of objects in the neuronlist and translates keys in R to filenames on disk. For objects created by `as.neuronlistfh` the filenames will be the md5 hash of the object as calculated using `digest`. This design means that the same key can be used to refer to multiple distinct objects on disk. Objects are effectively versioned by their contents. So if an updated neuronlistfh object is posted to a website and then fetched by a user it will result in the automated download of any updated objects to which it refers.

attr("db") The backing database - typically of class `filehashRDS`. This manages the loading of objects from disk.

attr(x,"df") The data.frame of metadata which can be used to select and plot neurons. See [neuronlist](#) for examples.

attr(x,"hashmap") (Optional) a hashed environment which can be used for rapid lookup using key names (rather than numeric/logical indices). There is a space potential to pay for this redundant lookup method, but it is normally worth while given that the dataframe object is typically considerably larger. To give some numbers, the additional environment might occupy ~ 1 time from 0.5 ms to 1us. Having located the object, on my machine it can take as little as 0.1ms to load from disk, so these savings are relevant.

Presently only backing objects which extend the filehash class are supported (although in theory other backing objects could be added). These include:

- filehash RDS
- filehash RDS2 (experimental)

We have also implemented a simple remote access protocol (currently only for the RDS format). This allows a neuronlistfh object to be read from a url and downloaded to a local path. Subsequent attempts to access neurons stored in this list will result in automated download of the requested neuron to the local cache.

An alternative backend, the experimental RDS2 format is supported (available at <https://github.com/jefferis/filehash>). This is likely to be the most effective for large (5,000-500,000) collections of neurons, especially when using network filesystems (nfs, afp) which are typically very slow at listing large directories.

Note that objects are stored in a filehash, which by definition does not have any ordering of its elements. However neuronlist objects (like lists) do have an ordering. Therefore the names of a neuronlistfh object are not necessarily the same as the result of calling names() on the underlying filehash object.

See Also

[filehash-class](#)

Other neuronlistfh: [\[.neuronlistfh\(\)](#), [read.neuronlistfh\(\)](#), [remotesync\(\)](#), [write.neuronlistfh\(\)](#)

Other neuronlist: [*.neuronlist\(\)](#), [is.neuronlist\(\)](#), [neuronlist-dataframe-methods](#), [neuronlist\(\)](#), [nlaply\(\)](#), [read.neurons\(\)](#), [write.neurons\(\)](#)

Examples

```
## Not run:
kcn1=read.neuronlistfh('http://jefferislab.org/si/nblast/flycircuit/kcs20.rds',
'path/to/my/project/folder')
# this will automatically download the neurons from the web the first time
# it is run
plot3d(kcn1)

## End(Not run)
## Not run:
# create neuronlistfh object backed by filehash with one file per neuron
# by convention we create a subfolder called data in which the objects live
kcs20fh=as.neuronlistfh(kcs20, dbdir='/path/to/my/kcldb/data')
plot3d(subset(kcs20fh,type=='gamma'))
# ... and, again by convention, save the neuronlistfh object next to filehash
# backing database
```

```

write.neuronlistfh(kcs20fh, file='/path/to/my/kcdb/kcdb.rds')

# in a new session
read.neuronlistfh("/path/to/my/kcdb/kcdb.rds")
plot3d(subset(kcs20fh, type=='gamma'))

## End(Not run)

```

ngraph

ngraph: a graph to encode a neuron's connectivity

Description

the ngraph class contains a (completely general) graph representation of a neuron's connectivity in an igrph object. It may additionally contain vertex label or position data. See details.

ngraph() creates an ngraph from edge and vertex information.

as.ngraph converts an object to an ngraph

as.ngraph.dataframe construct ngraph from a data.frame containing SWC format data

as.ngraph.neuron construct ngraph from a neuron

Usage

```

ngraph(
  e1,
  vertexlabels,
  xyz = NULL,
  diam = NULL,
  directed = TRUE,
  weights = FALSE,
  vertex.attributes = NULL,
  graph.attributes = NULL
)

```

```
as.ngraph(x, ...)
```

```
## S3 method for class 'data.frame'
as.ngraph(x, directed = TRUE, ...)
```

```
## S3 method for class 'neuron'
as.ngraph(x, directed = TRUE, method = c("swc", "seglist"), ...)
```

Arguments

e1	A two column matrix (start, end) defining edges. start means closer to the root (soma) of the neuron.
vertexlabels	Integer labels for graph - the edge list is specified using these labels.

xyz	3D coordinates of vertices (optional, Nx3 matrix, or Nx4 matrix when 4th column is assumed to be diameter)
diam	Diameter of neuron at each vertex (optional)
directed	Whether the resultant graph should be directed (default TRUE)
weights	Logical value indicating whether edge weights defined by the 3D distance between points should be added to graph (default FALSE) <i>or</i> a numeric vector of weights.
vertex.attributes, graph.attributes	List of named attributes to be added to the graph. The elements of <code>vertex.attributes</code> must be vectors whose length is compatible with the number of elements in the graph. See set_vertex_attr for details.
x	Object to convert (see method descriptions)
...	Arguments passed to methods
method	Whether to use the swc data (x\$d) or the seglist to define neuronal connectivity to generate graph.

Details

Note that the `as.ngraph.neuron` method *always* keeps the original vertex labels (a.k.a. `PointNo`) as read in from the original file.

Value

an `igraph` object with additional class `ngraph`, having a vertex for each entry in `vertexlabels`, each vertex having a `label` attribute. All vertices are included whether connected or not.

Connectivity

We make the following assumptions about neurons coming in

- They have an integer vertex label that need not start from 1 and that may have gaps
- The edge list which defines connectivity specifies edges using pairs of vertex labels, `_not_` raw vertex ids.

We make no attempt to determine the root points at this stage.

The raw vertex ids in the graph will be in the order of `vertexlabels` and can therefore be used to index a block of vertex coordinates. The `vertexlabels` will be stored using the vertex attribute `label`

When the graph is directed (default) the edges will be from the root to the other tips of the neuron.

Morphology

The morphology of the neuron is encoded by the combination of connectivity information (i.e. the graph) and spatial data encoded as the 3D position and diameter of each vertex. Position information is stored as vertex attributes `X`, `Y`, and `Z`.

See Also

[igraph](#), [set_vertex_attr](#), [subset.neuron](#) for example of graph-based manipulation of a neuron.

Other neuron: [neuron\(\)](#), [plot.neuron\(\)](#), [potential_synapses\(\)](#), [prune\(\)](#), [resample\(\)](#), [rootpoints\(\)](#), [spine\(\)](#), [subset.neuron\(\)](#)

Examples

```
g=as.ngraph(Cell07PNs[[1]])
library(igraph)
# check that vertex attributes of graph match X position
all.equal(V(g)$X, Cell07PNs[[1]]$d$X)
```

nlapply

lapply and mapply for neuronlists (with optional parallelisation)

Description

versions of `lapply` and `mapply` that look after the class and attached dataframe of neuronlist objects. `nlapply` can apply a function to only a subset of elements in the input neuronlist. Internally `nlapply` uses `plyr::llply` thereby enabling progress bars and simple parallelisation (see `plyr` section and examples).

Usage

```
nlapply(
  X,
  FUN,
  ...,
  subset = NULL,
  OmitFailures = NA,
  .progress = getOption("nat.progress", default = "auto")
)
```

```
nmapply(
  FUN,
  X,
  ...,
  MoreArgs = NULL,
  SIMPLIFY = FALSE,
  USE.NAMES = TRUE,
  subset = NULL,
  OmitFailures = NA
)
```


Arguments

X	A neuronlist
FUN	Function to be applied to each element of X
...	Additional arguments for FUN (see details)
subset	Character, numeric or logical vector specifying on which subset of X the function FUN should be applied. Elements outside the subset are passed through unmodified.
OmitFailures	Whether to omit neurons for which FUN gives an error. The default value (NA) will result in nlapply stopping with an error message the moment there is an error. For other values, see details.
.progress	Character vector specifying the type of progress bar (see create_progress_bar for options.) The default value of "auto" shows a progress bar in interactive use when there are >=10 elements in X. The default value can be overridden for the current session by setting the value of <code>options(nat.progressbar)</code> (see examples).
MoreArgs	a list of other arguments to FUN.
SIMPLIFY	logical or character string; attempt to reduce the result to a vector, matrix or higher dimensional array; see the <code>simplify</code> argument of sapply .
USE.NAMES	logical; use the names of the first ... argument, or if that is an unnamed character vector, use that vector as the names.

Details

When `OmitFailures` is not NA, FUN will be wrapped in a call to `try` to ensure that failure for any single neuron does not abort the `nlapply/nlapply` call. When `OmitFailures=TRUE` the resultant neuronlist will be subsetted down to return values for which FUN evaluated successfully. When `OmitFailures=FALSE`, "try-error" objects will be left in place. In either of the last 2 cases error messages will not be printed because the call is wrapped as `try(expr, silent=TRUE)`.

Value

A neuronlist

plyr

The arguments of most interest from `plyr` are:

- `.inform` set to TRUE to give more informative error messages that should indicate which neurons are failing for a given applied function.
- `.progress` set to "text" for a basic progress bar
- `.parallel` set to TRUE for parallelisation after registering a parallel backend (see below).
- `.paropts` Additional arguments for parallel computation. See [llply](#) for details.

Before using parallel code within an R session you must register a suitable parallel backend. The simplest example is the multicore option provided by the `doMC` package that is suitable for a spreading computational load across multiple cores on a single machine. An example is provided below.

Note that the progress bar and parallel options cannot be used at the same time. You may want to start a potentially long-running job with the progress bar option and then abort and re-run with `.parallel=TRUE` if it looks likely to take a very long time.

See Also

[lapply](#)

[mapply](#)

Other neuronlist: [*.neuronlist\(\)](#), [is.neuronlist\(\)](#), [neuronlist-dataframe-methods](#), [neuronlistfh\(\)](#), [neuronlist\(\)](#), [read.neurons\(\)](#), [write.neurons\(\)](#)

Examples

```
## nlapply example
kcs.reduced=nlapply(kcs20,function(x) subset(x,sample(nrow(x$points),50)))
open3d()
plot3d(kcs.reduced,col='red', lwd=2)
plot3d(kcs20,col='grey')
close3d()

## Not run:
# example of using plyr's .inform argument for debugging error conditions
xx=nlapply(Cell07PNs, prune_strahler)
# oh dear there was an error, let's get some details about the neuron
# that caused the problem
xx=nlapply(Cell07PNs, prune_strahler, .inform=TRUE)

## End(Not run)

## Not run:
## nlapply example with plyr
## dotprops.neuronlist uses nlapply under the hood
## the .progress and .parallel arguments are passed straight to
system.time(d1<-dotprops(kcs20,resample=1,k=5,.progress='text'))
## plyr+parallel
library(doMC)
# can also specify cores e.g. registerDoMC(cores=4)
registerDoMC()
system.time(d2<-dotprops(kcs20,resample=1,k=5,.parallel=TRUE))
stopifnot(all.equal(d1,d2))

## End(Not run)

## nmaply example
# flip first neuron in X, second in Y and 3rd in Z
xyzflip=nmaply(mirror, kcs20[1:3], mirrorAxis = c("X","Y","Z"),
  mirrorAxisSize=c(400,20,30))

open3d()
plot3d(kcs20[1:3])
plot3d(xyzflip)
close3d()
```

```

## Not run:
## Override default progress bar behaviour via options
s1=nlapply(Cell07PNs, FUN = seglengths)
options(nat.progress='none')
s1=nlapply(Cell07PNs, FUN = seglengths)
options(nat.progress=NULL)
s1=nlapply(Cell07PNs, FUN = seglengths)

## End(Not run)

```

nlscan

Scan through a set of neurons, individually plotting each one in 3D

Description

Can also choose to select specific neurons along the way and navigate forwards and backwards.

Usage

```

nlscan(
  neurons,
  db = NULL,
  col = "red",
  Verbose = T,
  Wait = T,
  sleep = 0.1,
  extrafun = NULL,
  selected_file = NULL,
  selected_col = "green",
  yaml = TRUE,
  ...
)

```

Arguments

neurons	a <code>neuronlist</code> object or a character vector of names of neurons to plot from the <code>neuronlist</code> specified by <code>db</code> .
db	A <code>neuronlist</code> to use as the source of objects to plot. If <code>NULL</code> , the default, will use the <code>neuronlist</code> specified by <code>options('nat.default.neuronlist')</code>
col	the color with which to plot the neurons (default 'red').
Verbose	logical indicating that info about each selected neuron should be printed (default <code>TRUE</code>).
Wait	logical indicating that there should be a pause between each displayed neuron.
sleep	time to pause between each displayed neuron when <code>Wait=TRUE</code> .

extrafun	an optional function called when each neuron is plotted, with two arguments: the current neuron name and the current selected neurons.
selected_file	an optional path to a yaml file that already contains a selection.
selected_col	the color in which selected neurons (such as those specified in selected_file) should be plotted.
yaml	a logical indicating that selections should be saved to disk in (human-readable) yaml rather than (machine-readable) rda format.
...	extra arguments to pass to plot3d .

Value

A character vector of names of any selected neurons, of length 0 if none selected.

See Also

[plot3d.character](#), [plot3d.neuronlist](#)

Examples

```
## Not run:
# scan a neuronlist
nlscan(kcs20)

# using neuron names
nlscan(names(kcs20), db=kcs20)
# equivalently using a default neuron list
options(nat.default.neuronlist='kcs20')
nlscan(names(kcs20))

## End(Not run)
# scan without waiting
nlscan(kcs20[1:4], Wait=FALSE, sleep=0)
## Not run:
# could select e.g. the gamma neurons with unbranched axons
gammas=nlscan(kcs20)
clear3d()
plot3d(kcs20[gammas])

# plot surface model of brain first
# nb depends on package only available on github
devtools::install_github(username = "jefferislab/nat.flybrains")
library(nat.flybrains)
plot3d(FCWB)
# could select e.g. the gamma neurons with unbranched axons
gammas=nlscan(kcs20)
clear3d()
plot3d(kcs20[gammas])

## End(Not run)
```

nopen3d	<i>Open customised rgl window</i>
---------	-----------------------------------

Description

Pan with right button (Ctrl+click), zoom with middle (Alt/Meta+click) button. Defaults to a white background and orthogonal projection (FOV=0)

Usage

```
nopen3d(bgcol = "white", FOV = 0, ...)
```

Arguments

bgcol	background colour
FOV	field of view
...	additional options passed to open3d

Details

Note that sometimes (parts of) objects seem to disappear after panning and zooming. See help for [pan3d](#).

Value

current rgl device

See Also

[open3d](#), [pan3d](#)

normalise_swc	<i>Normalise an SWC format block of neuron morphology data</i>
---------------	--

Description

Normalise an SWC format block of neuron morphology data

Usage

```
normalise_swc(
  x,
  requiredColumns = c("PointNo", "Label", "X", "Y", "Z", "W", "Parent"),
  ifMissing = c("usedefaults", "warning", "stop"),
  includeExtraCols = TRUE,
  defaultValue = list(PointNo = seq.int(nrow(x)), Label = 2L, X = NA_real_, Y = NA_real_,
    Z = NA_real_, W = NA_real_, Parent = NA_integer_)
)
```

Arguments

x	A data.frame containing neuron morphology data
requiredColumns	Character vector naming columns we should have
ifMissing	What to do if x is missing a required column
includeExtraCols	Whether to include any extra columns included in x
defaultValue	A list containing default values to use for any missing columns

Details

Note that row.names of the resultant data.frame will be set to NULL so that they have completely standard values.

Value

A data.frame containing the normalised block of SWC data with standard columns in standard order.

See Also

[as.neuron.data.frame](#), [seglist2swc](#)

npop3d

Remove plotted neurons or other 3D objects

Description

The normal usage will not specify x in which case the last neurons plotted by `plot3d.neuronlist` or any of its friends will be removed.

Usage

```
npop3d(x, slow = FALSE, type = "shapes")
```

Arguments

x	rgl ids of objects to remove
slow	Whether to remove neurons one by one (slowly) default: FALSE
type	Type of objects to remove see <code>pop3d</code> .

See Also

[pop3d](#), [plot3d.neuronlist](#)

nrrd.voxdims	<i>Return voxel dimensions (by default absolute voxel dimensions)</i>
--------------	---

Description

Return voxel dimensions (by default absolute voxel dimensions)

Usage

```
nrrd.voxdims(file, ReturnAbsoluteDims = TRUE)
```

Arguments

file path to nrrd/nhdr file or a list containing a nrrd header

ReturnAbsoluteDims Defaults to returning absolute value of dims even if there are any negative space directions

Details

NB Can handle off diagonal terms in space directions matrix, BUT assumes that space direction vectors are orthogonal.

Will produce a warning if no valid dimensions can be found.

Value

numeric vector of voxel dimensions (NA_real_ when missing) of length equal to the image dimension.

Author(s)

jefferis

See Also

[read.nrrd.header](#)

nvertices	<i>Find the number of vertices in an object (or each element of a neuronlist)</i>
-----------	---

Description

Find the number of vertices in an object (or each element of a neuronlist)

Usage

```
nvertices(x, ...)
```

```
## Default S3 method:
nvertices(x, ...)
```

```
## S3 method for class 'neuronlist'
nvertices(x, ...)
```

```
## S3 method for class 'igraph'
nvertices(x, ...)
```

Arguments

x	An object with 3d vertices (e.g. neuron, surface etc)
...	Additional arguments passed to methods (currently ignored)

Value

an integer number of vertices (or a vector of length equal to a neuronlist)

Examples

```
nvertices(Cell107PNs[[1]])
nvertices(kcs20)
```

nview3d	<i>Set the 3D viewpoint of an RGL window using anatomical terms</i>
---------	---

Description

Set the 3D viewpoint of an RGL window using anatomical terms

Usage

```
nview3d(
  viewpoint = c("frontal", "anterior", "dorsal", "ventral", "posterior", "left", "right",
    "oblique_right", "oblique_left"),
  FOV = 0,
  extramat = NULL,
  ...
)
```

Arguments

viewpoint	Character vector specifying viewpoint
FOV	The Field of View (defaults to 0 => orthographic projection) (see par3d for details).
extramat	An optional extra transformation matrix to be applied after the one implied by the viewpoint argument.
...	additional arguments passed to par3d

See Also

[nopen3d](#), [view3d](#)

Examples

```
plot3d(kcs20, soma=TRUE)
nview3d('frontal')
nview3d('ant')
nview3d()
nview3d('posterior')
nview3d('oblique_right')
# a slightly oblique frontal view
nview3d('frontal', extramat=rotationMatrix(pi/10, 1, 1, 0))
```

origin

Return the space origin of a 3D image object

Description

Defined as the first coordinates (x,y,z) of the bounding box, which in turn matches the nrrd definition of the location of the "centre" of the first voxel.

Usage

```
origin(x, ...)
```

Arguments

x Object for which origin should be returned. See [boundingbox](#).
 ... Additional arguments passed to [boundingbox](#)

See Also

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#),
[imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

 pan3d

Some useful extensions / changes to rgl defaults

Description

Set up pan call back for current rgl device

Usage

```
pan3d(button)
```

Arguments

button Integer from 1 to 3 indicating mouse button

Details

Copied verbatim from ?[rgl.setMouseCallbacks](#) for rgl version 0.92.892 Mouse button 2 is right and button 3 is middle (accessed by meta/alt key)

Note that sometimes (parts of) objects seem to disappear after panning and zooming. The example in [rgl.setMouseCallbacks](#) from which this is copied includes a note that "this doesn't play well with rescaling"

Author(s)

Duncan Murdoch

See Also

[rgl.setMouseCallbacks](#)

Examples

```
## Not run:
open3d()
pan3d(2)

## End(Not run)
```

plot.neuron *Plot a 2D projection of a neuron*

Description

Plot a 2D projection of a neuron

Usage

```
## S3 method for class 'neuron'
plot(
  x,
  WithLine = TRUE,
  WithNodes = TRUE,
  WithAllPoints = FALSE,
  WithText = FALSE,
  PlotSubTrees = TRUE,
  soma = FALSE,
  PlotAxes = c("XY", "YZ", "XZ", "ZY"),
  axes = TRUE,
  asp = 1,
  main = x$NeuronName,
  sub = NULL,
  xlim = NULL,
  ylim = NULL,
  AxisDirections = c(1, -1, 1),
  add = FALSE,
  col = NULL,
  PointAlpha = 1,
  tck = NA,
  lwd = par("lwd"),
  boundingbox = NULL,
  ...
)
```

Arguments

x	a neuron to plot.
WithLine	whether to plot lines for all segments in neuron.
WithNodes	whether points should only be drawn for nodes (branch/end points)
WithAllPoints	whether points should be drawn for all points in neuron.
WithText	whether to label plotted points with their id.
PlotSubTrees	Whether to plot all sub trees when the neuron is not fully connected.
soma	Whether to plot a circle at neuron's origin representing the soma. Either a logical value or a numeric indicating the radius (default FALSE). When soma=TRUE the radius is hard coded to 2.

PlotAxes	the axes for the plot.
axes	whether axes should be drawn.
asp	the y/x aspect ratio, see plot.window .
main	the title for the plot
sub	sub title for the plot
xlim	limits for the horizontal axis (see also boundingbox)
ylim	limits for the vertical axis (see also boundingbox)
AxisDirections	the directions for the axes. By default, R uses the bottom-left for the origin, whilst most graphics software uses the top-left. The default value of <code>c(1, -1, 1)</code> makes the produced plot consistent with the latter.
add	Whether the plot should be superimposed on one already present (default: FALSE).
col	the color in which to draw the lines between nodes.
PointAlpha	the value of alpha to use in plotting the nodes.
tck	length of tick mark as fraction of plotting region (negative number is outside graph, positive number is inside, 0 suppresses ticks, 1 creates gridlines).
lwd	line width relative to the default (default=1).
boundingbox	A 2 x 3 matrix (ideally of class boundingbox) that enables the plot axis limits to be set without worrying about axis selection or reversal (see details)
...	additional arguments passed to plot

Details

This functions sets the axis ranges based on the chosen `PlotAxes` and the range of the data in `x`. It is still possible to use `PlotAxes` in combination with a `boundingbox`, for example to set the range of a plot of a number of objects.

`nat` assumes the default axis convention used in biological imaging, where the origin of the `y` axis is the top rather than the bottom of the plot. This is achieved by reversing the `y` axis of the 2D plot when the second data axis is the `Y` axis of the 3D data. Other settings can be achieved by modifying the `AxisDirections` argument.

Value

list of plotted points (invisibly)

See Also

[plot3d.neuron](#)

Other neuron: [neuron\(\)](#), [ngraph\(\)](#), [potential_synapses\(\)](#), [prune\(\)](#), [resample\(\)](#), [rootpoints\(\)](#), [spine\(\)](#), [subset.neuron\(\)](#)

Examples

```

# Draw first example neuron
plot(Cell07PNs[[1]])
# Overlay second example neuron
plot(Cell07PNs[[2]], add=TRUE)
# Clear the current plot and draw the third neuron from a different view
plot(Cell07PNs[[3]], PlotAxes="YZ")
# Just plot the end points for the fourth example neuron
plot(Cell07PNs[[4]], WithNodes=FALSE)
# Plot with soma (of default radius)
plot(Cell07PNs[[4]], WithNodes=FALSE, soma=TRUE)
# Plot with soma of defined radius
plot(Cell07PNs[[4]], WithNodes=FALSE, soma=1.25)

```

plot.neuronlist	<i>2D plots of the elements in a neuronlist, optionally using a subset expression</i>
-----------------	---

Description

2D plots of the elements in a neuronlist, optionally using a subset expression

Usage

```

## S3 method for class 'neuronlist'
plot(
  x,
  subset = NULL,
  col = NULL,
  colpal = rainbow,
  add = NULL,
  boundingbox = NULL,
  ...,
  SUBSTITUTE = TRUE
)

```

Arguments

x	a neuron list or, for plot3d.character, a character vector of neuron names. The default neuronlist used by plot3d.character can be set by using options(nat.default.neuronlist=). See ?nat for details.
subset	Expression evaluating to logical mask for neurons. See details.
col	An expression specifying a colour evaluated in the context of the dataframe attached to nl (after any subsetting). See details.
colpal	A vector of colours or a function that generates colours

add	Logical specifying whether to add data to an existing plot or make a new one. The default value of NULL creates a new plot with the first neuron in the neuronlist and then adds the remaining neurons.
boundingbox	A 2 x 3 matrix (ideally of class <code>boundingbox</code>) that enables the plot axis limits to be set without worrying about axis selection or reversal (see details)
...	options passed on to plot (such as colours, line width etc)
SUBSTITUTE	Whether to substitute the expressions passed as arguments subset and col. Default: TRUE. For expert use only, when calling from another function.

Details

The col and subset parameters are evaluated in the context of the dataframe attribute of the neuronlist. If col evaluates to a factor and colpal is a named vector then colours will be assigned by matching factor levels against the named elements of colpal. If there is one unnamed level, this will be used as catch-all default value (see examples).

If col evaluates to a factor and colpal is a function then it will be used to generate colours with the same number of levels as are used in col.

Value

list of values of plot with subsetted dataframe as attribute 'df'

See Also

[nat-package](#), [plot3d.neuronlist](#)

Examples

```
# plot 4 cells
plot(Cell07PNs[1:4])
# modify some default plot arguments
plot(Cell07PNs[1:4], ylim=c(140,75), main='First 4 neurons')
# plot one class of neurons in red and all the others in grey
plot(Cell07PNs, col=Glomerulus, colpal=c(DA1='red', 'grey'), WithNodes=FALSE)
# subset operation
plot(Cell07PNs, subset=Glomerulus%in%c("DA1", "DP1m"), col=Glomerulus,
      ylim=c(140,75), WithNodes=FALSE)
```

plot3d

plot3d methods for different nat objects

Description

These methods enable nat objects including neuronlists and dotprops objects to be plotted in 3D. See the help for each individual method for details along with the help for the generic in the rgl package.

See Also

[plot3d](#), [plot3d.boundingBox](#), [plot3d.character](#), [plot3d.cmtkreg](#), [plot3d.dotprops](#), [plot3d.hxsurf](#), [plot3d.neuron](#), [plot3d.neuronlist](#)

Examples

```
# all known plot3d methods
methods("plot3d")

# up to date list of all plot3d methods in this package
intersect(methods("plot3d"), ls(asNamespace("nat")))
```

plot3d.boundingBox *Plot a bounding box in 3D*

Description

Plot a bounding box in 3D

Usage

```
## S3 method for class 'boundingbox'
plot3d(x, ...)
```

Arguments

x the [boundingbox](#) object to plot.
... additional arguments to pass to [segments3d](#).

Value

A list of RGL object IDs.

See Also

[boundingbox](#)

Examples

```
# find the bounding box of all the neurons in a list
boundingbox(kcs20)
boundingbox(kcs20[1:3])

# plot those neurons
plot3d(kcs20)
# ... with their bounding box
plot3d(boundingBox(kcs20))
```

```

plot3d(kcs20)
# plot bounding box (in matching colours) for each neuron
# NB makes use of nlaply/neuronlist in slightly unusual context -
# plot3d.neuronlist can cope with lists containing anything with
# a valid plot3d method.
plot3d(nlaply(kcs20,boundingBox))

```

plot3d.cmtkreg *Plot the domain of a CMTK registration*

Description

Plot the domain of a CMTK registration

Usage

```

## S3 method for class 'cmtkreg'
plot3d(x, ...)

```

Arguments

x A cmtk registration (the path to the registration folder on disk) or the resulting of reading one in with [read.cmtkreg](#).

... Additional arguments passed to [plot3d](#)

See Also

[cmtkreg](#), [read.cmtkreg](#), [plot3d](#)

Examples

```

## Not run:
testdatadir=system.file("tests/testthat/testdata/cmtk", package="nat")
regpath=file.path(testdatadir,'FCWB_JFRC2_01_warp_level-01.list/')
plot3d(cmtkreg(regpath))

# or read registration into memory if you want to work with it
reg=read.cmtkreg(regpath)
# nb calling plot3d.cmtkreg directly (rather than using the generic plot3d)
# is considered bad style but read.cmtkreg returns a plain list
# so method dispatch will fail
nat:::plot3d.cmtkreg(reg)

## End(Not run)

```

plot3d.dotprops *3D plots of dotprops objects using rgl package*

Description

3D plots of dotprops objects using rgl package

Usage

```
## S3 method for class 'dotprops'
plot3d(
  x,
  scalevecs = 1,
  alphanrange = NULL,
  color = "black",
  PlotPoints = FALSE,
  PlotVectors = TRUE,
  UseAlpha = FALSE,
  ...
)
```

Arguments

x	A dotprops object
scalevecs	Factor by which to scale unit vectors (numeric, default: 1.0)
alphanrange	Restrict plotting to points with alpha values in this range to plot (default: null => all points). See dotprops for definition of alpha.
color	Character or numeric vector specifying colours for points/vectors. See details.
PlotPoints, PlotVectors	Whether to plot points and/or tangent vectors (logical, default: tangent vectors only)
UseAlpha	Whether to scale tangent vector length by the value of alpha
...	Additional arguments passed to points3d and/or segments3d

Details

Tangent vectors are plotted by segments3d and centered on the relevant point. Points are plotted by points3d.

color will be recycled by points3d and segments3d. However in the special case that color has length equal to the number of points in x, then it will be duplicated before being passed to segments3d so that the result is that each vector is coloured uniformly according to color (since segments3d expects 2 colours for each line segment, blending them if they are different).

Value

invisible list of results of rgl plotting commands

See Also

[dotprops](#), [plot3d](#), [points3d](#), [segments3d](#)

Examples

```
open3d()
plot3d(kcs20[[1]])
clear3d()
plot3d(kcs20[[1]], col='red')
clear3d()
plot3d(kcs20[[1]], col='red', lwd=2)
plot3d(kcs20[[2]], col='green', lwd=2)
```

plot3d.hxsurf

Plot amira surface objects in 3D using rgl

Description

Plot amira surface objects in 3D using rgl

Usage

```
## S3 method for class 'hxsurf'
plot3d(x, materials = NULL, col = NULL, ...)
```

Arguments

<code>x</code>	An hxsurf surface object
<code>materials</code>	Character vector or regex naming materials to plot (defaults to all materials in <code>x</code>). See subset.hxsurf .
<code>col</code>	Character vector specifying colors for the materials, or a function that will be called with the number of materials to plot. When NULL (default) will use material colours defined in Amira (if available), or rainbow otherwise.
<code>...</code>	Additional arguments passed to

See Also

[read.hxsurf](#)

Other hxsurf: [as.hxsurf\(\)](#), [as.mesh3d\(\)](#), [materials\(\)](#), [read.hxsurf\(\)](#), [subset.hxsurf\(\)](#), [write.hxsurf\(\)](#)

Examples

```

plot3d(kcs20)
plot3d(MBL.surf)

# plot only vertical lobe
clear3d()
plot3d(MBL.surf, materials="VL", alpha=0.3)

# everything except vertical lobe
clear3d()
plot3d(MBL.surf, alpha=0.3,
       materials=grep("VL", MBL.surf$RegionList, value = TRUE, invert = TRUE))

```

plot3d.neuron

Plot neurons in 3D using rgl library

Description

Plot neurons in 3D using rgl library

Usage

```

## S3 method for class 'neuron'
plot3d(
  x,
  WithLine = TRUE,
  NeuronNames = FALSE,
  WithNodes = TRUE,
  WithAllPoints = FALSE,
  WithText = FALSE,
  PlotSubTrees = TRUE,
  add = TRUE,
  col = NULL,
  soma = FALSE,
  ...
)

```

Arguments

x	A neuron to plot
WithLine	Whether to plot lines for all segments in neuron
NeuronNames	Logical indicating whether to label the neuron in the plot using the NeuronName field or a character vector of names.
WithNodes	Whether to plot dots for branch and end points
WithAllPoints	Whether to plot dots for all points in the neuron

WithText	Whether to label plotted points with their numeric id (see details)
PlotSubTrees	Whether to plot all sub trees when the neuron is not fully connected.
add	Whether to add the neuron to existing rgl plot rather than clearing the scene (default TRUE)
col	Colour specification (see rgl materials)
soma	Whether to plot a sphere at neuron's origin representing the soma. Either a logical value or a numeric indicating the radius (default FALSE). When soma=TRUE the radius is hard coded to 2.
...	Additional arguments passed to rgl::lines3d

Details

Note that when WithText=TRUE, the numeric identifiers plotted are *raw indices* into the x\$d array of the neuron, *not* the values of the PointNo column.

Value

list of rgl plotting ids (invisibly) separated into lines, points, texts according to plot element. See rgl::plot3d for details.

See Also

[plot3d.neuronlist](#), [plot3d.dotprops](#), [nat::plot3d](#), [rgl::plot3d](#)

Examples

```
# A new plot would have been opened if required
open3d()
plot3d(Cell07PNs[[1]],col='red')
plot3d(Cell07PNs[[2]],col='green')

# clear the current plot
clear3d()
plot3d(Cell07PNs[[2]],col='blue',add=FALSE)
# plot the number of all nodes
clear3d()
plot3d(Cell07PNs[[2]],col='red',WithText=TRUE,add=FALSE)
# include cell bodies
plot3d(Cell07PNs[3:4], col='red', soma=TRUE)
plot3d(Cell07PNs[5], col='red', soma=3)
close3d()
```

plot3d.neuronlist *3D plots of the elements in a neuronlist, optionally using a subset expression*

Description

plot3d.character is a convenience method intended for exploratory work on the command line.

Usage

```
## S3 method for class 'neuronlist'
plot3d(
  x,
  subset = NULL,
  col = NULL,
  colpal = rainbow,
  skipRedraw = ifelse(interactive(), 200L, TRUE),
  WithNodes = FALSE,
  soma = FALSE,
  ...,
  SUBSTITUTE = TRUE
)

## S3 method for class 'character'
plot3d(x, db = NULL, ...)
```

Arguments

x	a neuron list or, for plot3d.character, a character vector of neuron names. The default neuronlist used by plot3d.character can be set by using options(nat.default.neuronlist=). See ?nat for details. nat-package .
subset	Expression evaluating to logical mask for neurons. See details.
col	An expression specifying a colour evaluated in the context of the dataframe attached to nl (after any subsetting). See details.
colpal	A vector of colours or a function that generates colours
skipRedraw	When plotting more than this many (default 200) neurons skip redraw for individual neurons (this is much faster for large number of neurons). Can also accept logical values TRUE (always skip) FALSE (never skip).
WithNodes	Whether to plot points for end/branch points. Default: FALSE.
soma	Whether to plot a sphere at neuron's origin representing the soma. Either a logical value or a numeric indicating the radius (default FALSE). When soma=TRUE the radius is hard coded to 2.
...	options passed on to plot3d (such as colours, line width etc)
SUBSTITUTE	Whether to substitute the expressions passed as arguments subset and col. Default: TRUE. For expert use only, when calling from another function.

db A neuronlist to use as the source of objects to plot. If NULL, the default, will use the neuronlist specified by options('nat.default.neuronlist')

Details

The col and subset parameters are evaluated in the context of the dataframe attribute of the neuronlist. If col evaluates to a factor and colpal is a named vector then colours will be assigned by matching factor levels against the named elements of colpal. If there is one unnamed level, this will be used as catch-all default value (see examples).

If col evaluates to a factor and colpal is a function then it will be used to generate colours with the same number of levels as are used in col.

WithNodes is FALSE by default when using plot3d.neuronlist but remains TRUE by default when plotting single neurons with plot3d.neuron. This is because the nodes quickly make plots with multiple neurons rather busy.

When soma is TRUE or a vector of numeric values (recycled as appropriate), the values are used to plot cell bodies. For neurons the values are passed to plot3d.neuron for neurons. In contrast dotprops objects still need special handling. There must be columns called X, Y, Z in the data.frame attached to x, that are then used directly by code in plot3d.neuronlist.

Whenever plot3d.neuronlist is called, it will add an entry to an environment .plotted3d in nat that stores the ids of all the plotted shapes (neurons, cell bodies) so that they can then be removed by a call to npop3d.

plot3d.character will check if options('nat.default.neuronlist') has been set and then use x as an identifier to find a neuron in that neuronlist.

Value

list of values of plot3d with subsetting dataframe as attribute 'df'

See Also

[nat-package](#)

Examples

```
open3d()
plot3d(kcs20, type=='gamma', col='green')

clear3d()
plot3d(kcs20, col=type)
plot3d(Cell07PNs, Glomerulus=="DA1", col='red')
plot3d(Cell07PNs, Glomerulus=="VA1d", col='green')
# Note use of default colour for non DA1 neurons
plot3d(Cell07PNs, col=Glomerulus, colpal=c(DA1='red', 'grey'))
# a subset expression
plot3d(Cell07PNs, Glomerulus%in%c("DA1", 'VA1d'),
  col=c("red", "green")[factor(Glomerulus)])
# the same but not specifying colours explicitly
plot3d(Cell07PNs, Glomerulus%in%c("DA1", 'VA1d'), col=Glomerulus)
```

```

## Not run:
## more complex colouring strategies for a larger neuron set
# see https://github.com/jefferis/frulhns for details
library(frulhns)
# notice the sexually dimorphic projection patterns for these neurons
plot3d(jkn,cluster=='aSP-f' &shortGenotype=='JK1029',
       col=sex,colpal=c(male='green',female='magenta'))

## colour neurons of a class by input resistance
jkn.aspg=subset(jkn, cluster=='aSP-g')
# NB this comes in as a factor
Ri=with(jkn.aspg,as.numeric(as.character(Ri..GOhm.)))
# the matlab jet palette
jet.colors<-colorRampPalette(c('navy','cyan','yellow','red'))
plot3d(jkn.aspg,col=cut(Ri,20),colpal=jet.colors)

## End(Not run)

```

pointsinside

Find which points of an object are inside a surface

Description

Find which points of an object are inside a surface

Usage

```
pointsinside(x, surf, ...)
```

```
## Default S3 method:
```

```
pointsinside(x, surf, ..., rval = c("logical", "distance", "mesh3d"))
```

Arguments

x	an object with 3D points.
surf	The reference surface - either a mesh3d object or any object that can be converted using <code>as.mesh3d</code> including <code>hxsurf</code> and <code>ashape3d</code> objects.
...	additional arguments for methods, eventually passed to <code>as.mesh3d</code> .
rval	what to return.

Details

Note that `hxsurf` surface objects will be converted to `mesh3d` before being passed to `Rvcg::vcgClostKD`, so if you are testing repeatedly against the same surface, it may make sense to pre-convert.

`pointsinside` depends on the face normals for each face pointing out of the object (see example). The face normals are defined by the order of the three vertices making up a triangular face. You can flip the face normal for a face by permuting the vertices (i.e. 1,2,3 -> 1,3,2). If you find for a

given surface that points are outside when you expect them to be inside then the face normals are probably all the wrong way round. You can invert them yourself or use the `Morpho::invertFaces` function to fix this.

If you find that some points but not all points are not behaving as you would expect, then it may be that some faces are not coherently oriented. The `Rvcg::vcgClean` function can sometimes be used to correct the orientation of the faces. Fixing more problematic cases may be possible by generating a new surface using `alphashape3d::ashape3d` (see examples).

Value

A vector of logical values or distances (positive inside, negative outside) equal to the number of points in `x` or the `mesh3d` object returned by `Rvcg::vcgClosestKD`.

Examples

```
# check if the vertices in these neurons are inside the mushroom body calyx
# surface object
inout=pointsinside(kcs20, surf=subset(MBL.surf, "MB_CA_L"))
table(inout)

# be a bit more lenient and include points less than 5 microns from surface
MBCAL=subset(MBL.surf, "MB_CA_L")
inout5=pointsinside(kcs20, surf=MBCAL, rval='distance') > -5
table(inout5)

# show which points are in or out
# Hmm seems like there are a few red points in the vertical lobe
# that are well outside the calyx
points3d(xyzmatrix(kcs20), col=ifelse(inout5, 'red', 'black'))
plot3d(MBL.surf, alpha=.3)

# Let's try to make an alphashape for the mesh to clean it up
library(alphashape3d)
MBCAL.as=ashape3d(xyzmatrix(MBCAL), alpha = 10)
# Plotting the points, we can see that is much better behaved
points3d(xyzmatrix(kcs20),
  col=ifelse(pointsinside(kcs20, MBCAL.as), 'red', 'black'))

## Not run:
# Show the face normals for a surface
if(require('Morpho')) {
  # convert to a mesh3d object used by rgl and Morpho package
  MBCAL.mesh=as.mesh3d(subset(MBL.surf, "MB_CA_L"))
  fn=facenormals(MBCAL.mesh)
  wire3d(MBCAL.mesh)
  # show that the normals point out of the object
  plotNormals(fn, long=5, col='red')

  # invert the faces of the mesh and show that normals point in
  MBCAL.inv=invertFaces(MBCAL.mesh)
  plotNormals(facenormals(MBCAL.inv), long=5, col='cyan')
```



```

}

## End(Not run)

```

```

potential_synapses    Calculate number of potential synapses between two neurons

```

Description

This implements the method of Stepanyants and Chklovskii

Usage

```

potential_synapses(a, b, s, ...)

## S3 method for class 'neuronlist'
potential_synapses(a, b, s, ...)

## S3 method for class 'neuron'
potential_synapses(
  a,
  b,
  s,
  sigma = s,
  bounds,
  method = c("direct", "approx"),
  ...
)

## S3 method for class 'dotprops'
potential_synapses(
  a,
  b,
  s,
  sigma = s,
  seglength = 1,
  bounds = NULL,
  method = c("direct", "approx"),
  ...
)

```

Arguments

a, b	neurons or neuronlists
s	the approach distance to consider a potential synapse
...	Additional arguments passed to methods (see details)
sigma	the smoothing parameter in the approximate method (see details)

bounds	Optional bounding box to restrict comparison
method	Whether to use the direct or approximate method (see details)
seglength	how long to consider each distance between points.

Details

Note that `potential_synapses.neuronlist` uses `nlapply` to process its first argument (a). This enables progress bars, robustness to errors and simple parallel execution. See the `nlapply` examples for further details of these arguments in action.

For this reason if you have two neuronlists of unequal sizes, it is recommended to put the larger one in argument a.

References

Neurogeometry and potential synaptic connectivity. Stepanyants A, Chklovskii DB. Trends Neurosci. 2005 Jul;28(7):387-94. doi:10.1016/j.tins.2005.05.006

See Also

Other neuron: `neuron()`, `ngraph()`, `plot.neuron()`, `prune()`, `resample()`, `rootpoints()`, `spine()`, `subset.neuron()`

Examples

```
potential_synapses(Cell07PNs[1], Cell07PNs[1:3], s=2)
## Not run:
# if you have many neurons to calculate you should get a progress bar
potential_synapses(Cell07PNs[1:10], Cell07PNs[11:20], s=2)

# you can also use parallel execution, here over 7 cores
# doMC::registerDoMC(7)
potential_synapses(Cell07PNs[1:10], Cell07PNs[11:20], s=2, .parallel=TRUE)

## End(Not run)
```

projection

Make 2D (orthogonal) projection of 3D image data

Description

Make 2D (orthogonal) projection of 3D image data

Usage

```
projection(
  a,
  projdim = "z",
  projfun = c("integrate", "mean", "sum"),
  na.rm = T,
  mask = NULL,
  ...
)
```

Arguments

<code>a</code>	Array of image data (im3d format)
<code>projdim</code>	The image dimension down which to project
<code>projfun</code>	The function that collapses each vector of image data down to a single pixel. Can be a character vector naming a function or a function. See details.
<code>na.rm</code>	Logical indicating whether to ignore NA values in the image data when calculating function results. default: TRUE
<code>mask</code>	A mask with the same extent as the image.
<code>...</code>	Additional arguments for <code>projfun</code>

Details

Note that `projfun` must have an argument `na.rm` like the S3 Summary [groupGeneric](#) functions such as `sum`, `min` etc.

Note also that the `BoundingBox` of a 2d projection is not well-defined for the axis along which the projection was made. Presently both the evaluation location and the `BoundingBox` extremes are set to 0 after a projection is made but **FIXME** this is not completely satisfactory. Perhaps defining this to be NA or the midpoint of the original axis would be better justified.

See Also

[groupGeneric](#), [clampmax](#)

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [threshold\(\)](#), [unmask\(\)](#), [voxdims\(\)](#)

Examples

```
## Not run:
LHMask=read.im3d(system.file('tests/testthat/testdata/nrrd/LHMask.nrrd',package='nat'))
d=unmask(rnorm(sum(LHMask),mean=5,sd=5),LHMask)
op=par(mfrow=c(1,2))
rval=image(projection(d,projfun=max))
image(projection(d,projfun=clampmax(0,10)),zlim=rval$zlim)
par(op)

## End(Not run)
```

```
## Not run:
LHMask=read.im3d(system.file('tests/testthat/testdata/nrrd/LHMask.nrrd',package='nat'))
image(projection(LHMask),asp=TRUE)

## End(Not run)
```

prune	<i>prune an object by removing points near (or far) from a target object</i>
-------	--

Description

prune an object by removing points near (or far) from a target object

Usage

```
prune(x, target, ...)

## S3 method for class 'neuron'
prune(x, target, ...)

## S3 method for class 'dotprops'
prune(x, target, ...)

## S3 method for class 'neuronlist'
prune(x, target, ...)

## Default S3 method:
prune(x, target, maxdist, keep = c("near", "far"), return.indices = FALSE, ...)
```

Arguments

x	The object to prune. (e.g. dotprops object, see details)
target	Another object with 3D points that will determine which points in x are kept.
...	Additional arguments for methods (eventually passed to <code>prune.default</code>)
maxdist	The threshold distance for keeping points
keep	Whether to keep points in x that are near or far from the target
return.indices	Whether to return the indices that pass the test rather than the 3D object/points (default FALSE)

Details

`prune.neuron` depends on a more basic function [prune_vertices](#) and is also related to [subset.neuron](#).

See Also

[prune_strahler](#), [spine](#), [prune_vertices](#)

[subset.neuron](#)

[subset.dotprops](#)

Other neuron: [neuron\(\)](#), [ngraph\(\)](#), [plot.neuron\(\)](#), [potential_synapses\(\)](#), [resample\(\)](#), [rootpoints\(\)](#), [spine\(\)](#), [subset.neuron\(\)](#)

Examples

```
## prune single neurons

plot3d(kcs20[[1]], col='blue')
plot3d(kcs20[[2]], col='red')

# prune neuron 2 down to points that are close to neuron 1
neuron2_close=prune(kcs20[[2]], target=kcs20[[1]], maxdist=10)

plot3d(neuron2_close, col='cyan', lwd=3)

neuron2_far=prune(kcs20[[2]], target=kcs20[[1]], maxdist=10, keep='far')

plot3d(neuron2_far, col='magenta', lwd=3)

## Prune a neuron with a neuronlist
pruned=prune(kcs20[[11]], kcs20[setdiff(1:20, 11)], maxdist=8)

plot3d(pruned, col='red', lwd=3)
plot3d(kcs20[[11]], col='green', lwd=3)
plot3d(kcs20, col='grey')
```

prune_strahler

Prune a neuron by removing segments with a given Strahler order

Description

Prune a neuron by removing segments with a given Strahler order

Usage

```
prune_strahler(x, orderstoprune = 1:2, ...)
```

Arguments

x	A neuron
orderstoprune	Integer indices of which Strahler orders to prune - defaults to the lowest two orders (1:2)
...	Additional arguments passed to as.neuron.data.frame

Value

The pruned neuron

See Also

[strahler_order](#), [spine](#), for finding the longest path in a neuron, [prune](#) for subsetting dotprops style neurons by spatial proximity, [as.neuron.data.frame](#), which is used to generate the new neuron.

Examples

```
x=Cell107PNs[[1]]
pruned12=prune_strahler(x)
pruned1=prune_strahler(x, 1)
plot(x)
plot(pruned1, lwd=3, col='blue', add=TRUE)
plot(pruned12, lwd=3, col='red', add=TRUE)
```

prune_vertices	<i>Prune selected vertices or edges from a neuron</i>
----------------	---

Description

`prune_vertices` removes vertices from a neuron
`prune_edges` removes edges (and any unreferenced vertices)

Usage

```
prune_vertices(x, verticestoprune, invert = FALSE, ...)
prune_edges(x, edges, invert = FALSE, ...)
```

Arguments

x	A neuron to prune. This can be any object that can be converted by as.ngraph — see details.
verticestoprune	An integer vector describing which vertices to remove.
invert	Whether to keep vertices rather than dropping them (default FALSE).
...	Additional arguments passed to as.neuron.ngraph
edges	The edges to remove. One of i) an Nx2 matrix, each row specifying a single edge defined by its raw edge id, ii) an integer vector defining a <i>path</i> of raw vertex ids or iii) an <code>igraph.es</code> edge sequence — see details and the P and path arguments of <code>igraph::E</code> .

Details

These are relatively low-level functions and you will probably want to use [subset.neuron](#) or [prune.neuron](#) and friends in many cases.

Note that `prune_vertices` and `prune_edges` both use **raw** vertex ids to specify the vertices/edges to be removed. If you want to use the id in the `PointNo` field, then you must translate yourself (see examples).

Both `prune_vertices` and `prune_edges` first convert their input `x` to the [ngraph](#) representation of the neuron before removing points. The input `x` can therefore be in any form compatible with [as.ngraph](#) including an existing `ngraph`. There is an additional requirement that the input must be compatible with `xyzmatrix` if `invert=TRUE`.

Note that the `edges` argument of `prune_edges` must specify a path traversing a set of vertices in a valid order. However if the input is a matrix or vector the direction of each individual edge in this path is ignored. So if your neuron has edges 2->1 2->3 3->4 then an edge sequence 1:3 would successfully delete 2 edges.

Value

A pruned neuron

See Also

[as.neuron.ngraph](#), [subset.neuron](#), [prune.neuron](#)

Examples

```
n=prune_vertices(Cell07PNs[[1]], 1:25)
# original neuron
plot(Cell07PNs[[1]])
# with pruned neuron superimposed
plot(n, col='green', lwd=3, add=TRUE)

# use the PointNo field (= the original id from an SWC file)
n2=prune_vertices(n, match(26:30, n$d$PointNo))
y=prune_edges(Cell07PNs[[1]], edges=1:25)

# remove the spine of a neuron
spine_ids=spine(Cell07PNs[[1]], rval='ids')
pruned=prune_edges(Cell07PNs[[1]], spine_ids)

# NB this is subtly different from this, which removes vertices along the
# spine *even* if they are part of an edge that is outside the spine.
pruned2=prune_vertices(Cell07PNs[[1]], spine_ids)
```

read.amiramesh	<i>Read AmiraMesh data in binary or ascii format</i>
----------------	--

Description

Read AmiraMesh data in binary or ascii format

Read the header of an amiramesh file

Usage

```
read.amiramesh(
  file,
  sections = NULL,
  header = FALSE,
  simplify = TRUE,
  endian = NULL,
  ReadByteAsRaw = FALSE,
  Verbose = FALSE
)
```

```
read.amiramesh.header(file, Parse = TRUE, Verbose = FALSE)
```

Arguments

file	Name of file (or connection) to read
sections	character vector containing names of sections
header	Whether to include the full unprocessed text header as an attribute of the returned list.
simplify	If there is only one datablock in file do not return wrapped in a list (default TRUE).
endian	Whether multibyte data types should be treated as big or little endian. Default of NULL checks file or uses <code>.Platform\$endian</code>
ReadByteAsRaw	Logical specifying whether to read 8 bit data as an R raw vector rather than integer vector (default: FALSE).
Verbose	Print status messages
Parse	Logical indicating whether to parse header (default: TRUE)

Details

reading byte data as raw arrays requires 1/4 memory but complicates arithmetic.

`read.amiramesh.header` will open a connection if file is a character vector and close it when finished reading.

Value

list of named data chunks

See Also

[readBin](#), [.Platform](#)

Other amira: [amiratype\(\)](#), [is.amiramesh\(\)](#), [read.hxsurf\(\)](#), [write.hxsurf\(\)](#)

read.cmtk

Read CMTK TypedStream file to a list in memory

Description

This function is primarily of developer interest. End users will typically want to use more specialised functions for reading registrations and landmarks.

Usage

```
read.cmtk(con, CheckLabel = TRUE)
```

Arguments

`con` Path to (optionally gzipped) file or (open) connection.
`CheckLabel` Check, fix and warn for invalid or duplicate labels (default TRUE)

Details

This is the default format used by CMTK for registration, studylist, landmarks and image files. Although this is largely a generic function, there is special handling of the coefficients and active members of the spline warp component of a CMTK nonrigid registration.

Note that if an open connection is passed to `read.cmtk` the version number of the CMTK Typed-Stream will not be checked or recorded.

See Also

Other cmtk-io: [cmtk.extract_affine\(\)](#), [read.cmtkreg\(\)](#), [write.cmtkreg\(\)](#), [write.cmtk\(\)](#)

read.cmtkreg	<i>Read a CMTK format registration</i>
--------------	--

Description

Read a CMTK format registration

Usage

```
read.cmtkreg(filename, ReturnRegistrationOnly = FALSE, ...)
```

Arguments

filename	Path to a CMTK registration file
ReturnRegistrationOnly	When FALSE (default) will not attempt to extract the registration element from the registration file.
...	Additional arguments passed to read.cmtk

See Also

Other cmtk-io: [cmtk.extract_affine\(\)](#), [read.cmtk\(\)](#), [write.cmtkreg\(\)](#), [write.cmtk\(\)](#)

read.hxsurf	<i>Read Amira surface (aka HxSurface or HyperSurface) files into hxsurf object</i>
-------------	--

Description

Read Amira surface (aka HxSurface or HyperSurface) files into hxsurf object

Usage

```
read.hxsurf(  
  filename,  
  RegionNames = NULL,  
  RegionChoice = "both",  
  FallbackRegionCol = "grey",  
  Verbose = FALSE  
)
```

Arguments

filename	Character vector defining path to file
RegionNames	Character vector specifying which regions should be read from file. Default value of NULL => all regions.
RegionChoice	Whether the <i>Inner</i> or <i>Outer</i> material, or <i>both</i> (default), should define the material of the patch. See details.
FallbackRegionCol	Colour to set regions when no colour is defined
Verbose	Print status messages during parsing when TRUE

Details

Note that when RegionChoice="both" or RegionChoice=c("Inner", "Outer") both polygons in inner and outer regions will be added to named regions. To understand the significance of this, consider two adjacent regions, A and B, with a shared surface. For the polygons in both A and B, Amira will have a patch with (say) InnerRegion A and OuterRegion B. This avoids duplication in the file. However, it might be convenient to add these polygons to both regions when we read them into R, so that regions A and B in our R object are both closed surfaces. To achieve this when RegionChoice="both", read.hxsurf adds these polygons to region B (as well as region A) but swaps the order of the vertices defining the polygon to ensure that the surface directionality is correct.

As a rule of thumb, stick with RegionChoice="both". If you get more regions than you wanted, then try switching to RegionChoice="Inner" or RegionChoice="Outer".

Value

A list with S3 class hxsurf with elements

Vertices A data.frame with columns X, Y, Z, PointNo

Regions A list with 3 column data.frames specifying triplets of vertices for each region (with reference to PointNo column in Vertices element)

RegionList Character vector of region names (should match names of Regions element)

RegionColourList Character vector specifying default colour to plot each region in R's [rgb](#) format

See Also

[plot3d.hxsurf](#), [rgb](#)

Other amira: [amiratype\(\)](#), [is.amiramesh\(\)](#), [read.amiramesh\(\)](#), [write.hxsurf\(\)](#)

Other hxsurf: [as.hxsurf\(\)](#), [as.mesh3d\(\)](#), [materials\(\)](#), [plot3d.hxsurf\(\)](#), [subset.hxsurf\(\)](#), [write.hxsurf\(\)](#)

Examples

```
## Not run:
read.hxsurf("my.surf", RegionChoice="both")
```

```
## End(Not run)
```

read.landmarks *Generic functions to read/write landmarks in any supported format*

Description

Generic functions to read/write landmarks in any supported format

Usage

```
read.landmarks(f, ...)

write.landmarks(
  x,
  file,
  format = "amiralandmarks",
  ext = NULL,
  Force = FALSE,
  MakeDir = TRUE,
  ...
)
```

Arguments

f	Path to a file (can also be a URL)
...	Additional arguments passed on to format specific functions
x	The landmarks object to write. Can also be a plain matrix or data.frame.
file	The path to the output file. If this does not end in an extension like <code>.landmarksAscii</code> , then one will be added based on the value of the <code>ext</code> argument.
format	Character vector specifying output format. Defaults to "amiralandmarks". Partial matching is used (e.g. amira is sufficient).
ext	Optional character vector specifying a new or non-standard extension to use for output file, including the period (e.g. <code>ext='.am'</code>). When <code>ext=NULL</code> , the default, the default extension for the selected format will be added if <code>f</code> does not have an extension. When <code>ext=NA</code> , the extension will not be modified and no extension will be appended if <code>f</code> does not have one.
Force	Whether to overwrite an existing file
MakeDir	Whether to create directory implied by <code>file</code> argument.

Details

Presently the supported formats are

- Amira
- CMTK
- Fiji (see <https://imagej.net/plugins/name-landmarks-and-register>)

See examples section for how to produce a listing of all currently available formats with `fileformats`.

Value

for `read.landmarks` a matrix or list of additional class landmarks, where the rownames specify the names of each landmark if available.

For `write.landmarks` the path to the written file, invisibly.

Paired landmarks

Only the `amiralandmarks` format supports the use of paired landmarks

See Also

[fileformats](#)

Examples

```
## Listing of supported fileformats for landmarks
fileformats(class = 'landmarks', rval = "info")

## round trip tests
m=matrix(rnorm(6), ncol=3)
rownames(m)=c("nose", "ear")
f=write.landmarks(m, file='knee', format='cmtk')
read.landmarks(f)

# write in amira format which does not support named landmarks
f2=write.landmarks(m, file='knee', format='amira')
read.landmarks(f2)

# clean up
unlink(c(f,f2))
```

`read.morphml`*Return parsed XML or R list versions of a NeuroML file*

Description

`read.morphml` is designed to expose the full details of the morphology information in a NeuroML file either as a parsed XML structure processed by the XML package *or* as an extensively processed R list object. To obtain a [neuron](#) object use `read.neuron.neuroml`.

Usage

```
read.morphml(f, ..., ReturnXML = FALSE)
```

Arguments

f	Path to a file on disk or a remote URL (see xmlParse for details).
...	Additional arguments passed to xmlParse
ReturnXML	Whether to return a parsed XML tree (when ReturnXML=TRUE) or a more extensively processed R list object when ReturnXML=FALSE, the default.

Details

NeuroML files consist of an XML tree containing one more or more **cells**. Each **cell** contains a tree of **segments** defining the basic connectivity/position and an optional tree **cables** defining attributes on groups of **segments** (e.g. a name, whether they are axon/dendrite/soma etc).

read.morphml will either provide the parsed XML tree which you can query using XPath statements or a more heavily processed version which provides as much information as possible from the segments and cables trees in two R data.frames. The latter option will inevitably drop some information, but will probably be more convenient for most purposes.

Value

Either an R list of S3 class containing one morphml_cell object for every cell in the NeuroML document or an object of class XMLDocument when ReturnXML=TRUE.

References

<https://neuroml.org/>

See Also

link[XML]{xmlParse}, [read.neuron.neuroml](#)

read.neuron

Read a single neuron from a file

Description

Read a single neuron from a file

Usage

```
read.neuron(f, format = NULL, class = c("neuron", "ngraph"), ...)
```

Arguments

<code>f</code>	Path to file. This can be a URL, in which case the file is downloaded to a temporary location before reading.
<code>format</code>	The file format of the neuron. When <code>format=NULL</code> , the default, <code>read.neuron</code> will infer the file format from the extension or file header (aka magic) using the <code>fileformats</code> registry.
<code>class</code>	The class of the returned object - presently either "neuron" or "ngraph"
<code>...</code>	additional arguments passed to format-specific readers

Details

This function will handle neuron and dotprops objects saved in R `.rds` or `.rda` format by default. Additional file formats can be registered using `fileformats`.

At the moment the following formats are supported using file readers already included with the `nat` package:

- **swc** See `read.neuron.swc`. SWC files can also return an `ngraph` object containing the neuron structure in a (permissive) general graph format that also contains the 3D positions for each vertex.
- **neuroml** See `read.neuron.neuroml`
- **fjitraces** See `read.neuron.fiji`. The file format used by the `SNT` plugin of Fiji/ImageJ.
- **hxlinese, hxskel** Two distinct fileformats used by Amira. `hxlinese` is the generic one, `hxskel` is used by the `hxskeltonize` extension of Schmitt and Evers (see refs).
- **rda, rds** Native R cross-platform binary formats (see `load`, `readRDS`). Note that RDS only contains a single unnamed neuron, whereas `rda` contains one or more named neurons.

References

Schmitt, S. and Evers, J. F. and Duch, C. and Scholz, M. and Obermayer, K. (2004). New methods for the computer-assisted 3-D reconstruction of neurons from confocal image stacks. *Neuroimage* 4, 1283–98. doi:[10.1016/j.neuroimage.2004.06.047](https://doi.org/10.1016/j.neuroimage.2004.06.047)

See Also

`write.neuron`, `read.neurons`, `fileformats`

Examples

```
## Not run:
# note that we override the default NeuronName field
n=read.neuron(system.file("tests/testthat/testdata", "neuron", "EBT7R.CNG.swc", package='nat'),
  NeuronName="EBT7R")
# use a function to set the NeuronName field
n3=read.neuron(system.file("tests/testthat/testdata", "neuron", "EBT7R.CNG.swc", package='nat'),
  NeuronName=function(x) sub("\\.\\.*", "", x))
# show the currently registered file formats that we can read
fileformats(class='neuron', read=TRUE)

## End(Not run)
```

read.neuron.fiji *Read a neuron saved by Fiji's Simple Neurite Tracer Plugin*

Description

Read a neuron saved by Fiji's Simple Neurite Tracer Plugin

Usage

```
read.neuron.fiji(f, ..., simplify = TRUE, Verbose = FALSE)
```

Arguments

f	Path to a file
...	Additional arguments passed to xmlParse .
simplify	Whether to return a single neuron as a neuron object rather than a neuronlist of length 1.
Verbose	Whether to print status messages during parsing.

Details

This is an XML based format so parsing it depends on installation of the suggested XML package.

References

<https://imagej.net/plugins/snt/> <https://imagej.net/plugins/snt/extending>

read.neuron.neuroml *Read one or more neurons from a NeuroML v1 file*

Description

Read one or more neurons from a NeuroML v1 file

Usage

```
read.neuron.neuroml(f, ..., AlwaysReturnNeuronList = FALSE)
```

Arguments

f	Path to a NeuroML format XML file
...	Additional arguments passed to read.morphml (and on to xmlParse)
AlwaysReturnNeuronList	See Value section (default FALSE)

Value

When the XML file contains only 1 cell *and* AlwaysReturnNeuronList=FALSE, a [neuron](#) object, otherwise a [neuronlist](#) containing one or more neurons.

References

<https://neuroml.org/>

See Also

[read.morphml](#)

read.neuron.swc	<i>Read a neuron in swc file format</i>
-----------------	---

Description

read.neuron.swc reads an SWC file on disk into a fully parsed [neuron](#) representation.

read.ngraph.swc reads an SWC file on disk into the more generic (and forgiving) [ngraph](#) representation which provides a bridge to the [igraph](#) library.

Usage

```
read.neuron.swc(f, ...)
```

```
read.ngraph.swc(f, weights = FALSE, directed = TRUE, ...)
```

Arguments

f	path to file
...	Additional arguments. read.neuron.swc passes these to as.neuron and then on to neuron . read.neuron.swc passes them to ngraph .
weights	Logical value indicating whether edge weights defined by the 3D distance between points should be added to graph (default FALSE) <i>or</i> a numeric vector of weights.
directed	Whether the resultant graph should be directed (default TRUE)

Details

These functions will accept SWC neurons with multiple trees and arbitrary point index order. However only read.ngraph.swc will accept SWC files with cycles.

These functions would normally be called from read.neuron(s) rather than used directly.

SWC Format

According to <http://www.neuronland.org/NLMorphologyConverter/MorphologyFormats/SWC/Spec.html> SWC file format has a radius not a diameter specification

See Also[is.swc](#)

read.neuronlistfh	<i>Read a local, or remote, neuronlistfh object saved to a file.</i>
-------------------	--

Description

Read a local, or remote, neuronlistfh object saved to a file.

Usage

```
read.neuronlistfh(file, localdir = NULL, update = FALSE, ...)
```

Arguments

file	The file path of the neuronlistfh object. Can be local, or remote (via http or ftp).
localdir	If the file is to be fetched from a remote location, this is the folder in which downloaded RDS file will be saved. The default value of NULL will save to a folder in the current R sessions temporary folder. See details.
update	Whether to update local copy of neuronlistfh (default: FALSE, see details)
...	Extra arguments to pass to download.file.

Details

When reading a remote neuronlistfh object, it is downloaded and cached to localdir. If there is already a cached file at the appropriate location and update=TRUE then the md5sums are checked and the downloaded file will be copied on top of the original copy if they are different; if update=FALSE, the default, then no action will be taken. After downloading a remote neuronlistfh object, a check is made for the existence of the data directory that will be used to individual objects. If this does not exist it will be created.

Note also that there is a *strict convention* for the layout of the files on disk. The neuronlistfh object will be saved in R's RDS format and will be placed next to a folder called data which will contain the data objects, also saved in RDS format. For example if myneurons.rds is downloaded to localdir="\path\to\localdir" the resultant file layout will be as follows:

- \path\to\localdir\myneurons.rds
- \path\to\localdir\data\2f88e16c4f21bfc290b2a8288c05bd0
- \path\to\localdir\data\5b58e040ee35f3bcc6023fb7836c842e
- \path\to\localdir\data\... etc

Given this arrangement, the data directory should always be at a fixed location with respect to the saved neuronlistfh object and this is enforced on download and the default behaviour on read and write. However it does remain possible (if not recommended) to site the neuronlistfh and filehash database directory in different relative locations; if the neuronlistfh object specified by file does not have a filehash database with a valid dir slot and there is no 'data' directory adjacent to the neuronlistfh object, an error will result.

See Also

Other neuronlistfh: [[.neuronlistfh\(\)](#), [neuronlistfh\(\)](#), [remotesync\(\)](#), [write.neuronlistfh\(\)](#)]

read.neurons	<i>Read one or more neurons from file to a neuronlist in memory</i>
--------------	---

Description

Read one or more neurons from file to a neuronlist in memory

Usage

```
read.neurons(
  paths,
  pattern = NULL,
  neuronnames = basename,
  format = NULL,
  nl = NULL,
  df = NULL,
  OmitFailures = TRUE,
  SortOnUpdate = FALSE,
  ...
)
```

Arguments

paths	Paths to neuron input files <i>or</i> a directory containing neurons <i>or</i> a neuronlistfh object, <i>or</i> a zip archive containing multiple neurons.
pattern	If paths is a directory, regex that file names must match.
neuronnames	Character vector or function that specifies neuron names. See details.
format	File format for neuron (see read.neuron)
nl	An existing neuronlist to be updated (see details)
df	Optional data frame containing information about each neuron
OmitFailures	Omit failures (when TRUE) or leave an NA value in the list
SortOnUpdate	When nl!=NULL the resultant neuronlist will be sorted so that neurons are ordered according to the value of the paths argument.
...	Additional arguements to passed to read.neuron methods

Details

This function will cope with the same set of file formats offered by `read.neuron`.

If the `paths` argument specifies a (single) directory then all files in that directory will be read unless an optional regex pattern is also specified. Similarly, if `paths` specifies a zip archive, all neurons within the archive will be loaded.

`neuronnames` must specify a unique set of names that will be used as the names of the neurons in the resultant `neuronlist`. If `neuronnames` is a function then this will be applied to the path to each neuron. The default value is the function `basename` which results in each neuron being named for the input file from which it was read.

The optional dataframe (`df`) detailing each neuron should have `rownames` that match the names of each neuron. It would also make sense if the same key was present in a column of the data frame. If the dataframe contains more rows than neurons, the superfluous rows are dropped with a warning. If the dataframe is missing rows for some neurons an error is generated. If `SortOnUpdate` is `TRUE` then updating an existing `neuronlist` should result in a new `neuronlist` with ordering identical to reading all neurons from scratch.

Value

`neuronlist` object containing the neurons

See Also

[read.neuron](#), [write.neurons](#), [fileformats](#)

Other `neuronlist`: [*.neuronlist\(\)](#), [is.neuronlist\(\)](#), [neuronlist-dataframe-methods](#), [neuronlistfh\(\)](#), [neuronlist\(\)](#), [nlaply\(\)](#), [write.neurons\(\)](#)

Examples

```
## Not run:
## Read C. elegans neurons from OpenWorm github repository
vds=paste0("VD", 1:13)
vdurls=paste0("https://raw.githubusercontent.com/openworm/CElegansNeuroML/",
  "103d500e066125688aa7ac5eac7e9b2bb4490561/CElegans/generatedNeuroML/", vds,
  ".morph.xml")
vndl=read.neurons(vdurls, neuronnames=vds)
plot3d(vndl)

## The same, but this time add some metadata to neuronlist
# fetch table of worm neurons from wormbase
library(rvest)
nlurl="http://wormatlas.org/neurons/Individual%20Neurons/Neuronframeset.html"
wormneurons = html_table(html(nlurl), fill=TRUE)[[4]]
vddf=subset(wormneurons, Neuron%in%vds)
rownames(vddf)=vddf$Neuron
# attach metadata to neuronlist
vndl=read.neurons(vdurls, neuronnames=vds, df=vddf)
# use metadata to plot a subset of neurons
clear3d()
plot3d(vndl, grepl("P[1-6].app", Lineage))
```

```
## End(Not run)
```

```
read.nrrd          Read nrrd file into an array in memory
```

Description

Read nrrd file into an array in memory

Read the (text) header of a NRRD format file

Usage

```
read.nrrd(
  file,
  origin = NULL,
  ReadData = TRUE,
  AttachFullHeader = TRUE,
  Verbose = FALSE,
  ReadByteAsRaw = c("unsigned", "all", "none")
)
```

```
read.nrrd.header(file, Verbose = FALSE)
```

Arguments

<code>file</code>	Path to a nrrd (or a connection for <code>read.nrrd.header</code>)
<code>origin</code>	Add a user specified origin (x,y,z) to the returned object
<code>ReadData</code>	When FALSE just return attributes (i.e. the nrrd header)
<code>AttachFullHeader</code>	Include the full nrrd header as an attribute of the returned object (default TRUE)
<code>Verbose</code>	Status messages while reading
<code>ReadByteAsRaw</code>	Either a character vector or a logical vector specifying when R should read 8 bit data as an R raw vector rather than integer vector.

Details

`read.nrrd` reads data into a raw array. If you wish to generate a [im3d](#) object that includes spatial calibration (but is limited to representing 3D data) then you should use [read.im3d](#).

`ReadByteAsRaw=unsigned` (the default) only reads unsigned byte data as a raw array. This saves quite a bit of space and still allows data to be used for logical indexing.

Value

An array object, optionally with attributes from the nrrd header.

A list with elements for the key nrrd header fields

See Also

[write.nrrd](#), [read.im3d](#)

<code>read.vaa3draw</code>	<i>Read Vaa3d format image data</i>
----------------------------	-------------------------------------

Description

Read Vaa3d format image data

Usage

```
read.vaa3draw(f, ReadData = TRUE, Verbose = FALSE, ReadByteAsRaw = FALSE)
```

Arguments

<code>f</code>	Path to image to read
<code>ReadData</code>	Whether to read in data or just parse header
<code>Verbose</code>	Whether to print status messages
<code>ReadByteAsRaw</code>	Can reduce memory footprint by reading 8 bit data as a raw rather than 4 byte integers.

<code>reglist</code>	<i>A simple wrapper class for multiple transformations</i>
----------------------	--

Description

A `reglist` is read as a set of transformations to be applied sequentially starting with the first element, then applying the second transformation to the result of the first and so on. Each individual transformation is considered to map data from the sample (floating/moving) space to the reference (fixed/template) space.

Each transformation may have an attribute "swap" indicating that the natural direction of the transformation should be swapped (i.e. inverted). This can be done trivially in the case of affine transformations, expensively for others such as CMTK registrations (see [cmtkreg](#)) and not at all for others. Note that the term 'swap' is used to avoid a direct equivalence with inversion - many registration tools use the term *inverse* for directions that one might naively think of as as the natural direction of the transformation (see [xformpoints.cmtkreg](#) for discussion).

`invert_reglist` inverts a `reglist` object

`c.reglist` combines multiple `reglists` into a single `reglist`.

Usage

```
reglist(..., swap = NULL)

invert_reglist(x)

## S3 method for class 'reglist'
c(..., recursive = FALSE)
```

Arguments

...	One or more transformations/reglists to combine
swap	A vector of the same length as ... indicating whether the direction of each transformation should be swapped (i.e. mapping reference -> sample).
x	A reglist object to invert
recursive	Presently ignored

Details

The swap argument is provided as a convenience, but an attribute 'swap' can also be set directly on each registration.

Inversion

invert_reglist takes a minimal approach to inversion. It reverses the order of the individual elements of the registration and tags each of them with a swap attribute (or changes the value of the attribute if it already exists)

See Also

[xform](#)
[c](#)

Examples

```
I=diag(4)
S=I
diag(S)=c(1, 2, 3, 1)
rl=reglist(S, I)
rli=invert_reglist(rl)

## We can check the inversion by simplifying
m=simplify_reglist(rl)[[1]]
mi=simplify_reglist(rli)[[1]]
# NB solve will invert a homogeneous affine matrix
all.equal(m, solve(mi))
I=diag(4)
S=I
diag(S)=c(1, 2, 3, 1)
rl=reglist(S, I)
```

```
r12=c(r1, 'path/to/my/reg.list')
r13=c(reglist('path/to/my/reg.list'), r1)
```

remotesync

Synchronise a remote object

Description

Synchronise a remote object

Usage

```
remotesync(
  x,
  remote = attr(x, "remote"),
  download.missing = TRUE,
  delete.extra = FALSE,
  ...
)

## S3 method for class 'neuronlistfh'
remotesync(
  x,
  remote = attr(x, "remote"),
  download.missing = FALSE,
  delete.extra = FALSE,
  indices = NULL,
  update.object = TRUE,
  ...
)
```

Arguments

x	Object to synchronise with a remote URL
remote	The remote URL to update from
download.missing	Whether to download missing objects (default TRUE)
delete.extra	Whether to delete objects (default TRUE)
...	Additional arguments passed to methods
indices	Character vector naming neurons to update (default indices=NULL implies all neurons).
update.object	Whether to update the neuronlistfh object itself on disk (default TRUE). Note that this assumes that the neuronlistfh object has not been renamed after it was downloaded.

Value

The updated neuronlistfh object (invisibly)

See Also

Other neuronlistfh: [[.neuronlistfh\(\)](#), [neuronlistfh\(\)](#), [read.neuronlistfh\(\)](#), [write.neuronlistfh\(\)](#)]

Examples

```
## Not run:
kcs20=read.neuronlistfh('http://flybrain.mrc-lmb.cam.ac.uk/si/nblast/flycircuit/kcs20.rds')
# update object from the web
kcs20=remotesync(kcs20)
# download all neurons with significant innervation of the vertical lobe
mbvl_neurons=subset(kcs20, (MB_VL_R+MB_VL_L)>200, rval='names')
kcs20=remotesync(kcs20, indices=mbvl_neurons, download.missing=TRUE)

## End(Not run)
```

resample

Resample an object with a new spacing

Description

Resample an object with a new spacing

resample a neuron with a new spacing

Usage

```
resample(x, ...)
```

```
## S3 method for class 'neuron'
```

```
resample(x, stepsize, ...)
```

Arguments

x	An object to resample
...	Additional arguments passed to methods
stepsize	The new spacing along the tracing

Details

resample.neuron Floating point columns including X,Y,Z,W will be interpolated using linear interpolation, while integer or factor columns will be interpolated using constant interpolation. See [approx](#) for details.

See Also

[approx](#), [seglengths](#)

Other neuron: [neuron\(\)](#), [ngraph\(\)](#), [plot.neuron\(\)](#), [potential_synapses\(\)](#), [prune\(\)](#), [rootpoints\(\)](#), [spine\(\)](#), [subset.neuron\(\)](#)

rootpoints

Return the root or branch points of a neuron or graph

Description

A neuron may have multiple subtrees and therefore multiple roots

Usage

```

rootpoints(x, ...)

## Default S3 method:
rootpoints(x, ...)

## S3 method for class 'neuron'
rootpoints(x, subtrees = 1, ...)

## S3 method for class 'igraph'
rootpoints(x, ...)

branchpoints(x, ...)

## Default S3 method:
branchpoints(x, ...)

## S3 method for class 'neuron'
branchpoints(x, subtrees = 1, ...)

## S3 method for class 'igraph'
branchpoints(x, ...)

endpoints(x, ...)

## S3 method for class 'neuron'
endpoints(x, subtrees = 1, ...)

## S3 method for class 'igraph'
endpoints(x, ...)

## Default S3 method:
endpoints(x, ...)

```

Arguments

x	Neuron or other object which might have roots
...	Further arguments passed to methods
subtrees	Integer index of the fully connected subtree in x\$SubTrees. Only applicable when a neuron consists of multiple unconnected subtrees.

Details

branchpoints.neuron returns a list if more than one subtree is specified

Value

Integer point number of root/branch point

See Also

Other neuron: [neuron\(\)](#), [ngraph\(\)](#), [plot.neuron\(\)](#), [potential_synapses\(\)](#), [prune\(\)](#), [resample\(\)](#), [spine\(\)](#), [subset.neuron\(\)](#)

scale.neuron

Scale and centre neuron 3D coordinates

Description

note that scale.dotprops recalculates the tangent vectors after scaling the 3D coords. See [dotprops](#) for details.

Usage

```
## S3 method for class 'neuron'
scale(x, center = TRUE, scale = TRUE)
```

```
## S3 method for class 'dotprops'
scale(x, center = TRUE, scale = TRUE)
```

Arguments

x	A neuron
center	3-vector to subtract from x,y,z coords
scale	3-vector used to divide x,y,z coords

Details

If scale=TRUE, the neuron will be rescaled to unit sd in each axis. If center=TRUE, the neuron will be centred around the axis means. See base: [:scale.default](#) for additional details.

Value

neuron with scaled coordinates

See Also

[scale.default](#), [*.neuron](#)

Examples

```
n1.scaledown=scale(Cell07PNs[[1]], scale=c(2,2,3))
n1.scaleup=scale(Cell07PNs[[1]], scale=1/c(2,2,3))
```

seglengths

Calculate length of all segments in neuron

Description

Calculate length of all segments in neuron

Usage

```
seglengths(x, all = FALSE, flatten = TRUE, sumsegment = TRUE)
```

Arguments

x	A neuron
all	Whether to calculate lengths for all segments when there are multiple subtrees (default: FALSE)
flatten	Whether to flatten the lists of lists into a single list when all=TRUE
sumsegment	Whether to return the length of each segment (when sumsegment=TRUE, the default) or a list of vectors of lengths of each individual edge in the segment.

Details

A segment is an unbranched portion of neurite consisting of at least one vertex joined by edges. Only segments in `x$SegList` will be calculated unless `all=TRUE`. Segments containing only one point will have 0 length.

Value

A vector of lengths for each segment or when `sumsegment=FALSE` a list of vectors

See Also

[as.seglist.neuron](#)

Examples

```
summary(seglengths(Cell07PNs[[1]]))
hist(unlist(seglengths(Cell07PNs[[1]]), sumsegment = FALSE),
     br=20, main='histogram of edge lengths', xlab='edge lengths /microns')
```

<code>seglist</code>	<i>Make/convert neuron connectivity information into a seglist object</i>
----------------------	---

Description

`seglist` makes a `seglist` object from a list of integer vectors of raw vertex ids. As a convenience if a vector of numeric ids are passed these are assumed to specify a neuron with 1 segment.

`as.seglist.neuron` will extract the `seglist` from a neuron, optionally extracting all subtrees (`all=TRUE`) and (in this case) flattening the list into a single hierarchy when `flatten=TRUE`. n.b. when `all=TRUE` but `flatten=FALSE` the result will *always* be a list of `seglist` objects (even if the neuron has only one subtree i.e. is fully connected).

`as.seglist.igraph` will convert a fully connected acyclic `ngraph` or `igraph` object into a `seglist` consisting of exactly one subtree.

Usage

```
seglist(...)

as.seglist(x, ...)

## S3 method for class 'neuron'
as.seglist(x, all = FALSE, flatten = FALSE, ...)

## S3 method for class 'igraph'
as.seglist(x, origin = NULL, Verbose = FALSE, ...)
```

Arguments

<code>...</code>	for <code>seglist</code> integer vectors to convert to a <code>seglist</code>
<code>x</code>	object passed to be converted to <code>seglist</code>
<code>all</code>	Whether to include segments from all subtrees
<code>flatten</code>	When <code>all=TRUE</code> flatten the lists of lists into a one-level list.
<code>origin</code>	The origin of the tree (see details)
<code>Verbose</code>	Whether to print progress updates to console (default <code>FALSE</code>)

Details

see [neuron](#) for further information about `seglists`.

If the graph vertices have `vid` attributes, typically defining the original vertex ids of a graph that was then decomposed into subgraphs, then the `origin` is assumed to refer to one of these `vids` not a raw vertex id of the current graph. The returned `seglist` will also contain these original vertex ids.

The head of the first segment in the `seglist` will be the `origin`.

Value

A list with additional class `seglist`.
 a list with one entry for each unbranched segment.

See Also

[neuron](#)
[ngraph, igrph](#)

Examples

```
sl=seglist(c(1:2),c(2:6))
```

`seglist2swc`

Recalculate Neurons's SWCData using SegList and point information

Description

Uses the `SegList` field (indices into point array) to recalculate point numbers and parent points for SWC data field (`d`).

Usage

```
seglist2swc(x, d, RecalculateParents = TRUE, ...)
```

Arguments

<code>x</code>	Neuron containing both the <code>SegList</code> and <code>d</code> fields or a plain <code>seglist</code>
<code>d</code>	SWC data block (only expected if <code>x</code> is a <code>SegList</code>)
<code>RecalculateParents</code>	Whether to recalculate parent points (default T)
<code>...</code>	Additional arguments passed to normalise_swc

Details

If any columns are missing then they are set to default values by [normalise_swc](#). In particular

- `PointNo` integer 1:npoints
- `Label` = 0 (unknown)
- `W NA_real`

Note that each numeric entry in the incoming `SegList` is a raw index into the block of vertex data defined by `d`.

Value

A neuron if `x` was a neuron otherwise dataframe of swc data

See Also

[as.neuron.data.frame](#), [normalise_swc](#), [neuron](#)

segmentgraph	<i>Return a simplified segment graph for a neuron</i>
--------------	---

Description

Return a simplified segment graph for a neuron

Usage

```
segmentgraph(
  x,
  weights = TRUE,
  segids = FALSE,
  exclude.isolated = FALSE,
  include.xyz = FALSE,
  reverse.edges = FALSE
)
```

Arguments

x	neuron
weights	Whether to include the original segment lengths as edge weights in the graph.
segids	Whether to include the integer segment ids as an edge attribute in the graph
exclude.isolated	Whether to eliminate isolated nodes
include.xyz	Whether to include 3D location as vertex attribute
reverse.edges	Whether to reverse the direction of each edge in the output graph to point towards (rather than away from) the root (default FALSE)

Details

The resultant graph will contain all branch and endpoints of the original neuron. This will be constructed from the SegList field, or where present, the SubTrees field (containing multiple SegLists for each isolated graph in the neuron). Each edge in the output graph will match one segment in the original SegList.

Value

igraph object containing only nodes of neuron keeping original labels (xd$PointNo \Rightarrow V(g)$label$) and vertex indices ($1:nrow(x$d) \Rightarrow V(g)vid).

Examples

```
sg=segmentgraph(Cell07PNs[[1]])
str(sg)
library(igraph)
plot(sg, edge.arrow.size=.4, vertex.size=10)
```

setdiff*Find the (asymmetric) difference between two collections of objects*

Description

Find the (asymmetric) difference between two collections of objects

Usage

```
setdiff(x, y, ...)
```

Default S3 method:
setdiff(x, y, ...)

S3 method for class 'neuronlist'
setdiff(x, y, ...)

Arguments

x	the first collection to consider.
y	the second collection to consider.
...	additional arguments passed to methods

Details

Note that `setdiff.default` calls `base::setdiff` to ensure consistent behaviour for regular vectors.

As a convenience `setdiff.neuronlist` allows `y`, the second collection, to be a character vector of names.

Value

A collection of the same mode as `x` that contains all elements of `x` that are not present in `y`.

See Also

[setdiff](#)

simplify_reglis *Simplify a registration list*

Description

Simplify a registration list

Usage

```
simplify_reglis(reg, as.cmtk = NULL)
```

Arguments

reg	A registration list (reglist) containing one or more transformations.
as.cmtk	Whether to convert to a vector of CMTK format registrations (see cmtkreg). The default value of as.cmtk=NULL converts all registrations to CMTK if any one registration is in CMTK format (thus enabling them to be applied by CMTK tools in a single call). See details.

Details

This function

- inverts any affine matrices with attribute "swap"
- collapses multiple affine matrices into a single affine
- optionally converts all registrations to CMTK on disk registrations when possible.

Note that if any of the registrations are in CMTK format, the default behaviour is to try to convert all of the other registrations into CMTK format to enable them to be passed to CMTK in a single command. If as.cmtk=TRUE then there will be an error if this is not possible.

See Also

[reglist](#), [xform](#), [cmtkreg](#)

smooth_neuron *Smooth the 3D coordinates of a neuron skeleton*

Description

smooth_neuron smooths a neuron.

Usage

```
smooth_neuron(n, method = c("gauss", "spline"), ...)
```

```
smooth_segment_gauss(xyz, sigma, ...)
```

Arguments

n	Neuron to smooth
method	Smoothing method
...	Additional parameters passed to segment smoothing functions
xyz	A block of 3D coordinates defining an unbranched segment
sigma	The standard deviation of the Gaussian smoothing kernel (which has the same spatial units as the object being smoothed)

Value

A new neuron with smoothed 3d coordinates

Examples

```
ns=smooth_neuron(Cell07PNs[[1]], sigma=2)
# plot in 2D zooming in on axon terminals
plot(Cell07PNs[[1]], col='grey', xlim=c(260,290), ylim=c(115,90))
plot(ns, col='red', add=TRUE)

# 3D plot
plot3d(Cell07PNs[[1]], col='grey')
plot3d(ns, col='red')
```

 spine

Compute the longest path (aka spine or backbone) of a neuron

Description

Compute the longest path (aka spine or backbone) of a neuron

Usage

```
spine(
  n,
  UseStartPoint = FALSE,
  SpatialWeights = TRUE,
  invert = FALSE,
  rval = c("neuron", "length", "ids")
)
```

Arguments

<code>n</code>	the neuron to consider.
<code>UseStartPoint</code>	Whether to use the <code>StartPoint</code> of the neuron (often the soma) as the starting point of the returned spine.
<code>SpatialWeights</code>	logical indicating whether spatial distances (default) should be used to weight segments instead of weighting each edge equally.
<code>invert</code>	When <code>invert=TRUE</code> the spine is pruned away instead of being selected. This is only valid when <code>rval='neuron'</code> or <code>rval='ids'</code> .
<code>rval</code>	Character vector indicating the return type, one of <code>'neuron'</code> , <code>'length'</code> or <code>'ids'</code> . See Value section.

Value

Either

- a neuron object corresponding to the longest path *or*
- the length of the longest path (when `rval="length"`) *or*
- an integer vector of raw point indices (when `rval="ids"`).

See Also

[diameter](#), [distances](#), [prune_strahler](#) for removing lower order branches from a neuron, [prune](#) for removing parts of a neuron by spatial criteria.

Other neuron: [neuron\(\)](#), [ngraph\(\)](#), [plot.neuron\(\)](#), [potential_synapses\(\)](#), [prune\(\)](#), [resample\(\)](#), [rootpoints\(\)](#), [subset.neuron\(\)](#)

Examples

```
pn.spine=spine(Cell07PNs[[1]])

plot3d(Cell07PNs[[1]])
plot3d(pn.spine, lwd=4, col='black')

# just extract length
spine(Cell07PNs[[1]], rval='length')
# same result since StartPoint is included in longest path
spine(Cell07PNs[[1]], rval='length', UseStartPoint=TRUE)

# extract everything but the spine
antispine=spine(Cell07PNs[[1]], invert=TRUE)

plot3d(Cell07PNs[[1]])
plot3d(antispine, lwd=4, col='red')
```

strahler_order	<i>Find the Strahler order of each point in a neuron</i>
----------------	--

Description

The Strahler order will be 1 for each tip segment and then 1 + the maximum of the Strahler order of each parent segment for internal segments. Branch points will have the Strahler order of the closest segment to the root of which they are part.

Usage

```
strahler_order(x)
```

Arguments

x	A neuron
---	----------

Details

It is vital that the root of the neuron is valid since this determines the flow direction for calculation of the Strahler order. At present the function is not defined for neurons with multiple subtrees.

Internally, this function uses [segmentgraph](#) to find a reduced segmentgraph for the neuron.

Value

A list containing

- points Vector of integer Strahler orders for each point in the neuron
- segments Vector of integer Strahler orders for each segment in the neuron

References

https://en.wikipedia.org/wiki/Strahler_number

See Also

[prune_strahler](#), a [segmentgraph](#) (a form of [ngraph](#)) representation is used to calculate the Strahler order.

sub2ind	<i>Find 1D index given n-dimensional indices</i>
---------	--

Description

Emulates the MATLAB function sub2ind.

Usage

```
sub2ind(dims, indices)
```

Arguments

dims	vector of dimensions of object to index into.
indices	vector of n-dimensional indices.

subset	<i>Subset methods for different nat objects</i>
--------	---

Description

These methods enable subsets of some nat objects including neurons and neuronlists to be obtained. See the help for each individual method for details.

See Also

[subset.neuron](#), [subset.dotprops](#), [subset.hxsurf](#), [subset.neuronlist](#)

subset.dotprops	<i>Subset points in dotprops object that match given conditions</i>
-----------------	---

Description

Subset points in dotprops object that match given conditions

Usage

```
## S3 method for class 'dotprops'  
subset(x, subset, invert = FALSE, ...)
```

Arguments

x	A dotprops object
subset	A subset of points defined by indices, an expression or a function (see Details)
invert	Whether to invert the subset criteria - a convenience when selecting by function or indices.
...	Additional parameters (currently ignored)

Details

subset defines either logical or numeric indices, in which case these are simply applied to the matrices that define the points, vect fields of the dotprops object etc OR a function (which is called with the 3D points array and returns T/F. OR an expression vector).

Value

subsetting dotprops object

See Also

prune.dotprops, subset.neuron

Examples

```
## subset using indices ...
dp=kcs20[[10]]
dp1=subset(dp, 1:50)

# ... or an expression
dp2=subset(dp, alpha>0.7)
front=subset(dp, points['Z']<40)
# use a helper function
between=function(x, lower, upper) x>=lower & x<=upper
middle=middle=subset(dp, between(points['Z'], 40, 60))

# plot results in 3D

plot3d(front, col='red')
plot3d(middle, col='green')
plot3d(dp, col='blue')

## Not run:

## subset using an selection function
s3d=select3d()
dp1=subset(dp, s3d(points))
# special case of previous version
dp2=subset(dp, s3d)
# keep the points that were removed from dp2
dp2.not=subset(dp, s3d, invert=TRUE)
```

```

# (another way of doing the same thing)
dp2.not=subset(dp, Negate(s3d))
stopifnot(all.equal(dp1, dp2))
dp2=subset(dp, alpha>0.5 & s3d(pointd))
dp3=subset(dp, 1:10)

## subset each dotprops object in a whole neuronlist
plot3d(kcs20)
s3d=select3d()
kcs20.partial = nlaply(kcs20, subset, s3d)
clear3d()
plot3d(kcs20.partial, col='red')
plot3d(kcs20, col='grey')

## End(Not run)

```

subset.hxsurf

Subset hxsurf object to specified regions

Description

Subset hxsurf object to specified regions

Usage

```

## S3 method for class 'hxsurf'
subset(x, subset = NULL, drop = TRUE, rval = c("hxsurf", "names"), ...)

```

Arguments

x	A dotprops object
subset	Character vector specifying regions to keep. Interpreted as regex if of length 1 and no fixed match.
drop	Whether to drop unused vertices after subsetting (default: TRUE)
rval	Whether to return a new hxsurf object or just the names of the matching regions
...	Additional parameters (currently ignored)

Value

subsetting hxsurf object

See Also

Other hxsurf: [as.hxsurf\(\)](#), [as.mesh3d\(\)](#), [materials\(\)](#), [plot3d.hxsurf\(\)](#), [read.hxsurf\(\)](#), [write.hxsurf\(\)](#)

Examples

```
# plot only vertical lobe
vertical_lobe=subset(MBL.surf, "VL")

plot3d(vertical_lobe, alpha=0.3)
plot3d(kcs20)

# there is also a shortcut for this
clear3d()
plot3d(MBL.surf, "VL", alpha=0.3)
```

subset.neuron

Subset neuron by keeping only vertices that match given conditions

Description

Subset neuron by keeping only vertices that match given conditions

Usage

```
## S3 method for class 'neuron'
subset(x, subset, invert = FALSE, ...)
```

Arguments

x	A neuron object
subset	A subset of points defined by indices, an expression, or a function (see Details)
invert	Whether to invert the subset criteria - a convenience when selecting by function or indices.
...	Additional parameters (passed on to prune_vertices)

Details

subset defines which vertices of the neuron to keep and is one of

- logical or numeric indices, in which case these are simply used to index the vertices in the order of the data.frame x\$d. Note that any NA values are ignored.
- a function (which is called with the 3D points array and returns T/F vector)
- an expression evaluated in the context of the x\$d data.frame containing the SWC specification of the points and connectivity of the neuron. This can therefore refer e.g. to the X,Y,Z location of vertices in the neuron.

Value

subsetting neuron

See Also

[prune.neuron](#), [prune_vertices](#), [subset.dotprops](#)

Other neuron: [neuron\(\)](#), [ngraph\(\)](#), [plot.neuron\(\)](#), [potential_synapses\(\)](#), [prune\(\)](#), [resample\(\)](#), [rootpoints\(\)](#), [spine\(\)](#)

Examples

```
n=Cell07PNs[[1]]
# keep vertices if their X location is > 2000
n1=subset(n, X>2000)
# diameter of neurite >1
n2=subset(n, W>1)
# first 50 nodes
n3=subset(n, 1:50)
# everything but first 50 nodes
n4=subset(n, 1:50, invert=TRUE)

## subset neuron by graph structure
# first plot neuron and show the point that we will use to divide the neuron
n=Cell07PNs[[1]]
plot(n)
# this neuron has a tag defining a point at which the neuron enters a brain
# region (AxonLHEP = Axon Lateral Horn Entry Point)
points(t(xyzmatrix(n)[n$AxonLHEP, 1:2]), pch=19, cex=2.5)

# now find the points downstream (distal) of that with respect to the root
ng=as.ngraph(n)
# use a depth first search
distal_points=igraph::dfs(ng, root=n$AxonLHEP, unreachable=FALSE,
  mode='out')$order
distal_tree=subset(n, distal_points)
plot(distal_tree, add=TRUE, col='red', lwd=2)

# Find proximal tree as well
# nb this does not include the AxonLHEP itself as defined here
proximal_points=setdiff(igraph::V(ng), distal_points)
proximal_tree=subset(n, proximal_points)
plot(proximal_tree, add=TRUE, col='blue', lwd=2)

## Not run:
## subset using interactively defined spatial regions
plot3d(n)
# nb you can save this select3d object using save or saveRDS functions
# for future non-interactive use
s3d=select3d()
n4=subset(n, s3d(xyzmatrix(n)))
# special case of previous version
n5=subset(n, s3d)
stopifnot(all.equal(n4,n5))
# keep the points that were removed from n1
n4.not=subset(n,Negate(s3d))
# vertices with x position > 100 and inside the selector function
```

```

n6=subset(n,X>100 & s3d(X,Y,Z))

## subset each neuron object in a whole neuronlist
n10=Cell07PNs[1:10]
plot3d(n10, lwd=0.5, col='grey')
n10.crop = nlapply(n10, subset, X>250)
plot3d(n10.crop, col='red')

## subset a neuron using a surface
library(nat.flybrains)
# extract left lateral horn surface and convert to mesh3d
lh=as.mesh3d(subset(IS2NP.surf, "LH_L"))
# subset neuron with this surface
x=subset(Cell07PNs[[1]], function(x) pointsinside(x, lh))
shade3d(lh, alpha=0.3)
plot3d(x, lwd=3, col='blue')
# Now find the parts of the neuron outside the surface
y=subset(Cell07PNs[[1]], function(x) Negate(pointsinside)(x, lh))
plot3d(y, col='red', lwd=2)

## End(Not run)

```

subset.neuronlist	<i>Subset neuronlist returning either new neuronlist or names of chosen neurons</i>
-------------------	---

Description

Subset neuronlist returning either new neuronlist or names of chosen neurons

Usage

```

## S3 method for class 'neuronlist'
subset(
  x,
  subset,
  filterfun,
  rval = c("neuronlist", "names", "data.frame"),
  ...
)

```

Arguments

x	a neuronlist
subset	An expression that can be evaluated in the context of the dataframe attached to the neuronlist. See details.
filterfun	a function which can be applied to each neuron returning TRUE when that neuron should be included in the return list.
rval	What to return (character vector, default='neuronlist')
...	additional arguments passed to filterfun

Details

The subset expression should evaluate to one of

- character vector of names
- logical vector
- vector of numeric indices

Any missing names are dropped with a warning. The `filterfun` expression is wrapped in a `try`. Neurons returning an error will be dropped with a warning.

You may also be interested in [find.neuron](#), which enables objects in a neuronlist to be subsetted by a 3D selection box. In addition [subset.neuron](#), [subset.dotprops](#) methods exist: these are used to remove points from neurons (rather than to remove neurons from neuronlists).

Value

A neuronlist, character vector of names or the attached data.frame according to the value of `rval`

See Also

[neuronlist](#), [find.neuron](#), [subset.data.frame](#), [subset.neuron](#), [subset.dotprops](#)

Examples

```
da1pns=subset(Cell07PNs,Glomerulus=='DA1')
with(da1pns,stopifnot(all(Glomerulus=='DA1')))
gammas=subset(kcs20,type=='gamma')
with(gammas,stopifnot(all(type=='gamma')))
# define a function that checks whether a neuron has points in a region in
# space, specifically the tip of the mushroom body alpha' lobe
aptip<-function(x) {xyz=xyzmatrix(x);any(xyz['X']>350 & xyz['Y']<40)}
# this should identify the alpha'/beta' kenyon cells only
apbps=subset(kcs20,filterfun=aptip)
# look at which neurons are present in the subsetted neuronlist
head(apbps)
# combine global variables with dataframe columns
odds=rep(c(TRUE,FALSE),10)
stopifnot(all.equal(subset(kcs20,type=='gamma' & odds),
                     subset(kcs20,type=='gamma' & rep(c(TRUE,FALSE),10))))
## Not run:
# make a 3D selection function using interactive rgl::select3d() function
s3d=select3d()
# Apply a 3D search function to the first 100 neurons in the neuronlist dataset
subset(dps[1:100],filterfun=function(x) {sum(s3d(xyzmatrix(x)))>0},
       rval='names')
# combine a search by metadata, neuropil location and 3D location
subset(dps, Gender=="M" & rAL>1000, function(x) sum(s3d(x))>0, rval='name')
# The same but specifying indices directly, which can be considerably faster
# when neuronlist is huge and memory is in short supply
subset(dps, names(dps)[1:100],filterfun=function(x) {sum(s3d(xyzmatrix(x)))>0},
       rval='names')
```

```
## End(Not run)
```

```
summary.neuronlist      Summary statistics for neurons (e.g. cable length, number of nodes)
```

Description

summary.neuronlist computes tree statistics for all the neurons in a neuronlist object

summary.neuron computes statistics for individual neurons

summary.dotprops computes statistics for individual neurons in dotprops format. Note the veclength argument.

Usage

```
## S3 method for class 'neuronlist'
summary(object, ..., include.attached.dataframe = FALSE)
```

```
## S3 method for class 'neuron'
summary(object, ...)
```

```
## S3 method for class 'dotprops'
summary(object, veclength = 1, ...)
```

Arguments

object	The neuron or neuronlist to summarise
...	For summary.neuronlist additional arguments passed on to summary methods for individual neurons
include.attached.dataframe	Whether to include the neuronlists attached metadata in the returned data.frame.
veclength	The vector length to assume for each segment so that a cable length estimate can be made.

Value

A data.frame summarising the tree properties of the neuron with columns

- root
- nodes
- segments
- branchpoints
- endpoints
- cable.length

See Also[seglengths](#)**Examples**

```
# summary for a whole neuronlist
summary(Cell107PNs)
# including the attached data.frame with additional metadata
head(summary(Cell107PNs, include.attached.dataframe = FALSE))
# for a single regular format neuron
summary(Cell107PNs[[1]])
# for a single dotprops format neuron
summary(kcs20[[1]])
# specify a different estimate for the cable length associated with a single
# point in the neuron
summary(kcs20[[1]], veclength=1.2)
```

threshold

*Threshold an object, typically to produce a mask***Description**

Threshold an object, typically to produce a mask

Usage

```
threshold(x, ...)
```

```
## S3 method for class 'im3d'
threshold(
  x,
  threshold = 0,
  mode = c("logical", "integer", "raw", "numeric"),
  ...
)
```

Arguments

x	Object to be thresholded
...	Additional arguments passed to methods
threshold	Either a numeric value that pixels must exceed in order to be included in the mask <i>or</i> a logical vector defining foreground pixels.
mode	The storage mode of the resultant object (see vector)

Details

Note that `threshold.im3d` passes ... arguments on to `im3d`

Value

an object with attributes matching `x` and elements with value `as.vector(TRUE, mode=mode)` i.e. `TRUE, 1, 0x01` and `as.vector(FALSE, mode=mode)` i.e. `FALSE, 0, 0x00` as appropriate.

See Also

Other `im3d`: `as.im3d()`, `boundingbox()`, `im3d-coords`, `im3d-io`, `im3d()`, `imexpand.grid()`, `imslice()`, `is.im3d()`, `mask()`, `origin()`, `projection()`, `unmask()`, `voxdims()`

Examples

```
x=im3d(rnorm(1000),dims=c(10,10,10), BoundingBox=c(20,200,100,200,200,300))
stopifnot(all.equal(threshold(x, 0), threshold(x, x>0)))
```

union

Find the union of two collections of objects

Description

Find the union of two collections of objects

Usage

```
union(x, y, ...)

## Default S3 method:
union(x, y, ...)

## S3 method for class 'neuronlist'
union(x, y, ...)
```

Arguments

`x` the first collection to consider.
`y` the second collection to consider.
`...` additional arguments passed to methods

Details

Note that `union.default` calls `base::union` to ensure consistent behaviour for regular vectors.

Value

A collection of the same mode as `x` that contains all unique elements of `x` and `y`.

See Also

[union](#)

unmask	<i>Make im3d image array containing values at locations defined by a mask</i>
--------	---

Description

Make im3d image array containing values at locations defined by a mask

Usage

```
unmask(  
  x,  
  mask,  
  default = NA,  
  attributes. = attributes(mask),  
  copyAttributes = TRUE  
)
```

Arguments

x	the data to place on a regular grid
mask	An im3d regular image array where non-zero voxels are the selected element.
default	Value for regions outside the mask (default: NA)
attributes.	Attributes to set on new object. Defaults to attributes of mask
copyAttributes	Whether to copy over attributes (including dim) from the mask to the returned object. default: TRUE

Details

The values in x will be placed into a grid defined by the dimensions of the mask in the order defined by the standard R linear subscripting of arrays (see e.g. [arrayInd](#)).

Value

A new im3d object with attributes/dimensions defined by mask and values from x. If copyAttributes is FALSE, then it will have mode of x and length of mask but no other attributes.

See Also

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [voxdims\(\)](#)

Examples

```

## Not run:
# read in a mask
LHMask=read.im3d(system.file('tests/testthat/testdata/nrrd/LHMask.nrrd', package='nat'))
# pick out all the non zero values
inmask=LHMask[LHMask!=0]
# fill the non-zero elements of the mask with a vector that iterates over the
# values 0:9
stripes=unmask(seq(inmask)%%10, LHMask)
# make an image from one slice of that result array
image(imslice(stripes,11), asp=TRUE)

## End(Not run)

```

 voxdims

Return voxel dimensions of an object

Description

This would properly be thought of as the voxel spacing when voxels are assumed not to have a physical extent (only a location).

Usage

```

voxdims(x, ...)

## S3 method for class 'im3d'
voxdims(x, ...)

## S3 method for class 'character'
voxdims(x, ...)

## Default S3 method:
voxdims(x, dims, ...)

```

Arguments

x	An im3d object with associated voxel dimensions, a path to or a 2 x 3 BoundingBox matrix.
...	Additional arguments for methods
dims	The number of voxels in each dimension when x is a BoundingBox matrix.

Details

We follow Amira's convention of returning a voxel dimension equal to the bounding box size (rather than 0) for any dimension with only 1 voxel.

Value

A numeric vector of length 3, NA when missing.

See Also

[boundingbox](#)

Other im3d: [as.im3d\(\)](#), [boundingbox\(\)](#), [im3d-coords](#), [im3d-io](#), [im3d\(\)](#), [imexpand.grid\(\)](#), [imslice\(\)](#), [is.im3d\(\)](#), [mask\(\)](#), [origin\(\)](#), [projection\(\)](#), [threshold\(\)](#), [unmask\(\)](#)

write.amiramesh	<i>Write a 3D data object to an amiramesh format file</i>
-----------------	---

Description

Write a 3D data object to an amiramesh format file

Usage

```
write.amiramesh(
  x,
  file,
  enc = c("binary", "raw", "text", "hzip"),
  dtype = c("float", "byte", "short", "ushort", "int", "double"),
  endian = .Platform$endian,
  WriteNrrdHeader = FALSE
)
```

Arguments

x	The image data to write (an im3d, or capable of being interpreted as such)
file	Character vector describing a single file
enc	Encoding of the data. NB "raw" and "binary" are synonyms.
dtype	Data type to write to disk
endian	Endianness of data block. Defaults to current value of <code>.Platform\$endian</code> .
WriteNrrdHeader	Whether to write a separate detached nrrd header next to the amiramesh file allowing it to be opened by a NRRD reader. See details.

Details

Note that only 'raw' or 'text' format data can accommodate a detached NRRD format header since Amira's HxZip format is subtly different from NRRD's gzip encoding. There is a full description of the detached NRRD format in the help for [write.nrrd](#).

See Also

[.Platform](#), [read.amiramesh](#), [write.nrrd](#)

Examples

```
d=array(rnorm(1000), c(10, 10, 10))
tf=tempfile(fileext='.am')
write.amiramesh(im3d(d, voxdims=c(0.5,0.5,1)), file=tf, WriteNrrdHeader=TRUE)
d2=read.nrrd(paste(tf, sep=' ', '.nhdr'))
all.equal(d, d2, tol=1e-6)
```

write.cmtk

Write a suitable list to a CMTK TypedStream file on disk

Description

This is probably only of interest to developers. End users will probably wish to use more specific functions such as `write.cmtkreg` for writing out registrations.

Usage

```
write.cmtk(l, con, gzip = FALSE, version = NA_character_)
```

Arguments

<code>l</code>	Appropriately formatted list
<code>con</code>	A character string specifying a path or a connection
<code>gzip</code>	Whether to gzip output file (default FALSE)
<code>version</code>	TYPEDSTREAM version number, defaults to "1.1" if not specified in the version attribute of <code>l</code> .

Details

NB a version specified on the command line overrides one encoded as an attribute in the input list.

See Also

Other cmtk-io: [cmtk.extract_affine\(\)](#), [read.cmtkreg\(\)](#), [read.cmtk\(\)](#), [write.cmtkreg\(\)](#)

write.cmtkreg	<i>Write out CMTK registration list to folder</i>
---------------	---

Description

Write out CMTK registration list to folder

Usage

```
write.cmtkreg(reglist, foldername, version = "2.4")
```

Arguments

reglist	List specifying CMTK registration parameters
foldername	Path to registration folder (usually ending in .list)
version	CMTK version for registration (default 2.4). Will be converted to character vector if not already.

Details

Note that transformation in the forward direction (i.e. sample->ref) e.g. as calculated from a set of landmarks where set 1 is the sample is considered an inverse transformation by the IGS software. So in order to use such a transformation as an initial affine with the registration command the switch `-initial-inverse` must be used specifying the folder name created by this function.

CMTK v2.4 fixed a long-standing bug in affine (de)composition to CMTK params. This resulted in a non-backwards compatible change marked by writing the TYPEDSTREAM as version 2.4. The R code in this package implements both the new and old compose/decompose functions, using the new by default.

See Also

Other cmtk-io: [cmtk.extract_affine\(\)](#), [read.cmtkreg\(\)](#), [read.cmtk\(\)](#), [write.cmtk\(\)](#)

write.hxsurf	<i>Write Amira surface (aka HxSurface or HyperSurface) into .surf file.</i>
--------------	---

Description

Write Amira surface (aka HxSurface or HyperSurface) into .surf file.

Usage

```
write.hxsurf(surf, filename)
```

Arguments

surf	hxsurf object to write to file.
filename	character vector defining path to file.

Value

NULL or integer status from `close`.

See Also

`plot3d.hxsurf`, `read.hxsurf`, `rgb`

Other amira: `amiratype()`, `is.amiramesh()`, `read.amiramesh()`, `read.hxsurf()`

Other hxsurf: `as.hxsurf()`, `as.mesh3d()`, `materials()`, `plot3d.hxsurf()`, `read.hxsurf()`, `subset.hxsurf()`

write.neuron

Write out a neuron in any of the file formats we know about

Description

If file is not specified the neuron's InputFileName field will be checked (for a dotprops object it will be the 'file' attribute). If this is missing there will be an error. If dir is specified it will be combined with `basename(file)`. If file is specified but format is not, it will be inferred from file's extension.

Usage

```
write.neuron(
  n,
  file = NULL,
  dir = NULL,
  format = NULL,
  ext = NULL,
  Force = FALSE,
  MakeDir = TRUE,
  ...
)
```

Arguments

n	A neuron
file	Path to output file
dir	Path to directory (this will replace <code>dirname(file)</code> if specified)
format	Unique abbreviation of one of the registered file formats for neurons including 'swc', 'hxlinese', 'hxskel'

ext	Will replace the default extension for the filetype and should include the period eg ext='.amiramesh' or ext='_reg.swc'. The special value of ext=NA will prevent the extension from being changed or added e.g. if the desired file name does not have an extension.
Force	Whether to overwrite an existing file
MakeDir	Whether to create directory implied by file argument.
...	Additional arguments passed to selected writer function

Details

Note that if file does not have an extension then the default extension for the specified format will be appended. This behaviour can be suppressed by setting ext=NA.

Value

return value

See Also

[write.neuron](#), [fileformats](#), [saveRDS](#)

Examples

```
# show the currently registered file formats that we can write
fileformats(class='neuron', write=TRUE)
## Not run:
write.neuron(Cell07PNs[[1]], file='myneuron.swc')
# writes out "myneuron.swc" in SWC format
write.neuron(Cell07PNs[[1]], format = 'hxlinese', file='myneuron.amiramesh')
# writes out "myneuron.amiramesh" in Amira hxlinese format
write.neuron(Cell07PNs[[1]], format = 'hxlinese', file='myneuron')
# writes out "myneuron.am" in Amira hxlinese format

## End(Not run)
```

write.neuronlistfh *Write out a neuronlistfh object to an RDS file*

Description

Write out a neuronlistfh object to an RDS file

Usage

```
write.neuronlistfh(x, file = attr(x, "file"), overwrite = FALSE, ...)
```

Arguments

x	The neuronlistfh object to write out
file	Path where the file will be written (see details)
overwrite	Whether to overwrite an existing file
...	Additional paramaters passed to saveRDS

Details

This function writes the main neuronlistfh object to disk, but makes no attempt to touch/verify the associated object files.

if file is not specified, then the function will first check if x has a 'file' attribute. If that does not exist, then `attr(x, 'db')@dir`, the backing filehash database directory, is inspected. The save path file will then be constructed by taking the directory one up from the database directory and using the name of the neuronlistfh object with the suffix '.rds'. e.g. `write.neuronlistfh(kcs20)` with db directory `'/my/path/dps/data'` will be saved as `'/my/path/dps/kcs20.rds'`

Note that if x has a 'file' attribute (set by `read.neuronlistfh`) then this will be removed before the file is saved (since the file attribute must be set on read to ensure that we know exactly which file on disk was the source of the object in memory).

See Also

[saveRDS](#)

Other neuronlistfh: [\[.neuronlistfh\(\)](#), [neuronlistfh\(\)](#), [read.neuronlistfh\(\)](#), [remotesync\(\)](#)

write.neurons	<i>Write neurons from a neuronlist object to individual files, or a zip archive</i>
---------------	---

Description

Write neurons from a neuronlist object to individual files, or a zip archive

Usage

```
write.neurons(
  nl,
  dir,
  format = NULL,
  subdir = NULL,
  INDICES = names(nl),
  files = NULL,
  Force = FALSE,
  ...
)
```

Arguments

nl	neuronlist object
dir	directory to write neurons, or path to zip archive (see Details).
format	Unique abbreviation of one of the registered file formats for neurons including 'swc', 'hxlinese', 'hxskel'
subdir	String naming field in neuron that specifies a subdirectory OR expression to evaluate in the context of neuronlist's df attribute
INDICES	Character vector of the names of a subset of neurons in neuronlist to write.
files	Character vector or expression specifying output filenames. See examples and write.neuron for details.
Force	Whether to overwrite an existing file
...	Additional arguments passed to write.neuron

Details

See [write.neuron](#) for details of how to specify the file format/extension/name of the output files and how to establish what output file formats are available. A zip archive of files can be written by specifying a value of `dir` that ends in `.zip`.

Value

the path to the output file(s), absolute when this is a zip file.

Author(s)

jefferis

See Also

[write.neuron](#), [read.neurons](#), [fileformats](#)

Other neuronlist: [*.neuronlist\(\)](#), [is.neuronlist\(\)](#), [neuronlist-dataframe-methods](#), [neuronlistfh\(\)](#), [neuronlist\(\)](#), [nlapply\(\)](#), [read.neurons\(\)](#)

Examples

```
## Not run:
# write some neurons in swc format
write.neurons(Cell07PNs, dir="testwn", format='swc')
# write some neurons in Amira hxlinese format
write.neurons(Cell07PNs, dir="testwn", format='hxlinese')

# organise new files in directory hierarchy by glomerulus and Scored.By field
write.neurons(Cell07PNs, dir="testwn",
  subdir=file.path(Glomerulus, Scored.By), format='hxlinese')
# ensure that the neurons are named according to neuronlist names
write.neurons(Cell07PNs, dir="testwn", files=names(Cell07PNs),
  subdir=file.path(Glomerulus, Scored.By), format='hxlinese')
# only write a subset
```

```

write.neurons(subset(Cell07PNs, Scored.By="ACH"),dir="testwn2",
  subdir=Glomerulus,format='hxlinese')
# The same, but likely faster for big neuronlists
write.neurons(Cell07PNs, dir="testwn3",
  INDICES=subset(Cell07PNs,Scored.By="ACH",rval='names'),
  subdir=Glomerulus,format='hxlinese')
# set file name explicitly using a field in data.frame
write.neurons(subset(Cell07PNs, Scored.By="ACH"),dir="testwn4",
  subdir=Glomerulus, files=paste0(ID,'.am'), format='hxlinese')

## End(Not run)

```

write.nrrd	<i>Write data and metadata to NRRD file or create a detached NRRD (nhdr) file.</i>
------------	--

Description

write.nrrd writes an array, vector or im3d object to a NRRD file. When x is an im3d object, appropriate spatial calibration fields are added to the header.

write.nrrd.header writes a nrrd header file.

write.nrrd.header.for.file makes a detached NRRD (**nhdr**) file that points at another image file on disk, making it NRRD compatible. This can be a convenient way to make NRRD inputs for other tools e.g. CMTK and also allows the same data block to be pointed to by different nhdr files with different spatial calibration.

Usage

```

write.nrrd(
  x,
  file,
  enc = c("gzip", "raw", "text"),
  dtype = c("float", "byte", "short", "ushort", "int", "double"),
  header = attr(x, "header"),
  endian = .Platform$endian,
  datafile = NULL
)

```

```
write.nrrd.header(header, file)
```

```
write.nrrd.header.for.file(infile, outfile = NULL)
```

Arguments

x	Data to write as an array, vector or im3d object.
file	Character string naming an output file (a detached nrrd header when file has extension 'nhdr').

enc	One of three supported nrrd encodings ("gzip", "raw", "text")
dtype	The data type to write. One of "float", "byte", "short", "ushort", "int", "double"
header	List containing fields of nrrd header - see <i>Header</i> section.
endian	One of "big" or "little". Defaults to <code>.Platform\$endian</code> .
datafile	Optional name of separate file into which data should be written (see details).
infile, outfile	Path to input and output file for <code>write.nrrd.header.for.file</code> . If <code>outfile</code> is NULL (the default) then it will be set to <code><infilestem.nhdr></code> .

Detached NRRDs

NRRD files can be written in *detached* format (see <https://teem.sourceforge.net/nrrd/format.html#detached>) in which a text **nhdr** file is used to describe the contents of a separate (usually binary) data file. This means that the **nhdr** file can be inspected and edited with a text editor, while the datablock can be in a completely raw format that can be opened even by programs that do not understand the NRRD format. Furthermore detached NRRD header files can be written to accompany non-NRRD image data so that it can be opened by nrrd readers.

If `file` has extension `.nhdr` or `datafile` is non-NULL, then `write.nrrd` will write a separate `datafile`. If `datafile` is set, then it is interpreted as specifying a path relative to the **nhdr** file. If `datafile` is not specified then default filenames will be chosen according to the encoding following the conventions of the teem library:

- raw '`<nhdrstem>.raw`'
- gzip '`<nhdrstem>.raw.gz`'
- text '`<nhdrstem>.ascii`'

Data file paths

When a detached NRRD is written, the `datafile` can be specified either as *relative* or *absolute* path. Relative paths are strongly recommended - the best place is right next to the `datafile`. Relative paths are always specified with respect to the location of the **nhdr** file.

The `datafile` argument is not processed by `write.nrrd` so it is up to the caller to decide whether a relative or absolute path will be used.

For `write.nrrd.header.for.file` if `outfile` is not specified then the **nhdr** file will be placed next to the original image stack and the `datafile` field will therefore just be `basename(infile)`. If `outfile` is specified explicitly, then `datafile` will be set to the full path in the `infile` argument. Therefore if you wish to specify `outfile`, you *must* set the current working directory (using `setwd`) to the location in which `outfile` will be written to ensure that the path to the `datafile` is correct. A future TODO would add the ability to convert an absolute `datafile` path to a relative one (by finding the common path between `datafile` and **nhdr** folders).

Header

For `write.nrrd`, arguments `enc`, `dtype`, and `endian` along with the dimensions of the input (`x`) will override the corresponding NRRD header fields from any supplied header argument. See <https://teem.sourceforge.net/nrrd/format.html> for details of the NRRD fields.

See Also

[read.nrrd](#), [.Platform](#)

write.vtk

Write object to VTK file

Description

Write object to VTK file

Usage

```
write.vtk(x, file, ...)

## S3 method for class 'neuron'
write.vtk(
  x,
  file,
  datatype = c("float", "double"),
  title = file,
  WriteAllSubTrees = TRUE,
  ...
)
```

Arguments

x	Object to write
file	Path to output file
...	Additional arguments to methods
datatype	The VTK data type (one of float or double)
title	Title of the .vtk file (defaults to file)
WriteAllSubTrees	Whether to write all subtrees in the neuron or just the main tree.

Examples

```
## Not run:
n=Cell07PNs[[1]]
write.vtk(n, paste0(n$NeuronName, ".vtk"))
write.neuron(n, paste0(n$NeuronName, ".vtk"))

## End(Not run)
```

xform	<i>Transform the 3D location of objects such as neurons</i>
-------	---

Description

xform is designed to operate on a variety of data types, especially objects encapsulating neurons. xform depends on two specialised downstream functions `xformpoints` and `xformimage`. These are user visible any contain some useful documentation, but should only be required for expert use; in almost all circumstances, you should use only xform.

xform.character is designed to work with files on disk. Presently it is restricted to images, although other datatypes may be supported in future.

Usage

```
xform(x, reg, ...)

## Default S3 method:
xform(x, reg, na.action = c("warn", "none", "drop", "error"), ...)

## S3 method for class 'character'
xform(x, reg, ...)

## S3 method for class 'list'
xform(x, reg, FallBackToAffine = TRUE, na.action = "error", ...)

## S3 method for class 'shape3d'
xform(x, reg, FallBackToAffine = TRUE, na.action = "error", ...)

## S3 method for class 'neuron'
xform(x, reg, FallBackToAffine = TRUE, na.action = "error", ...)

## S3 method for class 'data.frame'
xform(x, reg, subset = NULL, ...)

## S3 method for class 'dotprops'
xform(x, reg, FallBackToAffine = TRUE, ...)

## S3 method for class 'neuronlist'
xform(
  x,
  reg,
  subset = NULL,
  ...,
  OmitFailures = NA,
  VectoriseRegistrations = FALSE,
  TransformDFCoords = TRUE
)
```

Arguments

<code>x</code>	an object to transform
<code>reg</code>	A registration defined by a matrix, a function, a <code>cmtkreg</code> object, or a character vector specifying a path to one or more registrations on disk (see Registrations section).
<code>...</code>	additional arguments passed to methods and eventually to <code>xformpoints</code>
<code>na.action</code>	How to handle NAs. NB drop may not work for some classes.
<code>FallBackToAffine</code>	Whether to use an affine transform when a cmtk warping transformation fails.
<code>subset</code>	For <code>xform.neuronlist</code> indices (character/logical/integer) that specify a subset of the members of <code>x</code> to be transformed.
<code>OmitFailures</code>	Whether to omit neurons for which FUN gives an error. The default value (NA) will result in nlaply stopping with an error message the moment there is an error. For other values, see details.
<code>VectoriseRegistrations</code>	When FALSE, the default, each element of <code>reg</code> will be applied sequentially to each element of <code>x</code> . When TRUE, it is assumed that there is one element of <code>reg</code> for each element of <code>x</code> .
<code>TransformDFCoords</code>	If the metadata <code>data.frame</code> attached to <code>x</code> includes columns that look like <code>x,y,z</code> coordinates, transform those as well.

Details

Methods are provided for some specialised S3 classes. Further methods can of course be constructed for user-defined S3 classes. However this will probably not be necessary if the `xyzmatrix` and ``xyzmatrix<-`` generics are suitably overloaded *and* the S3 object inherits from `list`.

Note that given the behaviour of the `xyzmatrix` functions, the `xform.data.frame` method will transform the `x,y,z` or `X,Y,Z` columns of a `data.frame` if the `data.frame` has more than 3 columns, erroring out if no such unique columns exist.

TODO get this to work for matrices with more than 3 columns by working on `xyzmatrix` definition.

For the `xform.dotprops` method, `dotprops` tangent vectors will be recalculated from scratch after the points have been transformed (even though the tangent vectors could in theory be transformed more or less correctly). When there are multiple transformations, `xform` will take care to carry out all transformations before recalculating the vectors.

With `xform.neuronlist`, if you want to apply a different registration to each object in the `neuronlist` `x`, then you should use `VectoriseRegistrations=TRUE`.

When `x`'s attached `data.frame` contains columns called `x,y,z` or `X,Y,Z` then these are assumed to be coordinates and also transformed when `TransformDFCoords=TRUE` (the default). This provides a mechanism for transforming the soma positions of `neuronlist` objects containing `dotprops` objects (which do not otherwise store the soma position). Note that if transformation fails, a warning will be issued and the points will be replaced with NA values.

Registrations

When `reg` is a character vector, `xform`'s specialised downstream functions will check to see if it defines a path to one (or more) registrations on disk. These can be of two classes

- CMTK registrations
- `reglist` objects saved in R's RDS format (see [readRDS](#)) which can contain any sequence of registrations supported by `nat`.

If the path does indeed point to a CMTK registration, this method will hand off to `xformpoints.cmtkreg` or `xformimages.cmtkreg`. In this case, the character vector may optionally have an attribute, 'swap', a logical vector of the same length indicating whether the transformation direction should be swapped. At the moment only CMTK registration files are supported.

If `reg` is a character vector of length ≥ 1 defining a sequence of registration files on disk they should proceed from sample to reference.

Where `reg` is a function, it should have a signature like `myfun(x,)`, ... where the ... **must** be provided in order to swallow any arguments passed from higher level functions that are not relevant to this particular transformation function.

See Also

[xformpoints](#)

Examples

```
## Not run:
kc1=kcs20[[1]]
kc1.default=xform(kc1,function(x,...) x)
stopifnot(isTRUE(all.equal(kc1,kc1.default)))
kc1.5=xform(kc1,function(x,...) x, k=5)
stopifnot(isTRUE(all.equal(kc1.5,kc1.default)))
kc1.20=xform(kc1,function(x,...) x, k=20)
stopifnot(!isTRUE(all.equal(kc1,kc1.20)))

# apply two registrations converting sample->IS2->JFRC2
reg_seq=c("IS2_sample.list", "JFRC2_IS2.list")
xform(kc1, reg_seq)
# apply two registrations, swapping the direction of the second one
# i.e. sample -> IS2 -> FCWB
reg_seq=structure(c("IS2_sample.list", "IS2_FCWB.list"), swap=c(FALSE, TRUE))
xform(kc1, reg_seq)

## End(Not run)
## Not run:
# apply reg1 to Cell107PNs[[1]], reg2 to Cell107PNs[[2]] etc
regs=c(reg1, reg2, reg3)
nx=xform(Cell107PNs[1:3], reg=regs, VectoriseRegistrations=TRUE)

## End(Not run)
```

xformimage

Transform image files using a registration or affine matrix

Description

You should almost always call `xform` rather calling than `xformimage` directly.

Usage

```
xformimage(reg, image, ...)

## S3 method for class 'character'
xformimage(reg, image, ...)

## S3 method for class 'cmtkreg'
xformimage(
  reg,
  image,
  transformtype = c("warp", "affine"),
  direction = NULL,
  ...
)

## S3 method for class 'reglist'
xformimage(reg, image, ...)

## Default S3 method:
xformimage(reg, image, ...)
```

Arguments

<code>reg</code>	A registration defined by a matrix or a <code>cmtkreg</code> object, or a character vector specifying a path to a CMTK registration on disk (see details). If <code>reg</code> is a character vector of length <code>>1</code> defining a sequence of registration files on disk they should proceed from sample to reference.
<code>image</code>	<code>Nx3</code> matrix of image
<code>...</code>	Additional arguments passed to methods (and then eventually to <code>cmtk.reformatx</code>)
<code>transformtype</code>	Which transformation to use when the CMTK file contains both warp (default) and affine (TODO)
<code>direction</code>	Whether to transform image from sample space to reference space (called forward by CMTK) or from reference to sample space (called inverse by CMTK). Default (when <code>NULL</code> is forward).

Details

When passed a character vector, `xformimage` will check to see if it defines a path containing CMTK registration erroring out if this is not the case. If the path does indeed point to a CMTK registration, this method will hand off to `xformimage.cmtkreg`. A future TODO would be to provide a mechanism for extending this behaviour for other registration formats. If a list of transformations is passed in, these transformations are passed to the `cmtk reformatx` tool in the order received. Note that there is presently no support for

- using the inverse of a registration
- specifying a mask
- passing additional arguments to `reformatx`

Note that the direction of CMTK registrations can be the source of much confusion. This is because CMTK defines the *forward* direction as the transform required to reformat an image in *sample* (floating) space to an image in *template* space. Since this operation involves filling a regular grid in template space by looking up the corresponding positions in sample space, the transformation that is required is (somewhat counterintuitively) the one that maps template to sample. However in neuroanatomical work, one often has points in sample space that one would like to transform into template space. Here one needs CMTK's *inverse* transformation.

A second source of confusion is that when there are multiple transformations, CMTK's `reformatx` tool (wrapped by `cmtk.reformatx`) expects them to be listed:

```
ref_intermediate.list intermediate_sample.list
```

where `ref_intermediate.list` is the CMTK registration obtained with `ref` as target/reference and `intermediate` as sample/floating image.

For consistency, all `xform.*` methods expect multiple registrations to be listed from sample to reference and this order is then swapped when they are passed on to `cmtk.reformatx`.

whereas CMTK's `streamxform` tool (wrapped by `xformpoints`) expects them in the opposite order.

Value

Character vector with path to xformed image.

See Also

[cmtk.reformatx](#), [xformpoints](#), [xform](#)

xformpoints

Transform 3D points using a registration, affine matrix or function

Description

You should almost always call `xform` rather calling `thanxformpoints` directly.

Usage

```
xformpoints(reg, points, ...)

## S3 method for class 'character'
xformpoints(reg, points, ...)

## S3 method for class 'cmtkreg'
xformpoints(
  reg,
  points,
  transformtype = c("warp", "affine"),
  direction = NULL,
  FallBackToAffine = FALSE,
  ...
)

## S3 method for class 'reglist'
xformpoints(reg, points, ...)

## Default S3 method:
xformpoints(reg, points, ...)
```

Arguments

reg	A registration defined by a matrix, a function, a cmtkreg object, a reglist object containing a sequence of arbitrary registrations, or a character vector specifying path(s) to registrations on disk (see details).
points	Nx3 matrix of points
...	Additional arguments passed to methods
transformtype	Which transformation to use when the CMTK file contains both warp (default) and affine
direction	Whether to transform points from sample space to reference space (called inverse by CMTK) or from reference to sample space (called forward by CMTK). Default (when NULL is inverse).
FallBackToAffine	Whether to use the affine transformation for points that fail to transform under a warping transformation.

Details

If a list of transformations is passed in, these transformations are performed in sequence order, such that `xformpoints(c(a,b,c), x) == xformpoints(c, (xformpoints(b, xformpoints(a, x))))`

Note that the direction of CMTK registrations can be the source of much confusion. This is because CMTK defines the *forward* direction as the transform required to reformat an image in *sample* (floating) space to an image in *template* space. Since this operation involves filling a regular grid in template space by looking up the corresponding positions in sample space, the transformation that is required is (somewhat counterintuitively) the one that maps template to sample. However in

neuroanatomical work, one often has points in sample space that one would like to transform into template space. Here one needs the *inverse* transformation.

xyzmatrix

Get and assign coordinates for classes containing 3D vertex data

Description

xyzmatrix gets coordinates from objects containing 3D vertex data

xyzmatrix<- assigns xyz elements of neuron or dotprops object and can also handle matrix like objects with columns named X, Y, Z or x, y, z.

Usage

```
xyzmatrix(x, ...)  
  
## Default S3 method:  
xyzmatrix(x, y = NULL, z = NULL, ...)  
  
## S3 method for class 'neuron'  
xyzmatrix(x, ...)  
  
## S3 method for class 'neuronlist'  
xyzmatrix(x, ...)  
  
## S3 method for class 'dotprops'  
xyzmatrix(x, ...)  
  
## S3 method for class 'hxsurf'  
xyzmatrix(x, ...)  
  
## S3 method for class 'igraph'  
xyzmatrix(x, ...)  
  
## S3 method for class 'mesh3d'  
xyzmatrix(x, ...)  
  
xyzmatrix(x) <- value  
  
## S3 replacement method for class 'neuron'  
xyzmatrix(x) <- value  
  
## S3 replacement method for class 'dotprops'  
xyzmatrix(x) <- value  
  
## S3 replacement method for class 'hxsurf'  
xyzmatrix(x) <- value
```

```
## S3 replacement method for class 'igraph'
xyzmatrix(x) <- value

## S3 replacement method for class 'shape3d'
xyzmatrix(x) <- value

## S3 replacement method for class 'neuronlist'
xyzmatrix(x) <- value
```

Arguments

x	object containing 3D coordinates
...	additional arguments passed to methods
y, z	separate y and z coordinates
value	Nx3 matrix specifying new xyz coords

Details

Note that `xyzmatrix` can extract or set 3D coordinates in a `matrix` or `data.frame` that **either** has exactly 3 columns **or** has 3 columns named X,Y,Z or x,y,z.

Value

For `xyzmatrix`: Nx3 matrix containing 3D coordinates

For `xyzmatrix<-`: Original object with modified coords

See Also

[xyzmatrix](#)

Examples

```
# see all available methods for different classes
methods('xyzmatrix')
# ... and for the assignment method
methods('xyzmatrix<-')
n=Cell107PNs[[1]]
xyzmatrix(n)<-xyzmatrix(n)
stopifnot(isTRUE(
  all.equal(xyzmatrix(n),xyzmatrix(Cell107PNs[[1]]))
))
```

[.neuronlistfh *Extract from neuronlistfh object or its attached data.frame*

Description

[.neuronlistfh extracts either a sublist from a neuronlistfh (converting it to a regular in memory list in the process) *or* its attached data.frame.

Usage

```
## S3 method for class 'neuronlistfh'
x[i, j, drop]
```

Arguments

x	A neuronlistfh object
i, j	elements to extract or replace. Numeric, logical or character or, for the [get method, empty. See details and the help for [.data.frame .
drop	logical. If TRUE the result is coerced to the lowest possible dimension. The default is to drop if only one column is left, but not to drop if only one row is left.

Details

Note that if i is a numeric or logical indexing vector, it will be converted internally to a vector of names by using the (sorted) names of the objects in x (i.e. names(x)[i])

Value

A new in-memory neuronlist or when using two subscripts, a data.frame - see examples.

See Also

[neuronlistfh](#), [\[.neuronlist](#), [\[.data.frame](#), [\[<-.data.frame](#),

Other neuronlistfh: [neuronlistfh\(\)](#), [read.neuronlistfh\(\)](#), [remotesync\(\)](#), [write.neuronlistfh\(\)](#)

Examples

```
# make a test neuronlistfh backed by a temporary folder on disk
tf=tempfile('kcs20fh')
kcs20fh<-as.neuronlistfh(kcs20, dbdir=tf)

# get first neurons as an in memory neuronlist
class(kcs20fh[1:3])

# extract attached data.frame
str(kcs20fh[,])
# or part of the data.frame
```

```
str(kcs20fh[1:2,1:3])  
  
# data.frame assignment (this one changes nothing)  
kcs20fh[1:2,'gene_name'] <- kcs20fh[1:2,'gene_name']  
  
# clean up  
unlink(tf, recursive=TRUE)
```

Index

- * **amira**
 - amiratype, 14
 - is.amiramesh, 56
 - read.amiramesh, 112
 - read.hxsurf, 114
 - write.hxsurf, 155
- * **cmtk-commandline**
 - cmtk.dof2mat, 28
 - cmtk.mat2dof, 30
- * **cmtk-geometry**
 - affmat2cmtkparams, 10
 - cmtk.dof2mat, 28
 - cmtk.mat2dof, 30
 - cmtkparams2affmat, 36
- * **cmtk-io**
 - cmtk.extract_affine, 29
 - read.cmtk, 113
 - read.cmtkreg, 114
 - write.cmtk, 154
 - write.cmtkreg, 155
- * **hxsurf**
 - as.hxsurf, 16
 - as.mesh3d, 18
 - materials, 63
 - plot3d.hxsurf, 98
 - read.hxsurf, 114
 - subset.hxsurf, 143
 - write.hxsurf, 155
- * **im3d**
 - as.im3d, 17
 - boundingbox, 21
 - im3d, 47
 - im3d-coords, 49
 - im3d-io, 50
 - imexpand.grid, 53
 - imslice, 54
 - is.im3d, 58
 - mask, 62
 - origin, 89
 - projection, 106
 - threshold, 149
 - unmask, 151
 - voxdims, 152
- * **nat-data**
 - Cell107PNs, 24
 - kcs20, 61
 - MBL.surf, 64
- * **neuronlistfh**
 - [.neuronlistfh, 171
 - neuronlistfh, 75
 - read.neuronlistfh, 122
 - remotesync, 128
 - write.neuronlistfh, 157
- * **neuronlist**
 - *.neuronlist, 9
 - is.neuronlist, 59
 - neuronlist, 71
 - neuronlist-dataframe-methods, 72
 - neuronlistfh, 75
 - nlapply, 80
 - read.neurons, 123
 - write.neurons, 158
- * **neuron**
 - neuron, 68
 - ngraph, 78
 - plot.neuron, 91
 - potential_synapses, 105
 - prune, 108
 - resample, 129
 - rootpoints, 130
 - spine, 138
 - subset.neuron, 144
- * **package**
 - nat-package, 5
- *.dotprops, 7
- *.neuron, 8, 132
- *.neuronlist, 6, 9, 59, 72, 74, 77, 82, 124, 159

- + .dotprops (* .dotprops), 7
- + .neuron (* .neuron), 8
- + .neuronlist (* .neuronlist), 9
- .dotprops (* .dotprops), 7
- .neuron (* .neuron), 8
- .neuronlist (* .neuronlist), 9
- .Platform, [113](#), [154](#), [162](#)
- / .dotprops (* .dotprops), 7
- / .neuron (* .neuron), 8
- / .neuronlist (* .neuronlist), 9
- [.data.frame, [73](#), [74](#), [171](#)
- [.neuronlist, [171](#)
- [.neuronlist
 - (neuronlist-dataframe-methods), [72](#)
- [.neuronlistfh, [77](#), [123](#), [129](#), [158](#), [171](#)
- [<- .neuronlist
 - (neuronlist-dataframe-methods), [72](#)

- affmat2cmtkparams, [10](#), [29](#), [30](#), [37](#), [38](#)
- all.equal, [12](#), [13](#)
- all.equal.dotprops, [11](#), [68](#)
- all.equal.im3d, [12](#)
- all.equal.neuron, [13](#), [68](#)
- amiratype, [14](#), [57](#), [113](#), [115](#), [156](#)
- approx, [129](#), [130](#)
- arrayInd, [151](#)
- as.cmtkreg (cmtkreg), [37](#)
- as.data.frame.neuronlist, [15](#), [72](#)
- as.dotprops (dotprops), [40](#)
- as.hxsurf, [16](#), [19](#), [64](#), [98](#), [115](#), [143](#), [156](#)
- as.im3d, [6](#), [17](#), [18](#), [23](#), [39](#), [48](#), [49](#), [51](#), [53](#), [55](#), [58](#), [63](#), [90](#), [107](#), [150](#), [151](#), [153](#)
- as.im3d.matrix, [55](#)
- as.mesh3d, [16](#), [18](#), [19](#), [64](#), [98](#), [115](#), [143](#), [156](#)
- as.neuron, [5](#), [121](#)
- as.neuron (neuron), [68](#)
- as.neuron.data.frame, [86](#), [109](#), [110](#), [135](#)
- as.neuron.ngraph, [110](#), [111](#)
- as.neuronlist, [20](#)
- as.neuronlist.neuronlistfh, [21](#)
- as.neuronlistfh (neuronlistfh), [75](#)
- as.ngraph, [110](#), [111](#)
- as.ngraph (ngraph), [78](#)
- as.seglist, [70](#)
- as.seglist (seglist), [133](#)
- as.seglist.neuron, [132](#)
- ashape3d, [19](#), [104](#)

- attributes, [13](#)
- boundingbox, [6](#), [17](#), [18](#), [21](#), [48](#), [49](#), [51](#), [53](#), [55](#), [58](#), [63](#), [65](#), [66](#), [90](#), [92](#), [94](#), [95](#), [107](#), [150](#), [151](#), [153](#)
- boundingbox<- (boundingbox), [21](#)
- branchpoints (rootpoints), [130](#)

- c, [23](#), [127](#)
- c.neuronlist, [23](#)
- c.reglist (reglist), [126](#)
- Cell07PNs, [24](#), [61](#), [64](#)
- clampmax, [24](#), [107](#)
- close, [156](#)
- cmtk, [6](#), [7](#)
- cmtk (cmtk.bindir), [25](#)
- cmtk.bindir, [7](#), [25](#), [28](#), [32](#), [35](#)
- cmtk.call, [27](#), [32](#), [33](#)
- cmtk.dof2mat, [10](#), [28](#), [30](#), [35](#), [37](#)
- cmtk.extract_affine, [29](#), [113](#), [114](#), [154](#), [155](#)
- cmtk.mat2dof, [10](#), [29](#), [30](#), [37](#)
- cmtk.reformatx, [31](#), [166](#), [167](#)
- cmtk.statistics, [32](#)
- cmtk.system2 (cmtk.call), [27](#)
- cmtk.targetvolume, [34](#)
- cmtk.version, [7](#), [35](#)
- cmtkparams2affmat, [10](#), [29](#), [30](#), [36](#)
- cmtkreg, [37](#), [38](#), [96](#), [126](#), [137](#), [168](#)
- cmtkreglist, [29](#), [38](#)
- coord2ind, [39](#), [55](#)
- create_progress_bar, [7](#), [81](#)

- data.frame, [15](#)
- data.frame<-
 - (as.data.frame.neuronlist), [15](#)
- dev.capabilities, [52](#)
- dfs, [70](#)
- diameter, [139](#)
- digest, [67](#), [68](#)
- distances, [139](#)
- dotprops, [5–7](#), [40](#), [61](#), [71](#), [72](#), [97](#), [98](#), [131](#)
- droplevels, [74](#)
- droplevels
 - (neuronlist-dataframe-methods), [72](#)

- E, [110](#)
- endpoints (rootpoints), [130](#)

- fileformats, [7](#), [41](#), [117](#), [119](#), [124](#), [157](#), [159](#)
- filled.contour, [52](#)
- find.neuron, [6](#), [44](#), [46](#), [147](#)
- find.soma, [44](#), [45](#)
- flip, [46](#)
- getformatreader (fileformats), [41](#)
- getformatwriter, [50](#), [51](#)
- getformatwriter (fileformats), [41](#)
- graph, [5](#)
- graph.nodes, [47](#)
- groupGeneric, [107](#)
- head, [74](#)
- head (neuronlist-dataframe-methods), [72](#)
- head.neuronlist, [24](#), [61](#)
- heat.colors, [52](#)
- hxsurf, [6](#), [64](#)
- hxsurf (read.hxsurf), [114](#)
- igraph, [5](#), [68](#), [80](#), [121](#), [134](#)
- ijkpos, [6](#), [39](#)
- ijkpos (im3d-coords), [49](#)
- im3d, [6](#), [7](#), [18](#), [23](#), [47](#), [49](#), [51](#), [53](#), [55](#), [58](#), [63](#), [90](#), [107](#), [125](#), [150](#), [151](#), [153](#), [160](#)
- im3d-coords, [49](#)
- im3d-io, [50](#)
- image, [52](#)
- image.im3d, [51](#), [54](#)
- imexpand.grid, [18](#), [23](#), [48](#), [49](#), [51](#), [53](#), [55](#), [58](#), [63](#), [90](#), [107](#), [150](#), [151](#), [153](#)
- imscalebar, [53](#)
- imslice, [18](#), [23](#), [48](#), [49](#), [51](#), [53](#), [54](#), [58](#), [63](#), [90](#), [107](#), [150](#), [151](#), [153](#)
- ind2coord, [6](#), [17](#), [18](#), [39](#), [49](#), [55](#)
- intersect, [56](#), [56](#)
- invert_reglis (reglist), [126](#)
- is.amiramesh, [14](#), [56](#), [113](#), [115](#), [156](#)
- is.cmtkreg (cmtkreg), [37](#)
- is.dotprops, [20](#)
- is.dotprops (dotprops), [40](#)
- is.fjitraces, [57](#)
- is.im3d, [18](#), [23](#), [48](#), [49](#), [51](#), [53](#), [55](#), [58](#), [63](#), [90](#), [107](#), [150](#), [151](#), [153](#)
- is.neuroml, [58](#)
- is.neuron, [20](#)
- is.neuron (neuron), [68](#)
- is.neuronlist, [10](#), [20](#), [59](#), [72](#), [74](#), [77](#), [82](#), [124](#), [159](#)
- is.neuronlistfh (neuronlistfh), [75](#)
- is.nrrd, [59](#)
- is.swc, [60](#), [122](#)
- is.vaa3draw, [61](#)
- kcs20, [24](#), [61](#), [64](#)
- lapply, [82](#)
- llply, [81](#)
- load, [119](#)
- makelock, [32](#)
- mapply, [82](#)
- mask, [18](#), [23](#), [48](#), [49](#), [51](#), [53](#), [55](#), [58](#), [62](#), [90](#), [107](#), [150](#), [151](#), [153](#)
- materials, [16](#), [19](#), [62](#), [63](#), [98](#), [115](#), [143](#), [156](#)
- MBL.surf, [24](#), [61](#), [64](#)
- mesh3d, [6](#), [19](#), [21](#)
- mirror, [64](#)
- nat, [93](#), [101](#)
- nat (nat-package), [5](#)
- nat-package, [5](#)
- ndigest, [67](#)
- neuron, [5–7](#), [68](#), [71](#), [72](#), [80](#), [92](#), [106](#), [109](#), [110](#), [117](#), [121](#), [130](#), [131](#), [133–135](#), [139](#), [145](#)
- neuronlist, [6](#), [7](#), [10](#), [15](#), [20](#), [59](#), [70](#), [71](#), [74](#), [76](#), [77](#), [82](#), [121](#), [124](#), [147](#), [159](#)
- neuronlist-dataframe-methods, [72](#)
- neuronlistfh, [10](#), [59](#), [67](#), [72](#), [74](#), [75](#), [82](#), [123](#), [124](#), [129](#), [158](#), [159](#), [171](#)
- ngraph, [5](#), [70](#), [78](#), [92](#), [106](#), [109](#), [111](#), [119](#), [121](#), [130](#), [131](#), [134](#), [139](#), [140](#), [145](#)
- nlapply, [6](#), [7](#), [10](#), [40](#), [41](#), [59](#), [66](#), [72](#), [74](#), [77](#), [80](#), [106](#), [124](#), [159](#)
- nlscan, [83](#)
- nmapply (nlapply), [80](#)
- nopen3d, [85](#), [89](#)
- normalise_sw, [85](#), [134](#), [135](#)
- npop3d, [86](#)
- nrrd.voxdims, [87](#)
- nvertices, [88](#)
- nview3d, [88](#)
- open3d, [85](#)
- options, [26](#)
- origin, [18](#), [23](#), [48](#), [49](#), [51](#), [53](#), [55](#), [58](#), [63](#), [89](#), [107](#), [150](#), [151](#), [153](#)

- pan3d, [85](#), [90](#)
- par3d, [89](#)
- plot, [52](#)
- plot.neuron, [70](#), [80](#), [91](#), [106](#), [109](#), [130](#), [131](#), [139](#), [145](#)
- plot.neuronlist, [93](#)
- plot.window, [92](#)
- plot3d, [7](#), [84](#), [94](#), [95](#), [96](#), [98](#), [100](#)
- plot3d.boundingBox, [23](#), [95](#), [95](#)
- plot3d.character, [7](#), [84](#), [95](#)
- plot3d.character (plot3d.neuronlist), [101](#)
- plot3d.cmtkreg, [95](#), [96](#)
- plot3d.dotprops, [61](#), [95](#), [97](#), [100](#)
- plot3d.hxsurf, [16](#), [19](#), [64](#), [95](#), [98](#), [115](#), [143](#), [156](#)
- plot3d.neuron, [92](#), [95](#), [99](#), [102](#)
- plot3d.neuronlist, [6](#), [61](#), [84](#), [86](#), [94](#), [95](#), [100](#), [101](#)
- points3d, [98](#)
- pointsinside, [103](#)
- pop3d, [86](#)
- potential_synapses, [70](#), [80](#), [92](#), [105](#), [109](#), [130](#), [131](#), [139](#), [145](#)
- projection, [18](#), [23](#), [48](#), [49](#), [51](#), [53](#), [55](#), [58](#), [63](#), [90](#), [106](#), [150](#), [151](#), [153](#)
- prune, [70](#), [80](#), [92](#), [106](#), [108](#), [110](#), [130](#), [131](#), [139](#), [145](#)
- prune.neuron, [111](#), [145](#)
- prune_edges (prune_vertices), [110](#)
- prune_strahler, [109](#), [109](#), [139](#), [140](#)
- prune_vertices, [108](#), [109](#), [110](#), [144](#), [145](#)
- rainbow, [52](#)
- rasterImage, [52](#)
- raw, [50](#)
- rbind.fill, [23](#)
- read.amiramesh, [14](#), [51](#), [57](#), [112](#), [115](#), [154](#), [156](#)
- read.cmtk, [29](#), [113](#), [114](#), [154](#), [155](#)
- read.cmtkreg, [29](#), [96](#), [113](#), [114](#), [154](#), [155](#)
- read.hxsurf, [6](#), [7](#), [14](#), [16](#), [19](#), [57](#), [64](#), [98](#), [113](#), [114](#), [143](#), [156](#)
- read.im3d, [6](#), [125](#), [126](#)
- read.im3d (im3d-io), [50](#)
- read.landmarks, [116](#)
- read.morphml, [117](#), [121](#)
- read.neuron, [60](#), [118](#), [123](#), [124](#)
- read.neuron.fiji, [119](#), [120](#)
- read.neuron.neuroml, [118](#), [119](#), [120](#)
- read.neuron.swc, [119](#), [121](#)
- read.neuronlistfh, [77](#), [122](#), [129](#), [158](#), [171](#)
- read.neurons, [6](#), [7](#), [10](#), [59](#), [72](#), [74](#), [77](#), [82](#), [119](#), [123](#), [159](#)
- read.ngraph.swc (read.neuron.swc), [121](#)
- read.nrrd, [51](#), [125](#), [162](#)
- read.nrrd.header, [87](#)
- read.vaa3draw, [126](#)
- readBin, [113](#)
- readRDS, [119](#), [165](#)
- rect, [54](#)
- regex, [98](#), [123](#), [143](#)
- registerformat (fileformats), [41](#)
- reglist, [65](#), [126](#), [137](#), [165](#), [168](#)
- remotesync, [77](#), [123](#), [128](#), [158](#), [171](#)
- resample, [70](#), [80](#), [92](#), [106](#), [109](#), [129](#), [131](#), [139](#), [145](#)
- resample.neuron, [41](#)
- rgb, [115](#), [156](#)
- rgl, [6](#), [7](#), [19](#)
- rgl.setMouseCallbacks, [90](#)
- rgl.useNULL, [7](#)
- rootpoints, [70](#), [80](#), [92](#), [106](#), [109](#), [130](#), [130](#), [139](#), [145](#)
- RunCmdForNewerInput, [32](#)
- sapply, [81](#)
- saveRDS, [157](#), [158](#)
- scale (scale.neuron), [131](#)
- scale.default, [131](#), [132](#)
- scale.neuron, [131](#)
- seglengths, [130](#), [132](#), [149](#)
- seglist, [133](#)
- seglist2swc, [86](#), [134](#)
- segmentgraph, [135](#), [140](#)
- segments3d, [95](#), [98](#)
- select3d, [6](#), [44–46](#)
- set_vertex_attr, [79](#), [80](#)
- setdiff, [136](#), [136](#)
- simplify_reglist, [137](#)
- smooth_neuron, [137](#)
- smooth_segment_gauss (smooth_neuron), [137](#)
- spine, [70](#), [80](#), [92](#), [106](#), [109](#), [110](#), [130](#), [131](#), [138](#), [145](#)
- strahler_order, [110](#), [140](#)
- sub2ind, [39](#), [55](#), [141](#)
- subset, [141](#)

subset.data.frame, 147
subset.dotprops, 5, 109, 141, 141, 145, 147
subset.hxsurf, 16, 19, 64, 98, 115, 141, 143, 156
subset.neuron, 5, 70, 80, 92, 106, 108, 109, 111, 130, 131, 139, 141, 144, 147
subset.neuronlist, 6, 44, 46, 141, 146
summary(summary.neuronlist), 148
summary.neuronlist, 148
system2, 27, 28

tail, 74
tail (neuronlist-dataframe-methods), 72
terrain.colors, 52
threshold, 18, 23, 48, 49, 51, 53, 55, 58, 63, 90, 107, 149, 151, 153
tmesh3d, 19
topo.colors, 52

union, 150, 150
unmask, 18, 23, 48, 49, 51, 53, 55, 58, 63, 90, 107, 150, 151, 153

vcgClean, 104
vector, 149
view3d, 89
voxdims, 6, 18, 23, 48, 49, 51, 53, 55, 58, 63, 90, 107, 150, 151, 152

with, 74
with (neuronlist-dataframe-methods), 72
with.neuronlist, 24, 61
write.amiramesh, 153
write.cmtk, 29, 113, 114, 154, 155
write.cmtkreg, 29, 38, 113, 114, 154, 155
write.hxsurf, 14, 16, 19, 57, 64, 98, 113, 115, 143, 155
write.im3d, 6
write.im3d (im3d-io), 50
write.landmarks (read.landmarks), 116
write.neuron, 43, 119, 156, 157, 159
write.neuronlistfh, 77, 123, 129, 157, 171
write.neurons, 6, 10, 59, 72, 74, 77, 82, 124, 158
write.nrrd, 51, 126, 153, 154, 160
write.vtk, 162

xform, 6, 7, 65, 66, 127, 137, 163, 166, 167
xformimage, 163, 166
xformpoints, 163–165, 167, 167
xformpoints.cmtkreg, 126
xmlParse, 118, 120
xyzmatrix, 22, 111, 169, 170
xyzmatrix<- (xyzmatrix), 169
xyzpos, 6, 55
xyzpos (im3d-coords), 49